



SLOVENSKI STANDARD
SIST EN 301 084 V2.1.1:2005
01-januar-2005

**Digitalno omrežje z integriranimi storitvami (ISDN) – Dopolnilna storitev:
uporabniško krmiljena zapora odhodnega klica (OCB-UC) – Opis storitve**

Integrated Services Digital Network (ISDN); Outgoing Call Barring-User Controlled (OCB-UC) supplementary service; Service description

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **EN 301 084 Version 2.1.1**
<https://standards.iteh.ai/catalog/standards/sist/c2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005>

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST EN 301 084 V2.1.1:2005 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 084 V2.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005>

ETSI EN 301 084 V2.1.1 (2000-07)

European Standard (Telecommunications series)

Integrated Services Digital Network (ISDN); Outgoing Call Barring-User Controlled (OCB-UC) supplementary service; Service description

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 084 V2.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005>



Reference

REN/SPAN-020085

Keywords

call barring, stage 1, supplementary service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 084 V2.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:

editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword	5
1 Scope	6
2 References	6
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	7
4 Description	8
5 Procedures	8
5.1 Provision and withdrawal	8
5.2 Normal procedures	9
5.2.1 Registration and erasure	9
5.2.2 Activation and deactivation	9
5.2.2.1 Activation	9
5.2.2.2 Deactivation	10
5.2.3 Invocation and operation	10
5.2.4 Disabling	11
5.2.5 Interrogation	11
5.3 Exceptional procedures	11
5.3.1 Registration and erasure	11
5.3.2 Activation and deactivation	11
5.3.2.1 Activation	11
5.3.2.2 Deactivation	12
5.3.3 Invocation and operation	12
5.3.4 Disabling	12
5.3.5 Interrogation	12
6 Interworking requirements	12
6.1 Interworking with non-ISDNs	12
6.2 Interworking with private networks	12
7 Interaction with ISDN supplementary services	13
7.1 Advice of charge	13
7.1.1 Advice of charge at call set-up	13
7.1.2 Advice of charge during the call	13
7.1.3 Advice of charge at the end of a call	13
7.2 Call waiting	13
7.3 Call hold	13
7.4 Explicit call transfer	13
7.5 Number identification services	13
7.5.1 Calling line identification presentation	13
7.5.2 Calling line identification restriction	13
7.5.3 Connected line identification presentation	13
7.5.4 Connected line identification restriction	13
7.6 Closed user group	14
7.7 Call completion services	14
7.7.1 Completion of calls to busy subscriber	14
7.7.2 Completion of calls on no reply	14
7.8 Conference services	14
7.8.1 Conference call, add-on	14
7.8.2 Conference call, meet-me	14
7.9 Direct dialling in	14
7.10 Diversion services	14

7.10.1	Call forwarding unconditional	14
7.10.2	Call forwarding busy.....	14
7.10.3	Call forwarding no reply	15
7.10.4	Call deflection.....	15
7.10.5	Selective call forwarding	15
7.11	Freephone	15
7.12	Malicious call identification	15
7.13	Multiple subscriber number.....	15
7.14	Subaddressing.....	15
7.15	Terminal portability.....	15
7.16	Three party	15
7.17	User-to-user signalling	16
7.18	In-call modification	16
7.19	Hunting services	16
7.19.1	Line hunting.....	16
7.19.2	Trunk hunting	16
7.20	Support of private numbering plans	16
7.21	Call barring services.....	16
7.21.1	Outgoing call barring-fixed.....	16
7.21.2	Outgoing call barring-user controlled	16
8	Interactions with other services.....	16
8.1	Universal access number	16
8.2	Virtual card calling.....	16
8.3	Premium rate	17
8.4	Televoting.....	17
8.5	Remote control	17
History	18

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 084 V2.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

National transposition dates	
Date of adoption of this EN:	19 May 2000
Date of latest announcement of this EN (doa):	31 August 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2001
Date of withdrawal of any conflicting National Standard (dow):	28 February 2001

<https://standards.iteh.ai/catalog/standards/sist/e2140cdd-7742-4153-ba16-9ab96b91690c/sist-en-301-084-v2-1-1-2005>

1 Scope

The present document defines the stage one of the Outgoing Call Barring-User Controlled (OCB-UC) supplementary service for the pan-European Integrated Services Digital Network (ISDN) as provided by European telecommunications operators. Stage one is an overall service description from the user's point of view (see CCITT Recommendation I.130 [1]), but does not deal with the details of the human interface itself.

The present document defines the interworking requirements of private ISDNs with the public ISDN.

In addition the present document specifies the base functionality where the service is provided to the user via a private ISDN.

The present document does not specify the additional requirements where the service is provided to the user via a telecommunications network that is not an ISDN but does include interworking requirements of other networks with the public ISDN.

Interactions with supplementary services not listed in clause 7 and other services not listed in clause 8 are outside the scope of the present document.

Charging principles are outside the scope of the present document.

The OCB-UC supplementary service enables calls belonging to certain types to be rejected when they are originated by the served user. The served user's ability to receive incoming calls is unaffected by the OCB-UC supplementary service. The served user can select the barring program, activate and later deactivate it.

NOTE: Barring of certain types of calls by the network provider due to national legislations, regulations or for any other reason, are out of the scope of this service.

The OCB-UC supplementary service is applicable to all circuit-switched telecommunications services.

The present document is applicable to the stage two and stage three standards for the ISDN OCB-UC supplementary service. The terms "stage two" and "stage three" are also defined in CCITT Recommendation I.130 [1]. Where the text indicates the status of a requirement (i.e. as strict command or prohibition, as authorization leaving freedom, or as a capability or possibility), this shall be reflected in the text of the relevant stage two and stage three standards.

Furthermore, conformance to the present document is met by conforming to the stage three standards with the field of application appropriate to the equipment being implemented. Therefore no method of testing is provided for the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

[1] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".

[2] ITU-T Recommendation I.112 (1993): "Vocabulary of terms for ISDNs".

- [3] ITU-T Recommendation E.164 (1997): "The international public telecommunications numbering plan".
- [4] ITU-T Recommendation I.210 (1993): "Principles of telecommunication services supported by an ISDN and the means to describe them".
- [5] ETSI ETS 300 345 (1995): "Integrated Services Digital Network (ISDN); Interworking between public ISDNs and private ISDNs for the provision of telecommunication services; General aspects".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

(basic) service; telecommunications service: see ITU-T Recommendation I.112 [2], section 2.2, definition 201

barring program: selection of type of calls to which the calls can be barred. This selection can possibly relate to, or be complemented by, number ranges and/or prefixes

basic access: see ITU-T Recommendation I.112 [2], section 2.4, definition 425

disabling: action taken by the user per call to prevent invocation of the OCB-UC supplementary service

Integrated Services Digital Network (ISDN): see ITU-T Recommendation I.112 [2], section 2.3, definition 308

ISDN number: number conforming to the numbering plan and structure specified in ITU-T Recommendation E.164 [3]

network operator: entity which provides the network operating elements and resources for the execution of the OCB-UC supplementary service

Personal Identification Number (PIN): the PIN is the 4 to 12 position alphanumeric code or password the customer possesses for authentication. This is used to provide authentication of the user with the access device

primary rate access: see ITU-T Recommendation I.112 [2], section 2.4, definition 426

served user: the user to whom the OCB-UC supplementary service is provided

service provider: entity which offers the OCB-UC supplementary service subscription. The network operator may be the service provider

supplementary service: see ITU-T Recommendation I.210 [4], section 2.4

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CCBS	Completion of Calls to Busy Subscriber
CCNR	Completion of Calls on No Reply
ISDN	Integrated Services Digital Network
OCB-F	Outgoing Call Barring-Fixed
OCB-UC	Outgoing Call Barring-User Controlled
PIN	Personal Identification Number

4 Description

The OCB-UC supplementary service shall be available to users who are connected to the network via the basic access or the primary rate access.

The OCB-UC supplementary service enables calls belonging to certain types to be rejected when they are originated by the served user. The served user's ability to receive incoming calls is unaffected by the OCB-UC supplementary service.

Barring programs can contain one type of call, or a combination of different types of call. Examples of the different types of call are:

- national calls;
- international calls;
- special services (e.g. Premium rate services).

NOTE: Service providers may permit calls to numbers having special significance (e.g. emergency services) regardless of the active barring program. These numbers are outside the scope of the present document.

Outgoing calls from the served user's termination shall be barred according to the barring program which is active at the served user's access or ISDN number, and the associated basic service for the call.

Unauthorized use of the OCB-UC supplementary service is protected by the use of PINs. The management of PINs is outside the scope of the present document.

5 Procedures

ITeH STANDARD PREVIEW
(standards.iteh.ai)

5.1 Provision and withdrawal

The OCB-UC supplementary service shall be provided after prior arrangement with the service provider. A PIN shall be assigned on provision of the OCB-UC supplementary service.

As a service provider option, the OCB-UC supplementary service can be provided on a per ISDN number basis, or the OCB-UC supplementary service can apply to the whole access. If the service provider offers both of these options, then it shall be a subscription option to choose which of these options applies.

The number of barring programs available, and the definition of each barring program is a service provider option.

The OCB-UC supplementary service can be subscribed to for all basic services subscribed to by the user, or as a service provider option, the user can identify particular basic service(s) for which the OCB-UC supplementary service shall apply.

The service provider shall define the number of barring programs (maximum 256) and shall define the contents of each barring program (e.g. types of call) available for the OCB-UC supplementary service.

Normally, only one barring program shall be activated at a time for each basic service. As a service provider option, more than one barring program may be active at a time for each basic service.

As a service provider option, when the OCB-UC supplementary service is provided on a per ISDN number basis, and more than one ISDN number is allocated to the served user's access, the served user can be given the capability to indicate whether activation or deactivation applies to an indicated number or to all ISDN numbers on the access.

The OCB-UC supplementary service shall be withdrawn by the service provider upon request of the subscriber, or for service provider reasons.

5.2 Normal procedures

5.2.1 Registration and erasure

Not applicable.

5.2.2 Activation and deactivation

5.2.2.1 Activation

The served user shall supply the following information when requesting the activation of the OCB-UC supplementary service:

- the barring program;
- the served user's PIN; and
- information as to whether the activation of the OCB-UC supplementary service is for all basic services to which the OCB-UC supplementary service applies, or for a specific basic service out of the basic services to which the OCB-UC supplementary service applies.

When subscription applies on a per ISDN number basis and more than one ISDN number is allocated to the access, then:

- the served user shall also supply the ISDN number for which the activation of the OCB-UC supplementary service shall apply (In this case the served user shall provide the PIN belonging to the indicated ISDN number); or
- as a service provider option, the served user may, if this option is subscribed to, indicate that the activation of the OCB-UC supplementary service shall apply for all ISDN numbers for which the OCB-UC supplementary service is subscribed to. If only one barring program is allowed to be active per ISDN number, this activation shall replace any previous activation of the OCB-UC supplementary service which may be in force on individual ISDN numbers on the access, for the basic services indicated at activation. If more than one barring program is allowed to be active per ISDN number, this activation shall not replace any previous activation of the OCB-UC supplementary service which may be in force on individual ISDN numbers on the access, for the basic services indicated at activation.

When subscription applies for the whole access, or only one ISDN number is allocated to the access, the served user need not provide an ISDN number to identify the served user. If the served user includes an ISDN number allocated to that access, or indicates that the activation of the OCB-UC supplementary service shall apply to all ISDN numbers (if this functionality is offered by the service provider and subscribed to by the served user) then the ISDN number, or the indication of all ISDN numbers, shall be ignored. Activation of the OCB-UC supplementary service shall proceed as normal.

The served user can separately activate the OCB-UC supplementary service for each basic service to which the OCB-UC supplementary service applies and thereby request a different barring program for each basic service to which the OCB-UC supplementary service applies.

If only one barring program is allowed to be active per basic service, when the OCB-UC supplementary service is activated for all basic services, this activation shall replace any previous activation of the OCB-UC supplementary service which may be in force on individual basic services.

If more than one barring program is allowed to be active per basic service, when the OCB-UC supplementary service is activated for all basic services, this activation shall not replace any previous activation of the OCB-UC supplementary service which may be in force on individual basic services.

If the served user has only one barring program available, then the indication of a barring program can be omitted when requesting the activation of the OCB-UC supplementary service.