
**Optics and photonics — Measurement
of reflectance of plane surfaces
and transmittance of plane parallel
elements**

*Optique et photonique — Mesurage du facteur de réflexion des
surfaces planes et du facteur de transmission des éléments à plan
parallèle*

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 15368:2021

<https://standards.iteh.ai/catalog/standards/iso/6636c27e-be63-4bb2-97c0-a41ae5d88633/iso-15368-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 15368:2021

<https://standards.iteh.ai/catalog/standards/iso/6636c27e-be63-4bb2-97c0-a41ae5d88633/iso-15368-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and units	2
5 Test sample	3
6 Measuring apparatus	3
7 Test conditions	5
7.1 Dispersive type spectrophotometer	5
7.1.1 General	5
7.1.2 Optical radiation source	5
7.1.3 Monochromator	6
7.1.4 Detection system	6
7.1.5 Numerical correction	6
7.2 Fourier-transform type spectrophotometer	6
7.2.1 General	6
7.2.2 Optical radiation source	6
7.2.3 Interferometer	7
7.2.4 Detection system	7
7.2.5 Numerical correction	7
8 Test procedure	8
8.1 Measurement of reflectance	8
8.1.1 General	8
8.1.2 Direct measurement of regular reflectance	8
8.1.3 Relative measurement of regular reflectance	9
8.1.4 Measurement of relative reflectance	10
8.2 Measurement of transmittance	10
8.2.1 Regular transmittance	10
8.2.2 Internal transmittance of an optical plate	11
9 Common sources of error	11
9.1 General	11
9.2 Monochromator wavelength uncertainty, reproducibility and spectral resolution	11
9.3 Interferometer wavenumber uncertainty, reproducibility and spectral resolution	12
9.4 Fluctuation of the incident flux	12
9.5 Parallelism of the sample	12
9.6 Monochromator stray optical radiation	13
9.7 Linearity of the detection system	13
9.8 Inter-reflections	13
9.9 Misalignment of the sample	13
9.10 Monochromator baseline reproducibility	13
9.11 Beam divergence	13
10 Test report	14
Annex A (informative) Spectrophotometers	15
Annex B (informative) Refractive index of synthetic fused silica	20
Bibliography	21

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 172, *Optics and photonics*, Subcommittee SC 1, *Fundamental standards*.

This second edition cancels and replaces the first edition ISO 15368:2001 which has been technically revised. The main changes compared to the previous edition are as follows:

- Throughout the document, descriptions of the use of Fourier transform spectrometer instruments have been expanded and added where appropriate to an equivalent level as those of monochromator instruments.
- Throughout the document, the term “light” has been replaced with “optical radiation” to reflect that this standard’s spectral range extends beyond the visible.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Measurements of reflectance and transmittance using spectrophotometers are the most fundamental methods for the characterization of optical components. Since the spectrophotometric methods are basic and normal, they are extensively used and provide measurement data over a wide range of wavelengths.

This document describes the measurement of reflectance and transmittance using spectrophotometers, which provides data with high reproducibility and repeatability.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 15368:2021](https://standards.iteh.ai/catalog/standards/iso/6636c27e-be63-4bb2-97c0-a41ae5d88633/iso-15368-2021)

<https://standards.iteh.ai/catalog/standards/iso/6636c27e-be63-4bb2-97c0-a41ae5d88633/iso-15368-2021>

Optics and photonics — Measurement of reflectance of plane surfaces and transmittance of plane parallel elements

1 Scope

This document provides rules for the measurement of the spectral reflectance of plane surfaces and the spectral transmittance of plane parallel elements using spectrophotometers.

This document only applies to measurements of the regular transmittance and the regular reflectance; it does not apply to those of the diffuse transmittance and the diffuse reflectance.

This document is applicable to test samples, which are coated or uncoated optical components without optical power.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9211-1, *Optics and photonics — Optical coatings — Part 1: Vocabulary*

ISO 10110-8, *Optics and photonics — Preparation of drawings for optical elements and systems — Part 8: Surface texture*

ISO 80000-7, *Quantities and units — Part 7: Light and radiation*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

IEC 60050-845, *International Electrotechnical Vocabulary — Chapter 845: Lighting*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9211-1, ISO 80000-7, IEC 60050-845 and ISO/IEC Guide 98-3, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

transmittance

<for incident radiation of a given spectral composition, polarization and geometrical distribution> ratio of the transmitted radiant or luminous flux to the incident flux in the given conditions

[SOURCE: IEC 60050-845:1987, 845-04-59]

3.2

regular transmittance

ratio of the regularly transmitted part of the (whole) transmitted flux, to the incident flux

[SOURCE: IEC 60050-845:1987, 845-04-61]

3.3

diffuse transmittance

ratio of the diffusely transmitted part of the (whole) transmitted flux, to the incident flux

Note 1 to entry: $\tau = \tau_r + \tau_d$ (see also [Clause 4](#)).

Note 2 to entry: The results of the measurements of τ_r and τ_d depend on the instruments and the measuring techniques used.

[SOURCE: IEC 60050-845:1987, 845-04-63]

3.4

internal transmittance

ratio of the radiant or luminous flux reaching the internal exit surface of the layer to the flux that enters into the layer after crossing the entry surface

3.5

reflectance

<for incident radiation of a given spectral composition, polarization and geometrical distribution> ratio of the reflected radiant or luminous flux to the incident flux under the given conditions

[SOURCE: IEC 60050-845:1987, 845-04-58]

3.6

regular reflectance

ratio of the regularly reflected part of the (whole) reflected flux, to the incident flux

[SOURCE: IEC 60050-845:1987, 845-04-60]

3.7

diffuse reflectance

ratio of the diffusely reflected part of the (whole) reflected flux, to the incident flux

Note 1 to entry: $\rho = \rho_r + \rho_d$ (see also [Clause 4](#)).

Note 2 to entry: The results of the measurements of ρ_r and ρ_d depend on the instruments and the measuring techniques used.

[SOURCE: IEC 60050-845:1987, 845-04-62]

3.8

relative reflectance

ratio of the reflected flux from a sample to that from a reference

4 Symbols and units

For the purposes of this document, the following symbols and units apply.

λ wavelength, expressed in nanometres

p, s state of polarization

τ transmittance

τ_r regular transmittance

τ_d	diffuse transmittance
τ_i	internal transmittance
ρ	reflectance
ρ_r	regular reflectance
ρ_d	diffuse reflectance
$\rho_{r,rel}$	relative regular reflectance

NOTE Wherever the Greek letters, ρ and τ , are mistakable, T and R can be used.

5 Test sample

The storage, cleaning and preparation of a test sample shall be carried out in accordance with the instructions of the manufacturer on the test sample for normal use.

The wavelength, angle of incidence and state of polarization shall correspond to those specified by the manufacturer for the use of the test sample.


6 Measuring apparatus iTeh Standards

For the measurements specified in this document, a spectrophotometer is required. [Figure 1](#) shows an example of a double beam, dispersive type spectrophotometer. [Figure 2](#) shows an example of a single beam, interferometer type Fourier-transform spectrophotometer (FTS). Both types consist of an optical radiation source, a spectral unit, a sample compartment, a detector unit and a control unit.

Details of the apparatus are described in [Annex A](#).

ISO 15368:2021

<https://standards.iteh.ai/catalog/standards/iso/6636c27e-be63-4bb2-97c0-a41ae5d88633/iso-15368-2021>



Key

- | | | | |
|----|--------------------------|----|-------------------------------------|
| OS | optical radiation source | B | baffle |
| LE | lens | PF | polarization filter |
| F | filter box | CM | chopper mirror |
| S | slit | TB | test beam and test sample |
| D | dispersive element | RB | reference beam and reference sample |
| M | monochromator | DU | detector unit |
| SC | sample compartment | CU | control unit |
| CO | collecting optics | | |

Figure 1 — Typical arrangement of a dispersive spectrophotometer