

ETSI TS 128 541 V15.12.0 (2024-08)



**5G;
Management and orchestration;
5G Network Resource Model (NRM);
Stage 2 and stage 3
(3GPP TS 28.541 version 15.12.0 Release 15)**

[ETSI TS 128 541 V15.12.0 \(2024-08\)](https://standards.iteh.ai/catalog/standards/etsi/55ab0647-a205-43b0-97c9-b6ebc5e63c42/etsi-ts-128-541-v15-12-0-2024-08)

<https://standards.iteh.ai/catalog/standards/etsi/55ab0647-a205-43b0-97c9-b6ebc5e63c42/etsi-ts-128-541-v15-12-0-2024-08>



Reference

RTS/TSGS-0528541vfc0

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
ETSI [Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-08)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
Introduction	15
1 Scope	16
2 References	16
3 Definitions and abbreviations.....	18
3.1 Definitions	18
3.2 Abbreviations	18
4 Information model definitions for NR NRM.....	19
4.1 Imported and associated information	19
4.1.1 Imported information entities and local labels.....	19
4.1.2 Associated information entities and local labels.....	19
4.2 Class diagram	19
4.2.1 Class diagram for gNB and en-gNB	19
4.2.1.1 Relationships.....	19
4.2.1.2 Inheritance.....	22
4.3 Class definitions	24
4.3.1 GNBDUFunction	24
4.3.1.1 Definition	24
4.3.1.2 Attributes.....	24
4.3.1.3 Attribute constraints	24
4.3.1.4 Notifications.....	24
4.3.2 GNBCUCPFunction	24
4.3.2.1 Definition	24
4.3.2.2 Attributes.....	25
4.3.2.3 Attribute constraints	25
4.3.2.4 Notifications.....	25
4.3.3 GNBCUUPFunction	25
4.3.3.1 Definition	25
4.3.3.2 Attributes.....	26
4.3.3.3 Attribute constraints	26
4.3.3.4 Notifications.....	26
4.3.4 NRCellCU	26
4.3.4.1 Definition	26
4.3.4.2 Attributes.....	26
4.3.4.3 Attribute constraints	27
4.3.4.4 Notifications.....	27
4.3.5 NRCellDU	27
4.3.5.1 Definition	27
4.3.5.2 Attributes.....	27
4.3.5.3 Attribute constraints	28
4.3.5.4 Notifications.....	28
4.3.6 NRSectorCarrier	28
4.3.6.1 Definition	28
4.3.6.2 Attributes.....	29
4.3.6.3 Attribute constraints	29
4.3.6.4 Notifications.....	29
4.3.7 BWP	29
4.3.7.1 Definition	29
4.3.7.2 Attributes.....	29
4.3.7.3 Attribute constraints	29

4.3.7.4	Notifications.....	30
4.3.8	EP_E1	30
4.3.8.1	Definition	30
4.3.8.2	Attributes.....	30
4.3.8.3	Attribute constraints	30
4.3.8.4	Notifications.....	30
4.3.9	EP_XnU.....	30
4.3.9.1	Definition	30
4.3.9.2	Attributes.....	30
4.3.9.3	Attribute constraints	30
4.3.9.4	Notifications.....	30
4.3.10	EP_NgC.....	31
4.3.10.1	Definition	31
4.3.10.2	Attributes.....	31
4.3.10.3	Attribute constraints	31
4.3.10.4	Notifications.....	31
4.3.11	EP_NgU.....	31
4.3.11.1	Definition	31
4.3.11.2	Attributes.....	31
4.3.11.3	Attribute constraints	31
4.3.11.4	Notifications.....	31
4.3.12	EP_F1C.....	32
4.3.12.1	Definition	32
4.3.12.2	Attributes.....	32
4.3.12.3	Attribute constraints	32
4.3.12.4	Notifications.....	32
4.3.13	EP_F1U.....	32
4.3.13.1	Definition	32
4.3.13.2	Attributes.....	32
4.3.13.3	Attribute constraints	32
4.3.13.4	Notifications.....	32
4.3.14	EP_S1U.....	33
4.3.14.1	Definition	33
4.3.14.2	Attributes.....	33
4.3.14.3	Attribute constraints	33
4.3.14.4	Notifications.....	33
4.3.15	EP_X2C.....	33
4.3.15.1	Definition	33
4.3.15.2	Attributes.....	33
4.3.15.3	Attribute constraints	33
4.3.15.4	Notifications.....	33
4.3.16	EP_X2U.....	33
4.3.16.1	Definition	33
4.3.16.2	Attributes.....	34
4.3.16.3	Attribute constraints	34
4.3.16.4	Notifications.....	34
4.3.17	EP_XnC.....	34
4.3.17.1	Definition	34
4.3.17.2	Attributes.....	34
4.3.17.3	Attribute constraints	34
4.3.17.4	Notifications.....	34
4.3.18	ExternalGNBCUCPFfunction	34
4.3.18.1	Definition	34
4.3.18.2	Attributes.....	34
4.3.18.3	Attribute constraints	35
4.3.18.4	Notifications.....	35
4.3.19	ExternalGNBCUUPFunction	35
4.3.19.1	Definition	35
4.3.19.2	Attributes.....	35
4.3.19.3	Attribute constraints	35
4.3.19.4	Notifications.....	35

4.3.20	ExternalGNBDUFunction	35
4.3.20.1	Definition	35
4.3.20.2	Attributes	35
4.3.20.3	Attribute constraints	35
4.3.20.4	Notifications	36
4.3.21	ExternalUPFFunction	36
4.3.21.1	Definition	36
4.3.21.2	Attributes	36
4.3.21.3	Attribute constraints	36
4.3.21.4	Notifications	36
4.3.22	ExternalAMFFunction	36
4.3.22.1	Definition	36
4.3.22.2	Attributes	36
4.3.22.3	Attribute constraints	36
4.3.22.4	Notifications	36
4.3.23	Void	37
4.3.24	ENBFunction <<ProxyClass>>	37
4.3.24.1	Definition	37
4.3.24.2	Attributes	37
4.3.24.3	Attribute constraints	37
4.3.24.4	Notifications	37
4.3.25	GNBCUCPFunction <<ProxyClass>>	37
4.3.25.1	Definition	37
4.3.25.2	Attributes	37
4.3.25.3	Attribute constraints	37
4.3.25.4	Notifications	37
4.3.26	GNBCUUPFunction <<ProxyClass>>	37
4.3.26.1	Definition	37
4.3.26.2	Attributes	37
4.3.26.3	Attribute constraints	37
4.3.26.4	Notifications	38
4.3.27	GNBDUFunction <<ProxyClass>>	38
4.3.27.1	Definition	38
4.3.27.2	Attributes	38
4.3.27.3	Attribute constraints	38
4.3.27.4	Notifications	38
4.3.28	ServingGWFFunction <<ProxyClass>>	38
4.3.28.1	Definition	38
4.3.28.2	Attributes	38
4.3.28.3	Attribute constraints	38
4.3.28.4	Notifications	38
4.3.29	UPFFunction <<ProxyClass>>	38
4.3.29.1	Definition	38
4.3.29.2	Attributes	38
4.3.29.3	Attribute constraints	38
4.3.29.4	Notifications	39
4.3.30	AMFFunction <<ProxyClass>>	39
4.3.30.1	Definition	39
4.3.30.2	Attributes	39
4.3.30.3	Attribute constraints	39
4.3.30.4	Notifications	39
4.3.31	Void	39
4.3.32	NRCellRelation	39
4.3.32.1	Definition	39
4.3.32.2	Attributes	39
4.3.32.3	Attribute constraints	39
4.3.32.4	Notifications	39
4.3.33	NRFreqRelation	40
4.3.33.1	Definition	40
4.3.33.2	Attributes	40
4.3.33.3	Attribute constraints	40

4.3.33.4	Void.....	40
4.3.35	ExternalNRCellCU.....	40
4.3.35.1	Definition.....	40
4.3.35.2	Attributes.....	41
4.3.35.3	Attribute constraints.....	41
4.3.35.4	Notifications.....	41
4.3.36	RRMPolicyRatio2 <<dataType>>.....	41
4.3.36.1	Definition.....	41
4.3.36.2	Attributes.....	41
4.3.37	NRFrequency.....	41
4.3.37.1	Definition.....	41
4.3.37.2	Attributes.....	42
4.3.37.3	Attribute constraints.....	42
4.3.37.4	Notifications.....	42
4.3.38	CommonBeamformingFunction.....	42
4.3.38.1	Definition.....	42
4.3.38.2	Attributes.....	42
4.3.38.3	Attribute constraints.....	42
4.3.38.4	Notifications.....	42
4.3.39	Beam.....	42
4.3.39.1	Definition.....	42
4.3.39.2	Attributes.....	43
4.3.39.3	Attribute constraints.....	43
4.3.39.4	Notifications.....	43
4.4	Attribute definitions.....	44
4.4.1	Attribute properties.....	44
4.5	Common notifications.....	56
5	Information model definitions for 5GC NRM.....	57
5.1	Imported information entities and local labels.....	57
5.2	Class diagram.....	57
5.2.1	Class diagram of 5GC NFs.....	57
5.2.1.1	Relationships.....	57
5.2.1.2	Inheritance.....	64
5.2.2	Class diagram of AMF Region/AMF Set.....	65
5.2.2.1	Relationships.....	65
5.2.2.2	Inheritance.....	66
5.3	Class definitions.....	66
5.3.1	AMFFunction.....	66
5.3.1.1	Definition.....	66
5.3.1.2	Attributes.....	66
5.3.1.3	Attribute constraints.....	67
5.3.1.4	Notifications.....	67
5.3.2	SMFFunction.....	67
5.3.2.1	Definition.....	67
5.3.2.2	Attributes.....	67
5.3.2.3	Attribute constraints.....	67
5.3.2.4	Notifications.....	67
5.3.3	UPFFunction.....	67
5.3.3.1	Definition.....	67
5.3.3.2	Attributes.....	67
5.3.3.3	Attribute constraints.....	68
5.3.3.4	Notifications.....	68
5.3.4	N3IWFFunction.....	68
5.3.4.1	Definition.....	68
5.3.4.2	Attributes.....	68
5.3.4.3	Attribute constraints.....	68
5.3.4.4	Notifications.....	68
5.3.5	PCFFunction.....	68
5.3.5.1	Definition.....	68
5.3.5.2	Attributes.....	68

5.3.5.3	Attribute constraints	69
5.3.5.4	Notifications	69
5.3.6	AUSFFunction	69
5.3.6.1	Definition	69
5.3.6.2	Attributes	69
5.3.6.3	Attribute constraints	69
5.3.6.4	Notifications	69
5.3.7	UDMFunction	69
5.3.7.1	Definition	69
5.3.7.2	Attributes	69
5.3.5.3	Attribute constraints	70
5.3.5.4	Notifications	70
5.3.8	UDRFFunction	70
5.3.8.1	Definition	70
5.3.8.2	Attributes	70
5.3.8.3	Attribute constraints	70
5.3.8.4	Notifications	70
5.3.9	UDSFFunction	70
5.3.9.1	Definition	70
5.3.9.2	Attributes	70
5.3.9.3	Attribute constraints	71
5.3.9.4	Notifications	71
5.3.10	NRFFunction	71
5.3.10.1	Definition	71
5.3.10.2	Attributes	71
5.3.10.3	Attribute constraints	71
5.3.10.4	Notifications	71
5.3.11	NSSFFunction	71
5.3.11.1	Definition	71
5.3.11.2	Attributes	71
5.3.11.3	Attribute constraints	72
5.3.11.4	Notifications	72
5.3.12	AFFunction	72
5.3.12.1	Definition	72
5.3.13	DNFunction	72
5.3.13.1	Definition	72
5.3.14	SMSFFunction	72
5.3.14.1	Definition	72
5.3.14.2	Attributes	72
5.3.14.3	Attribute constraints	72
5.3.14.4	Notifications	72
5.3.15	LMFFunction	73
5.3.15.1	Definition	73
5.3.15.2	Attributes	73
5.3.15.3	Attribute constraints	73
5.3.15.4	Notifications	73
5.3.16	NGEIRFunction	73
5.3.16.1	Definition	73
5.3.16.2	Attributes	73
5.3.16.3	Attribute constraints	73
5.3.16.4	Notifications	73
5.3.17	SEPPFunction	73
5.3.17.1	Definition	73
5.3.17.2	Attributes	74
5.3.17.3	Attribute constraints	74
5.3.17.4	Notifications	74
5.3.18	NWDAFFunction	74
5.3.18.1	Definition	74
5.3.18.2	Attributes	74
5.3.18.3	Attribute constraints	74
5.3.18.4	Notifications	74

5.3.19	EP_N2	74
5.3.19.1	Definition	74
5.3.19.2	Attributes	74
5.3.19.3	Attribute constraints	74
5.3.19.4	Notifications	75
5.3.20	EP_N3	75
5.3.20.1	Definition	75
5.3.20.2	Attributes	75
5.3.20.3	Attribute constraints	75
5.3.20.4	Notifications	75
5.3.21	EP_N4	75
5.3.21.1	Definition	75
5.3.21.2	Attributes	75
5.3.21.3	Attribute constraints	75
5.3.21.4	Notifications	75
5.3.22	EP_N5	75
5.3.22.1	Definition	75
5.3.22.2	Attributes	75
5.3.22.3	Attribute constraints	76
5.3.22.4	Notifications	76
5.3.23	EP_N6	76
5.3.23.1	Definition	76
5.3.23.2	Attributes	76
5.3.23.3	Attribute constraints	76
5.3.23.4	Notifications	76
5.3.24	EP_N7	76
5.3.24.1	Definition	76
5.3.24.2	Attributes	76
5.3.24.3	Attribute constraints	76
5.3.24.4	Notifications	76
5.3.25	EP_N8	77
5.3.25.1	Definition	77
5.3.25.2	Attributes	77
5.3.25.3	Attribute constraints	77
5.3.25.4	Notifications	77
5.3.26	EP_N9	77
5.3.26.1	Definition	77
5.3.26.2	Attributes	77
5.3.26.3	Attribute constraints	77
5.3.26.4	Notifications	77
5.3.27	EP_N10	77
5.3.27.1	Definition	77
5.3.27.2	Attributes	77
5.3.27.3	Attribute constraints	78
5.3.27.4	Notifications	78
5.3.28	EP_N11	78
5.3.28.1	Definition	78
5.3.28.2	Attributes	78
5.3.28.3	Attribute constraints	78
5.3.28.4	Notifications	78
5.3.29	EP_N12	78
5.3.29.1	Definition	78
5.3.29.2	Attributes	78
5.3.29.3	Attribute constraints	78
5.3.29.4	Notifications	78
5.3.30	EP_N13	79
5.3.30.1	Definition	79
5.3.30.2	Attributes	79
5.3.30.3	Attribute constraints	79
5.3.30.4	Notifications	79
5.3.31	EP_N14	79

5.3.31.1	Definition	79
5.3.31.2	Attributes.....	79
5.3.31.3	Attribute constraints	79
5.3.31.4	Notifications.....	79
5.3.32	EP_N15	79
5.3.32.1	Definition	79
5.3.32.2	Attributes.....	79
5.3.32.3	Attribute constraints	80
5.3.32.4	Notifications.....	80
5.3.33	EP_N16	80
5.3.33.1	Definition	80
5.3.33.2	Attributes.....	80
5.3.33.3	Attribute constraints	80
5.3.33.4	Notifications.....	80
5.3.34	EP_N17	80
5.3.34.1	Definition	80
5.3.34.2	Attributes.....	80
5.3.34.3	Attribute constraints	80
5.3.34.4	Notifications.....	80
5.3.35	EP_N20	81
5.3.35.1	Definition	81
5.3.35.2	Attributes.....	81
5.3.35.3	Attribute constraints	81
5.3.35.4	Notifications.....	81
5.3.36	EP_N21	81
5.3.36.1	Definition	81
5.3.36.2	Attributes.....	81
5.3.36.3	Attribute constraints	81
5.3.36.4	Notifications.....	81
5.3.37	EP_N22	81
5.3.37.1	Definition	81
5.3.37.2	Attributes.....	81
5.3.37.3	Attribute constraints	82
5.3.37.4	Notifications.....	82
5.3.38	EP_N26	82
5.3.38.1	Definition	82
5.3.38.2	Attributes.....	82
5.3.38.3	Attribute constraints	82
5.3.38.4	Notifications.....	82
5.3.39	EP_SBI_X	82
5.3.39.1	Definition	82
5.3.39.2	Attributes.....	82
5.3.39.3	Attribute constraints	82
5.3.39.4	Notifications.....	83
5.3.40	EP_SBI_IPX	83
5.3.40.1	Definition	83
5.3.40.2	Attributes.....	83
5.3.40.3	Attribute constraints	83
5.3.40.4	Notifications.....	83
5.3.41	EP_S5C	83
5.3.41.1	Definition	83
5.3.41.2	Attributes.....	83
5.3.41.3	Attribute constraints	83
5.3.41.4	Notifications.....	83
5.3.42	EP_S5U	83
5.3.42.1	Definition	83
5.3.42.2	Attributes.....	84
5.3.42.3	Attribute constraints	84
5.3.42.4	Notifications.....	84
5.3.43	EP_Rx	84
5.3.43.1	Definition	84

5.3.43.2	Attributes.....	84
5.3.43.3	Attribute constraints	84
5.3.43.4	Notifications.....	84
5.3.44	EP_MAP_SMSC.....	84
5.3.44.1	Definition	84
5.3.44.2	Attributes.....	84
5.3.44.3	Attribute constraints	84
5.3.44.4	Notifications.....	85
5.3.45	EP-NLS.....	85
5.3.45.1	Definition	85
5.3.45.2	Attributes.....	85
5.3.45.3	Attribute constraints	85
5.3.45.4	Notifications.....	85
5.3.46	EP_NLG.....	85
5.3.46.1	Definition	85
5.3.46.2	Attributes.....	85
5.3.46.3	Attribute constraints	85
5.3.46.4	Notifications.....	85
5.3.47	EP_N27.....	85
5.3.47.1	Definition	85
5.3.47.2	Attributes.....	86
5.3.47.3	Attribute constraints	86
5.3.47.4	Notifications.....	86
5.3.48	EP_N31.....	86
5.3.48.1	Definition	86
5.3.48.2	Attributes.....	86
5.3.48.3	Attribute constraints	86
5.3.48.4	Notifications.....	86
5.3.49	ExternalNRFFunction.....	86
5.3.49.1	Definition	86
5.3.49.2	Attributes.....	86
5.3.49.3	Attribute constraints	87
5.3.49.4	Notifications.....	87
5.3.50	ExternalNSSFFunction.....	87
5.3.50.1	Definition	87
5.3.50.2	Attributes.....	87
5.3.50.3	Attribute constraints	87
5.3.50.4	Notifications.....	87
5.3.51	AMFSet.....	87
5.3.51.1	Definition	87
5.3.51.2	Attributes.....	87
5.3.51.3	Attribute constraints	88
5.3.51.4	Notifications.....	88
5.3.52	AMFRegion.....	88
5.3.52.1	Definition	88
5.3.52.2	Attributes.....	88
5.3.52.3	Attribute constraints	88
5.3.52.4	Notifications.....	88
5.3.53	ExternalAMFFunction.....	88
5.3.53.1	Definition	88
5.3.53.2	Attributes.....	88
5.3.53.3	Attribute constraints	89
5.3.53.4	Notifications.....	89
5.4	Attribute definitions	89
5.4.1	Attribute properties	89
5.5	Common notifications	91
6	Information model definitions for network slice NRM.....	91
6.1	Imported information entities and local labels	91
6.2	Class diagram	92
6.2.1	Relationships.....	92

6.2.2	Inheritance	92
6.3	Class definitions	93
6.3.1	NetworkSlice	93
6.3.1.1	Definition	93
6.3.1.2	Attributes	93
6.3.1.3	Attribute constraints	93
6.3.1.4	Notifications	93
6.3.2	NetworkSliceSubnet	93
6.3.2.1	Definition	93
6.3.2.2	Attributes	93
6.3.2.3	Attribute constraints	94
6.3.2.4	Notifications	94
6.3.3	ServiceProfile	94
6.3.3.1	Definition	94
6.3.3.2	Attributes	94
6.3.3.3	Attribute constraints	94
6.3.3.4	Notifications	94
6.3.4	SliceProfile	94
6.3.4.1	Definition	94
6.3.4.2	Attributes	95
6.3.4.3	Attribute constraints	95
6.3.4.4	Notifications	95
6.4	Attribute definition	96
6.4.1	Attribute properties	96
6.5	Common notifications	100
7	Solution Set (SS)	100
Annex A (normative): Cell state handling		101
A.1	Relation between the administrative state and the "Pre-operation state of the gNB-DU Cell"	101
A.2	Combined state diagram for gNB cell	101
Annex B (normative): NSI and NSSI state handling		106
B.1	NSI state handling	106
B.2	State handling of NSSI	107
Annex C (normative): XML definitions for NR NRM.....		109
C.1	General	109
C.2	Architectural features	109
C.3	Mapping	109
C.3.1	General mapping	109
C.3.2	Information Object Class (IOC) mapping	109
C.4	Solution Set definitions	109
C.4.1	XML definition structure.....	109
C.4.2	Graphical representation.....	109
C.4.3	XML schema "nrNrm.xsd"	109
Annex D (normative): JSON definitions for NR NRM.....		125
D.1	General	125
D.2	Architectural features	125
D.3	Mapping	125
D.4	Solution Set (SS) definitions	125
D.4.1	JSON definition structure	125
D.4.2	Graphical representation.....	125
D.4.3	JSON schema "nrNrm.json"	125

Annex E (normative):	YANG definitions for NR NRM	149
E.1	General	149
E.2	Void.....	149
E.3	Void.....	149
E.4	Void.....	149
E.5	Modules.....	149
E.5.0	List of YANG modules for NR and NG RAN NRM	149
E.5.1	module _3gpp-nr-nrm-beam.yang	149
E.5.1a	module _3gpp-nr-nrm-bwp.yang.....	151
E.5.1b	module _3gpp-nr-nrm-commonbeamformingfunction.yang	152
E.5.2	module _3gpp-nr-nrm-ep.yang.....	153
E.5.3	module _3gpp-nr-nrm-eutranrelation.yang.....	156
E.5.4	module _3gpp-nr-nrm-eutranetwork.yang.....	158
E.5.5	module _3gpp-nr-nrm-eutranfreqrelation.yang	159
E.5.6	module _3gpp-nr-nrm-eutranfrequency.yang	162
E.5.7	module _3gpp-nr-nrm-externalamffunction.yang	163
E.5.8	module _3gpp-nr-nrm-externalenbfunction.yang.....	164
E.5.9	module _3gpp-nr-nrm-externaleutranrelation.yang	165
E.5.10	module _3gpp-nr-nrm-externalgnbcucpfunction.yang	167
E.5.11	module _3gpp-nr-nrm-externalgnbcuupfunction.yang.....	168
E.5.12	module _3gpp-nr-nrm-externalgnbdufunction.yang.....	169
E.5.13	module _3gpp-nr-nrm-externalnr-cellcu.yang	170
E.5.14	module _3gpp-nr-nrm-externalservinggwfunction.yang.....	171
E.5.15	module _3gpp-nr-nrm-externalupffunction.yang	171
E.5.16	module _3gpp-nr-nrm-gnbcucpfunction.yang.....	172
E.5.17	module _3gpp-nr-nrm-gnbcuupfunction.yang.....	173
E.5.18	module _3gpp-nr-nrm-gnbdufunction.yang.....	174
E.5.19	module _3gpp-nr-nrm-nr-cellcu.yang.....	175
E.5.20	module _3gpp-nr-nrm-nr-celldu.yang.....	178
E.5.21	module _3gpp-nr-nrm-nr-cellrelation.yang	181
E.5.22	module _3gpp-nr-nrm-nrfreqrelation.yang	183
E.5.23	module _3gpp-nr-nrm-nrfrequency.yang	186
E.5.24	module _3gpp-nr-nrm-nr-network.yang	187
E.5.25	module _3gpp-nr-nrm-nr-sectorcarrier.yang	187
E.6	Graphical representation.....	189
E.7	Mount information	189
Annex F (normative):	XML definitions for 5GC NRM	190
F.1	General	190
F.2	Architectural features	190
F.3	Mapping	190
F.3.1	General mapping	190
F.3.2	Information Object Class (IOC) mapping	190
F.4	Solution Set definitions	190
F.4.1	XML definition structure.....	190
F.4.2	Graphical representation.....	190
F.4.3	XML schema "ngcNrm.xsd"	190
Annex G (normative):	JSON definitions for 5GC NRM.....	212
G.1	General	212
G.2	Architectural features	212
G.3	Mapping	212

G.4	Solution Set definitions	212
G.4.1	JSON definition structure	212
G.4.2	Graphical representation.....	212
G.4.3	JSON schema "ngcNrm.json"	212
Annex H (normative): YANG definitions for 5GC.....		232
H.1	General	232
H.2	Void.....	232
H.3	Void.....	232
H.4	Void.....	232
H.5	Modules.....	232
H.5.0	list of YANG modules for 5GC NRM.....	232
H.5.1	module _3gpp-5gc-nrm-affunction.yang	232
H.5.2	module _3gpp-5gc-nrm-amffunction.yang.....	233
H.5.3	module _3gpp-5gc-nrm-amfregion.yang	234
H.5.4	module _3gpp-5gc-nrm-amfset.yang.....	235
H.5.5	module _3gpp-5gc-nrm-ausffunction.yang	236
H.5.6	module _3gpp-5gc-nrm-dnffunction.yang	237
H.5.7	module _3gpp-5gc-nrm-ep.yang	238
H.5.8	module _3gpp-5gc-nrm-externalnrffunction.yang	248
H.5.9	module _3gpp-5gc-nrm-externalnssffunction.yang.....	248
H.5.10	module _3gpp-5gc-nrm-lmffunction.yang	249
H.5.11	module _3gpp-5gc-nrm-n3iwffunction.yang.....	250
H.5.12	module _3gpp-5gc-nrm-nfprofile.yang	250
H.5.13	module _3gpp-5gc-nrm-nfservice.yang	265
H.5.14	module _3gpp-5gc-nrm-ngeirfunction.yang.....	269
H.5.15	module _3gpp-5gc-nrm-nrffunction.yang	270
H.5.16	module _3gpp-5gc-nrm-nssffunction.yang	271
H.5.17	module _3gpp-5gc-nrm-nwdaffunction.yang	272
H.5.18	module _3gpp-5gc-nrm-peffunction.yang.....	273
H.5.19	module _3gpp-5gc-nrm-seppfunction.yang.....	274
H.5.20	module _3gpp-5gc-nrm-smffunction.....	275
H.5.21	module _3gpp-5gc-nrm-smsffunction.yang	276
H.5.22	module _3gpp-5gc-nrm-udmfunction.yang.....	277
H.5.23	module _3gpp-5gc-nrm-udrfunction.yang	278
H.5.24	module _3gpp-5gc-nrm-udsffunction.yang	279
H.5.25	module _3gpp-5gc-nrm-upffunction.yang.....	280
H.6	Graphical representation.....	281
H.7	Mount information	315
Annex I (normative): XML definitions for network slice.....		316
I.1	General	316
I.2	Architectural features	316
I.3	Mapping	316
I.3.1	General mapping	316
I.3.2	Information Object Class (IOC) mapping	316
I.4	Solution Set (SS) definitions	316
I.4.1	XML definition structure.....	316
I.4.2	Graphical representation.....	316
I.4.3	XML schema "sliceNrm.xsd"	316
Annex J (normative): JSON definitions for network slice.....		320
J.1	General	320
J.2	Architectural features	320