



SLOVENSKI STANDARD SIST EN 1991-2:2024

01-marec-2024

Nadomešča:

SIST EN 1991-2:2004/AC:2010

Evrokod 1 - Vplivi na konstrukcije - 2. del: Prometna obtežba mostov in drugih gradbenih inženirskih objektov

Eurocode 1 - Actions on structures - Part 2: Traffic loads on bridges and other civil engineering works

Eurocode 1 - Einwirkungen auf Tragwerke - Teil 2: Verkehrslasten auf Brücken

Eurocode 1 - Actions sur les structures - Partie 2: Actions dues au trafic sur les ponts et autres ouvrages du génie civil

Ta slovenski standard je istoveten z: **EN 1991-2:2023**

<https://standards.iteh.ai/catalog/standards/sist/0c566e43-1a62-41d3-840a-6a6c559040aa/sist-en-1991-2-2024>

ICS:

91.010.30	Tehnični vidiki	Technical aspects
93.040	Gradnja mostov	Bridge construction

SIST EN 1991-2:2024

en,fr,de

EUROPEAN STANDARD

EN 1991-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2023

ICS 91.010.30; 93.040

Supersedes EN 1991-2:2003

English Version

Eurocode 1 - Actions on structures - Part 2: Traffic loads on bridges and other civil engineering works

Eurocode 1 - Actions sur les structures - Partie 2:
Actions dues au trafic sur les ponts et autres ouvrages
du génie civil

Eurocode 1 - Einwirkungen auf Tragwerke - Teil 2:
Verkehrslasten auf Brücken

This European Standard was approved by CEN on 23 July 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Document Preview

[SIST EN 1991-2:2024](https://standards.iteh.ai/catalog/standards/sist/0c566e43-1a62-41d3-840a-6aacc559040aa/sist-en-1991-2-2024)

<https://standards.iteh.ai/catalog/standards/sist/0c566e43-1a62-41d3-840a-6aacc559040aa/sist-en-1991-2-2024>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	6
Introduction	7
1 Scope	11
2 Normative references	11
3 Terms and definitions	12
3.1 Terms and definitions	12
3.2 Symbols and abbreviations	15
4 Classification of actions	21
4.1 General.....	21
4.2 Variable actions.....	21
4.3 Accidental actions.....	23
5 Design situations	23
5.1 General.....	23
5.2 Simultaneity of traffic loads	23
6 Road traffic actions and other actions specifically for road bridges	24
6.1 Field of application.....	24
6.2 Representation of actions	24
6.2.1 Models of road traffic loads.....	24
6.2.2 Loading classes	25
6.2.3 Divisions of the carriageway into notional lanes	25
6.2.4 Location and numbering of the lanes for design	26
6.2.5 Application of the load models on the individual lanes.....	27
6.3 Vertical loads — Characteristic values	27
6.3.1 General.....	27
6.3.2 Load Model 1.....	28
6.3.3 Load Model 2.....	30
6.3.4 Load Model 3 (special vehicles).....	31
6.3.5 Load Model 4 (crowd loading)	31
6.3.6 Dispersal of concentrated loads	32
6.4 Horizontal forces — characteristic values.....	33
6.4.1 Braking and acceleration forces.....	33
6.4.2 Centrifugal and other transverse forces.....	33
6.5 Groups of traffic loads on road bridges (multi component actions)	34
6.5.1 Characteristic values in persistent design situations.....	34
6.5.2 Other representative values	36
6.5.3 Groups of loads in transient design situations.....	36
6.6 Fatigue load models	36
6.6.1 General.....	36
6.6.2 Dynamic amplification factor	37
6.6.3 Fatigue Load Models location for global and local effects.....	38
6.6.4 Traffic category on the bridge.....	39
6.6.5 Fatigue Load Model 1 (similar to LM1)	39
6.6.6 Fatigue Load Model 2 (set of “frequent” lorries)	40
6.6.7 Fatigue Load Model 3 (single vehicle model)	41
6.6.8 Fatigue Load Model 4 (set of “standard” lorries)	41
6.6.9 Fatigue Load Model 5 (based on recorded road traffic data)	44

6.7	Collision and other actions for accidental design situations.....	44
6.7.1	General	44
6.7.2	Collision forces from vehicles under the bridge.....	44
6.7.3	Actions from vehicles on the bridge	44
6.8	Actions on pedestrian parapets.....	48
6.9	Load model for geotechnical structures — characteristic values.....	48
6.9.1	General	48
6.9.2	Distributed vertical loads.....	49
6.9.3	Simplified vertical loads allowing for redistribution.....	50
6.9.4	Horizontal force for abutments.....	50
7	Actions on footways, cycle ways and footbridges	51
7.1	Field of application	51
7.2	Representation of actions.....	52
7.2.1	Models of the loads.....	52
7.2.2	Application of the load models	52
7.3	Static models for vertical loads — characteristic values.....	52
7.3.1	General	52
7.3.2	Uniformly distributed load	52
7.3.3	Concentrated load	53
7.3.4	Service vehicle	53
7.4	Static model for horizontal forces — characteristic values (footbridges only)	53
7.5	Groups of traffic loads (footbridges only)	54
7.6	Collision and other actions for accidental design situations (footbridges only).....	54
7.6.1	General	54
7.6.2	Collision forces from traffic under the footbridge.....	54
7.6.3	Accidental presence of vehicles on the footbridge.....	55
7.7	Dynamic models of pedestrian loads (footbridges only)	55
7.8	Actions on parapets	56
7.9	Load model for abutments and walls adjacent to bridges.....	56
8	Rail traffic actions and other actions specifically for railway bridges	56
8.1	Field of application	56
8.2	Representation of actions — nature of rail traffic loads	57
8.3	Vertical loads — load models, characteristic values (static effects) and eccentricity and distribution of loading	57
8.3.1	General	57
8.3.2	Load Model 71.....	58
8.3.3	Load Models SW/0 and SW/2	59
8.3.4	Load Model “unloaded train”	60
8.3.5	Eccentricity of vertical loads (Load Models 71 and SW/0).....	60
8.3.6	Distribution of point loads or axle loads by the rails, sleepers and ballast	61
8.3.7	Actions for non-public footways	65
8.4	Dynamic effects (including resonance)	65
8.4.1	General	65
8.4.2	Factors influencing dynamic behaviour.....	65
8.4.3	General design rules.....	66
8.4.4	Conditions for requiring a dynamic analysis.....	66
8.4.5	Dynamic factor Φ (Φ_2 , Φ_3)	69
8.4.6	Dynamic analysis	74
8.5	Horizontal forces — characteristic values	84
8.5.1	Centrifugal forces	84
8.5.2	Nosing force	89
8.5.3	Actions due to traction and braking	89

EN 1991-2:2023 (E)

8.5.4	Combined response of structure and track to variable actions.....	91
8.6	Aerodynamic actions from passing trains	103
8.6.1	General.....	103
8.6.2	Simple vertical surfaces parallel to the track (e.g. noise barriers)	104
8.6.3	Simple horizontal surfaces above the track (e.g. overhead protective structures)	110
8.6.4	Simple horizontal surfaces adjacent to the track (e.g. platform canopies with no vertical wall).....	112
8.6.5	Multiple-surface structures alongside the track with vertical and horizontal or inclined surfaces (e.g. bent noise barriers, platform canopies with vertical walls etc.)	113
8.6.6	Surfaces enclosing the structure gauge of the tracks over a limited length (up to 20 m) (horizontal surface above the tracks and at least one vertical wall, e.g. scaffolding, temporary constructions).....	114
8.7	Derailment and other actions for railway bridges	114
8.7.1	General - Derailment.....	114
8.7.2	Derailment actions from rail traffic on a railway bridge	115
8.7.3	Derailment under or adjacent to a structure and other actions for Accidental Design Situations	116
8.7.4	Other actions	117
8.8	Further application rules for traffic loads on railway bridges.....	117
8.8.1	General.....	117
8.8.2	Groups of Loads — Characteristic values of the multicomponent action.....	118
8.8.3	Groups of Loads — Other representative values of the multicomponent actions ...	121
8.8.4	Traffic loads in Transient Design Situations.....	121
8.9	Traffic loads for fatigue	122
8.10	Static load models for geotechnical structures — characteristic values.....	123
8.10.1	General.....	123
8.10.2	Distributed vertical loads	123
8.10.3	Simplified vertical loads allowing for redistribution	124
Annex A (informative) Models of special vehicles for road bridges.....		126
A.1	Use of this annex	126
A.2	Scope and field of application	126
A.3	Basic models of special vehicles.....	126
A.4	Application of special vehicle load models on the carriageway	129
Annex B (informative) Fatigue life assessment for road bridges Assessment method based on recorded traffic.....		132
B.1	Use of this annex	132
B.2	Scope and field of application	132
B.3	Fatigue life assessment for road bridges.....	132
Annex C (normative) Dynamic factors $1 + \varphi$ for Real Trains		137
C.1	Use of this annex	137
C.2	Scope and field of application	137
C.3	Dynamic factors for Real Trains.....	137
Annex D (normative) Basis for the fatigue assessment of railway structures.....		139
D.1	Use of this annex	139

D.2	Scope and field of application	139
D.3	Assumptions for fatigue actions.....	139
D.4	General design method.....	140
D.5	Train types for fatigue	140
Annex E (informative) Limits of validity of Load Model HSLM.....		146
E.1	Use of this annex	146
E.2	Scope and field of application	146
E.3	Limits of validity of Load Model HSLM.....	146
E.4	Dynamic train signature	148
Annex F (informative) Load models for rail traffic loads in Transient Design Situations .		150
F.1	Use of this annex	150
F.2	Scope and field of application	150
F.3	Load models for rail traffic loads in Transient Design Situations	150
Annex G (informative) Dynamic load models for footbridges.....		151
G.1	Use of this annex	151
G.2	Scope and field of application	151
G.3	Traffic classes.....	151
G.4	Harmonic load models for pedestrian stream	152
G.5	Harmonic load models for pedestrians.....	154
G.6	Harmonic load model for single jogger or group of joggers	154
G.7	Harmonic load for intentional excitation	155
G.8	Guidance for analysis	156
G.8.1	Evaluation of natural frequencies and modes	156
G.8.2	Assessment of mass	156
G.8.3	Assessment of stiffness.....	156
G.8.4	Assessment of structural damping.....	156
G.8.5	Determination of maximum acceleration.....	157
G.8.6	Check criteria for lateral lock-in	157
G.8.7	Control of vibration	158
Bibliography		159

EN 1991-2:2023 (E)**European foreword**

This document (EN 1991-2:2023) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI. CEN/TC 250 is responsible for all Structural Eurocodes and has been assigned responsibility for structural and geotechnical design matters by CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2027, and conflicting national standards shall be withdrawn at the latest by March 2028.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1991-2:2003.

The first generation of EN Eurocodes was published between 2002 and 2007. This document forms part of the second generation of the Eurocodes, which have been prepared under Mandate M/515 issued to CEN by the European Commission and the European Free Trade Association.

The Eurocodes have been drafted to be used in conjunction with relevant execution, material, product and test standards, and to identify requirements for execution, materials, products and testing that are relied upon by the Eurocodes.

The Eurocodes recognize the responsibility of each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level through the use of National Annexes.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

0.1 Introduction to the Eurocodes

The structural Eurocodes comprise the following standards generally consisting of a number of Parts:

- EN 1990, *Eurocode — Basis of structural and geotechnical design*
- EN 1991, *Eurocode 1 — Actions on structures*
- EN 1992, *Eurocode 2 — Design of concrete structures*
- EN 1993, *Eurocode 3 — Design of steel structures*
- EN 1994, *Eurocode 4 — Design of composite steel and concrete structures*
- EN 1995, *Eurocode 5 — Design of timber structures*
- EN 1996, *Eurocode 6 — Design of masonry structures*
- EN 1997, *Eurocode 7 — Geotechnical design*
- EN 1998, *Eurocode 8 — Design of structures for earthquake resistance*
- EN 1999, *Eurocode 9 — Design of aluminium structures*
- New parts are under development, e.g. Eurocode for design of structural glass.

The Eurocodes are intended for use by designers, clients, manufacturers, constructors, relevant authorities (in exercising their duties in accordance with national or international regulations), educators, software developers, and committees drafting standards for related product, testing and execution standards.

NOTE Some aspects of design are most appropriately specified by relevant authorities or, where not specified, can be agreed on a project-specific basis between relevant parties such as designers and clients. The Eurocodes identify such aspects making explicit reference to relevant authorities and relevant parties.

0.2 Introduction to the EN 1991 (all parts)

EN 1991 specifies actions for the structural and geotechnical design of buildings, bridges and other civil engineering works, or parts thereof, including temporary structures, in conjunction with EN 1990 and the other Eurocodes.

EN 1991 does not cover the specific requirements of actions for seismic regions. Provisions related to such requirements are given in EN 1998 (all parts), which complement and are consistent with EN 1991.

EN 1991 is also applicable to existing structures for:

- structural assessment,
- strengthening or repair,
- changes of use.

NOTE 1 In these cases, additional or amended provisions can be necessary.

EN 1991-2:2023 (E)

EN 1991 is also applicable for the design of structures where materials or actions outside the scope of the other Eurocodes are involved.

NOTE 2 In this case additional or amended provisions can be necessary.

EN 1991 is subdivided in various parts:

- EN 1991-1-1, Eurocode 1 — Actions on structures — Part 1-1: Specific weight of materials, self-weight of construction works and imposed loads for buildings
- EN 1991-1-2, Eurocode 1 — Actions on structures — Part 1-2: Actions on structures exposed to fire
- EN 1991-1-3, Eurocode 1 — Actions on structures — Part 1-3: Snow Loads
- EN 1991-1-4, Eurocode 1 — Actions on structures — Part 1-4: Wind Actions
- EN 1991-1-5, Eurocode 1 — Actions on structures — Part 1-5: Thermal Actions
- EN 1991-1-6, Eurocode 1 — Actions on structures — Part 1-6: Actions during execution
- EN 1991-1-7, Eurocode 1 — Actions on structures — Part 1-7: Accidental actions
- EN 1991-1-8, Eurocode 1 — Actions on structures — Part 1-8: Actions from waves and currents on coastal structures
- EN 1991-1-9, Eurocode 1 — Actions on structures — Part 1-9: Atmospheric icing
- EN 1991-2, Eurocode 1 — Actions on structures — Part 2: Traffic loads on bridges and other civil engineering works
- EN 1991-3, Eurocode 1 — Actions on structures — Part 3: Actions induced by cranes and machines
- EN 1991-4, Eurocode 1 — Actions on structures — Part 4: Silos and tanks

0.3 Introduction to EN 1991-2

SIST EN 1991-2:2024

<https://standards.iteh.ai/catalog/standards/sist/0c566e43-1a62-41d3-840a-6aacc559040aa/sist-en-1991-2-2024>

EN 1991-2 gives design guidance and actions due to road, pedestrian and railway traffic on bridges and civil engineering works together with all relevant Eurocodes.

EN 1991-2 is addressed to all parties involved in construction activities (e.g. public authorities, clients, designers, contractors, producers, consultants, committees drafting standards for structural design and related product, testing and execution standards, etc.).

EN 1991-2 is intended to be used with EN 1990, the other parts of the EN 1991 series and the EN 1992 series to EN 1999 series for the design of structures.

0.4 Additional information specific to EN 1991-2

EN 1991-2 defines models of traffic loads for the design of road bridges, footbridges and railway bridges. For the design of new bridges, EN 1991-2 is intended to be used, for direct application, together with the Eurocodes.

The basis for combinations of traffic loads with non-traffic loads are given in EN 1990:2023, A.2.

For road bridges, Load Models 1 and 2, defined in 6.3.2 and 6.3.3, and taken into account with adjustment factors α and β equal to 1, are deemed to represent the most severe traffic met or expected in practice, other than that of special vehicles requiring permits to travel, on the main routes of European countries.

The traffic on other routes in these countries and in some other countries could be substantially lighter, or better controlled.

For railway bridges, Load Model 71 (together with Load Model SW/0 for continuous structural elements and decks), defined in 8.3.2, represent the static effect of standard rail traffic operating over the standard track gauge or wider than the standard track gauge European railway network. Load Model SW/2, defined in 8.3.3, represents the static effect of heavy rail traffic.

Provision is made for varying the specified loading to cater for variations in the type, volume and maximum weight of rail traffic on different railways, as well as for different qualities of track.

In addition two other load models are given for railway bridges:

- load model “unloaded train” for checking the lateral stability of bridges and
- load model HSLM to represent the loading from passenger trains at speeds exceeding 200 km/h.

Guidance is also given on aerodynamic actions on structures adjacent to railway tracks as a result of passing trains and on other actions from railway infrastructure.

Public authorities could also have responsibilities for the issue of regulations on authorized traffic (especially on vehicle loads) and for delivery and control dispensations when relevant, e.g. for special vehicles.

0.5 Verbal forms used in the Eurocodes

The verb “shall” expresses a requirement strictly to be followed and from which no deviation is permitted in order to comply with the Eurocodes.

The verb “should” expresses a highly recommended choice or course of action. Subject to national regulation and/or any relevant contractual provisions, alternative approaches could be used/adopted where technically justified.

The verb “may” expresses a course of action permissible within the limits of the Eurocodes.

The verb “can” expresses possibility and capability; it is used for statements of fact and clarification of concepts.

0.6 National Annex for EN 1991-2

National choice is allowed in this document where explicitly stated within notes. National choice includes the selection of values for Nationally Determined Parameters (NDPs).

The national standard implementing EN 1991-2 can have a National Annex containing all national choices to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

When no national choice is given, the default choice given in this document is to be used.

When no national choice is made and no default is given in this document, the choice can be specified by a relevant authority or, where not specified, agreed for a specific project by relevant parties.

National choice is allowed in EN 1991-2 through notes to the following clauses:

4.3(1)	5.2(4)	6.1(1)	6.1(2)
6.2.1(1)	6.2.1(2)	6.2.3(1)	6.3.2(4)
6.3.2(9)	6.3.3(1)	6.3.3(4)	6.3.4(1)
6.3.5(1)	6.4.1(2)	6.4.1(4)	6.4.2(5)
6.5.1 – 2 choices	6.5.3(1)	6.6.1(2) – 2 choices	6.6.2(2)

EN 1991-2:2023 (E)

6.6.4(1)	6.6.4(2)	6.6.7(4)	6.6.8(2)
6.6.8(4)	6.6.8(5)	6.6.9(1)	6.7.1(2)
6.7.3.3(2)	6.7.3.3(3)	6.7.3.3(5) – 2 choices	6.7.3.3(6)
6.7.3.4(1)	6.8(2)	6.8(3)	6.8(5)
6.8(6)	6.9.1(1)	6.9.2(1) – 4 choices	6.9.3(1) – 2 choices
7.3.2(1)	7.3.3(1)	7.3.4(4)	7.4(1)
7.6.3(1)	8.1(3)	8.1(7) – 2 choices	8.3.2(4)
8.3.3(4)	8.3.6.4(5)	8.3.7(4)	8.4.4(1)
8.4.5.2(1)	8.4.5.4(1)	8.4.5.4(2) – 2 choices	8.4.6.1.1(2)
8.4.6.1.1(4)	8.4.6.1.1(5)	8.4.6.1.1(7)	8.4.6.1.2(3)
8.4.6.2(1)	8.4.6.2(2)	8.4.6.2(7)	8.4.6.2(8)
8.4.6.2(9)	8.4.6.3.1(3)	8.4.6.3.2(2)	8.4.6.3.3(4)
8.4.6.3.3(5)	8.4.6.5(4)	8.4.6.6(4)	8.4.6.6(6)
8.5.1(2)	8.5.1(8)	8.5.1(13)	8.5.3(6)
8.5.3(10)	8.5.3(11)	8.5.3(14)	8.5.4.1(5)
8.5.4.3(1)	8.5.4.3(2) – 2 choices	8.5.4.4(3)	8.5.4.4(6)
8.5.4.5	8.5.4.5.1(2)	8.5.4.5.1(3)	8.5.4.6.1(1)
8.5.4.6.3(1)	8.5.4.6.3(4)	8.6.1(4)	8.6.1(6)
8.7.2(2)	8.7.2(7)	8.7.2(8)	8.7.4(2)
8.8.1(1)	8.8.1(2)	8.8.1(7)	8.8.2(3)
8.8.3.1(1)	8.8.3.2(1)	8.8.4(1)	8.9(2)
8.9(3)	8.9(4)	8.10.1(1)	8.10.1(7)
8.10.2(1) – 3 choices	8.10.3(1) – 2 choices	8.10.3(2)	C.3(2) – 2 choices
D.4(2)	D.5(1)		

National choice is allowed in EN 1991-2 on the application of the following informative annexes:

Annex A	Annex B	Annex E	Annex F
Annex G			

The National annex can contain, directly or by reference, non-contradictory complementary information for ease of implementation, provided it does not alter any provisions of the Eurocodes.

1 Scope

(1) This document defines imposed loads (models and representative values) associated with road traffic, pedestrian actions and rail traffic which include, when relevant, dynamic effects and centrifugal, braking and acceleration actions and actions for accidental design situations.

(2) The imposed loads defined in this document are applicable for the design of new bridges, including decks, piers, abutments and associated walls (e.g. upstand walls, wing walls and flank walls) and their foundations. These imposed loads can also be used for the design of other structures subject to traffic loads (e.g. road tunnel floor slabs, noise barriers and their foundations). Where appropriate, the loads can also be considered as a basis for assessment or modification of existing structures in combination with complementary conditions if necessary.

(3) The load models and values given in this document are also applicable for the design of retaining walls adjacent to roads and railway lines and the design of earthworks subject to road or rail traffic actions. This document also provides applicability conditions for specific load models.

(4) This document is intended to be used with EN 1990, the other parts of the EN 1991 series and the EN 1992 series to EN 1999 series for the design of structures.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE See the Bibliography for a list of other documents cited that are not normative references, including those referenced as recommendations (i.e. in 'should' clauses), permissions ('may' clauses), possibilities ('can' clauses), and in notes.

EN 1990:2023, *Eurocode — Basis of structural and geotechnical design*

EN 1992 (all parts), *Eurocode 2 — Design of concrete structures*

EN 1993 (all parts), *Eurocode 3 — Design of steel structures*

EN 1994 (all parts), *Eurocode 4 — Design of composite steel and concrete structures*

EN 1995-1-1:—¹, *Eurocode 5 — Design of timber structures - Part 1-1: General - Common rules and rules for buildings*

EN 1997-1:—², *Eurocode 7 — Geotechnical design - Part 1: General rules*

EN 1999 (all parts), *Eurocode 9 — Design of aluminium structures*

EN 15663, *Railway applications — Vehicle reference masses*

¹ Under preparation. Stage at the time of publication: prEN 1995-1-1:2023.

² Under preparation. Stage at the time of publication: prEN 1997-1:2022.

EN 1991-2:2023 (E)**3 Terms and definitions**

For the purposes of this document, the terms and definitions given in EN 1990 and the following apply.

3.1 Terms and definitions**3.1.1 Harmonized terms and common definitions****3.1.1.1****deck**

parts of a bridge which carry the traffic loading over piers, abutments and other walls, pylons being excluded

3.1.1.2**road restraint system**

vehicle restraint system and pedestrian restraint system used on the road

Note 1 to entry: Road restraint systems can be, according to use:

- permanent (fixed) or temporary (demountable, i.e. they are removable and used during temporary road works, emergencies or similar situations),
- deformable or rigid,
- single-sided (they can be hit on one side only) or double-sided (they can be hit on either side).

[SOURCE: EN 1317-1:2010, modified – Note 1 to entry has been added.]

3.1.1.3**safety barrier**

continuous vehicle restraint system installed alongside, or on the central reserve, of a road

[SOURCE: EN 1317-1:2010, 4.3]

3.1.1.4**vehicle parapet**

safety barrier installed on the side of a bridge or on a retaining wall or similar structure where there is a vertical drop and which can include additional protection and restraint for pedestrians and other road users (combined vehicle/pedestrian parapet)

[SOURCE: EN 1317-1:2010, 4.6]

3.1.1.5**pedestrian restraint system**

system installed to provide restraint for pedestrians

[SOURCE: EN 1317-1:2010, 4.8]

3.1.1.6**pedestrian parapet**

pedestrian or “other user” restraint system along a bridge or on top of a retaining wall or similar structure and which is not intended to act as a road vehicle restraint system