

INTERNATIONAL
STANDARD

ISO
22186

IDF 245

First edition
2020-09

Milk and milk products — Determination of nitrofurazone

Lait et produits laitiers — Détermination de la nitrofurazone

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 22186:2020

<https://standards.iteh.ai/catalog/standards/iso/6a6e9749-1332-4716-a2fc-2bbe72cb9821/iso-22186-2020>



Reference numbers
ISO 22186:2020(E)
IDF 245:2020(E)

© ISO and IDF 2020

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 22186:2020

<https://standards.iteh.ai/catalog/standards/iso/6a6e9749-1332-4716-a2fc-2bbe72cb9821/iso-22186-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO and IDF 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11

Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

International Dairy Federation
Silver Building • Bd Auguste Reyers 70/B
B-1030 Brussels
Phone: +32 2 325 67 40
Fax: +32 2 325 67 41
Email: info@fil-idf.org
Website: www.fil-idf.org

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Reagents and reference substances	2
5.1 Reagents and materials	2
5.2 Reference substances	3
6 Apparatus	5
7 Sampling	5
8 Procedure	6
8.1 Test portion	6
8.1.1 Liquid milk	6
8.1.2 Powdered dairy products	6
8.2 Extraction procedure	6
8.3 Reagent blank	6
8.4 Positive quality control	7
8.4.1 General	7
8.4.2 Liquid milk	7
8.4.3 Powdered dairy products	7
8.4.4 Calculations	7
8.5 Matrix-matched calibration curves	7
8.5.1 General	7
8.5.2 Matrix-matched calibration samples for fluid milk	8
8.5.3 Matrix-matched calibration samples for powdered dairy products	8
8.6 LC-MS/MS conditions	8
8.6.1 General	8
8.6.2 Chromatographic conditions	8
8.6.3 MS/MS conditions	9
8.7 Sequence set-up	10
9 Calculation and expression of results	10
9.1 General	10
9.2 Peak integration	10
9.3 Calibration curves	11
9.3.1 External calibration curve from external calibration standards	11
9.3.2 Matrix-matched calibration curve from matrix-matched calibration standards	11
9.4 Identification and confirmation	11
9.5 Calculation using external calibration curve	11
9.6 Calculation using matrix-matched calibration curve	12
9.7 Expression of results	12
10 Precision	12
10.1 General	12
10.2 Repeatability	13
10.3 Reproducibility	13
11 Test report	13
Annex A (informative) Examples of chromatograms	14
Annex B (informative) Precision data	15

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 22186:2020](https://standards.itih.ai/catalog/standards/iso/6a6e9749-1332-4716-a2fc-2bbe72cb9821/iso-22186-2020)
<https://standards.itih.ai/catalog/standards/iso/6a6e9749-1332-4716-a2fc-2bbe72cb9821/iso-22186-2020>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*, and the International Dairy Federation (IDF). It is being published jointly by ISO and IDF.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IDF (the International Dairy Federation) is a non-profit private sector organization representing the interests of various stakeholders in dairying at the global level. IDF members are organized in National Committees, which are national associations composed of representatives of dairy-related national interest groups including dairy farmers, dairy processing industry, dairy suppliers, academics and governments/food control authorities.

ISO and IDF collaborate closely on all matters of standardization relating to methods of analysis and sampling for milk and milk products. Since 2001, ISO and IDF jointly publish their International Standards using the logos and reference numbers of both organizations.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IDF shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

This document was prepared by the IDF *Standing Committee on Analytical Methods for Additives and Contaminants* and ISO Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*. It is being published jointly by ISO and IDF.

The work was carried out by the ISO/IDF Action Team A13 of the *Standing Committee on Analytical Methods for Additives and Contaminants* under the aegis of its project leaders, Dr J.G. Bendall (NZ) and Dr J.M. Evers (NZ).

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 22186:2020

<https://standards.itih.ai/catalog/standards/iso/6a6e9749-1332-4716-a2fc-2bbe72cb9821/iso-22186-2020>

Introduction

Nitrofurazone (see [Figure 1](#)) is an inhibitory substance that, because of its cancer-causing properties, has been prohibited for use on agricultural animals by many jurisdictions. It is one of the nitrofurans class of inhibitory substances, along with furazolidone, furaltadone and nitrofurantoin, which are similarly prohibited for use on agricultural animals. Whereas analysis of furazolidone, furaltadone and nitrofurantoin may be accomplished through highly specific marker metabolites, in the case of nitrofurazone, its corresponding marker metabolite, semicarbazide, is not specific and can be formed by oxidative pathways in dairy products produced from cows that have not been treated with nitrofurazone. While intact nitrofurazone is not stable in meat products, intact nitrofurazone remains stable in liquid milk and dairy products. This document describes a method for the analysis of nitrofurazone in fluid milk and dairy products.




Figure 1 — Chemical structure of nitrofurazone

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 22186:2020](#)

<https://standards.iteh.ai/catalog/standards/iso/6a6e9749-1332-4716-a2fc-2bbe72cb9821/iso-22186-2020>

Milk and milk products — Determination of nitrofurazone

1 Scope

This document specifies a liquid chromatography tandem mass spectrometry (LC–MS/MS) method for the quantification of the inhibitory substance, nitrofurazone, in milk and milk products.

The method has been validated for measuring trace levels of intact nitrofurazone to levels down to 1 ng/g in fluid milk and powdered dairy products on a whole product (i.e. powder) basis. While the method is expected to apply to other dairy matrices, additional validation will be required to demonstrate this.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

nitrofurazone concentration

mass fraction of substance determined by the procedure specified in this document

Note 1 to entry: The nitrofurazone concentration is expressed as nanograms per gram of sample (ng/g).

4 Principle

Nitrofurazone is extracted using the QuEChERS protocol in accordance with EN 15662:2018^[1] with some modifications.

Liquid milk sample or milk powder sample (first reconstituted with water) is supplemented with ¹³C¹⁵N₂-nitrofurazone (labelled internal standard) and further extracted with acetonitrile. A liquid–liquid partition is then performed using a mixture of magnesium sulfate (MgSO₄) and sodium chloride (NaCl). After centrifugation, the resulting supernatant is cleaned by dispersive solid phase extraction (d-SPE) using a mixture of MgSO₄/PSA/C18 sorbents. An aliquot of the extract is evaporated to dryness and reconstituted in methanol before LC–MS/MS analysis in scheduled multiple reaction monitoring (MRM) mode by negative electrospray ionization (ESI).

Positive identification of nitrofurazone in the sample is conducted according to the confirmation criteria defined in EU Commission Decision 2002/657/EC^[2]. Quantification is performed by isotopic dilution using ¹³C¹⁵N₂-nitrofurazone as labelled internal standard. There are two equally acceptable ways to achieve calibration:

- a) by the external calibration curve approach;
- b) by the matrix-matched calibration curve approach.

5 Reagents and reference substances

5.1 Reagents and materials

All reagents shall be of recognized analytical grade, unless otherwise specified. Water shall be purified to a resistivity of at least 18 M Ω ·cm.

5.1.1 Acetonitrile, isocratic grade for LC.

5.1.2 Methanol, isocratic grade for LC.

5.1.3 *N,N*-Dimethylformamide (DMF), anhydrous, $\geq 99\%$.

5.1.4 Ammonium acetate, for mass spectrometry.

5.1.5 Natural abundance nitrofurazone, purity $\geq 99\%$ ¹⁾.

5.1.6 $^{13}\text{C}^{15}\text{N}_2$ -Nitrofurazone, purity $> 99\%$, isotopic purity $\geq 97\%$ ²⁾.

5.1.7 Magnesium sulfate (MgSO_4), anhydrous, purity $\geq 98\%$ ³⁾.

5.1.8 Sodium chloride (NaCl), purity $\geq 99\%$ ⁴⁾.

5.1.9 C-18-sorbent (Octadecylsilyl-modified silica gel), bulk material⁵⁾.

5.1.10 Primary secondary amine (PSA) sorbent, bulk material⁶⁾.

5.1.11 QuEChERS partition salts⁷⁾.

Into each 15 ml polypropylene tube, weigh 4,0 g \pm 0,2 g MgSO_4 (5.1.7) and 1,00 g \pm 0,05 g NaCl (5.1.8).

1) Nitrofurazone from Sigma Aldrich (PHR1196) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.

2) $^{13}\text{C}^{15}\text{N}_2$ -Nitrofurazone from Witega (NF019-25) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.

3) Magnesium sulfate anhydrous from Sigma Aldrich (63136) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.

4) Sodium chloride from Merck (106404) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.

5) Discovery® DSC-18 SPE Bulk Packing from Sigma Aldrich (52600-U) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.

6) Supelclean™ PSA SPE Bulk Packing from Sigma Aldrich (52738-U) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.

7) Ready-to-use MgSO_4 - NaCl (4 + 1) salt mixtures from Agilent (Agilent 5982-7550) is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by either ISO or IDF of this product.