INTERNATIONAL STANDARD

ISO 26623-1

Third edition 2020-11

Polygonal taper interface with flange contact surface —

Part 1:

Dimensions and designation of shanks

Interfaces à cône polygonal avec face d'appui — Partie 1: Dimensions et désignation des queues

(https://standards.iteh.ai) Document Preview

ISO 26623-1:2020



iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 26623-1:2020

https://standards.iteh.ai/catalog/standards/iso/fcf3fb00-918b-4712-84f7-2d3347ac5df3/iso-26623-1-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents		Page
Fore	eword	iv
1	Scope	1
2	Normative references	
3	Terms and definitions	1
4	Polygonal taper interface with flange contact surface 4.1 General 4.2 Polygon shanks 4.3 Dimensions	
5	Design 5.1 Medium-transfer unit 5.2 Clamping forces	
6	Designation	10
Ann	nex A (informative) Recommendations for use and application	11
Ann	nex R (normative) Polygon shanks for stationary tools	14

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 26623-1:2020

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 9, *Tools with defined cutting edges, holding tools, cutting items, adaptive items and interfaces.*

This third edition cancels and replaces the second edition ISO 26623-1:2014, which has been technically revised.

The main changes compared to the previous edition are as follows: 2-8417-2d3347ac5df3/iso-26623-1-2020

- size 80X is removed;
- Figure 1 is divided in 6 figures to achieve better readability;
- internal design is changed to fit medium-transfer unit referenced (ISO 22402-2);
- information about medium-transfer unit is added;
- dimensions for dynamical balancing by design when used are added in Annex A;

A list of all parts in the ISO 26623 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Polygonal taper interface with flange contact surface —

Part 1:

Dimensions and designation of shanks

1 Scope

This document specifies dimensions for polygonal taper interfaces with flange contact surface — polygon shanks for automatic and manual tool exchange to be applied on machine tools (e. g. turning machines, drilling machines, milling machines and turn/milling centres as well as grinding machines). A range of shank sizes is specified.

These shanks incorporate a grooved flange to enable automatic tool exchange. The clamping can be realized by a circular groove using clamping segments or internal screw threads using centre-bolts.

The torque is transmitted by form lock (polygon).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 965-2, ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose external and internal screw threads — Medium quality

ISO 2768-1, General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications

ISO 2768-2, General tolerances — Part 2: Geometrical tolerances for features without individual tolerance indications

ISO 22402-2, Medium-transfer units for tool interfaces — Part 2: Transfer units for polygonal taper interfaces in accordance with ISO 26623

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Polygonal taper interface with flange contact surface

4.1 General

Tolerances for linear dimensions for features without individual tolerance indications shall be of tolerance class "m" in accordance with ISO 2768-1 and geometrical tolerances for features without individual tolerance indications shall be of tolerance class "K" in accordance with ISO 2768-2.

ISO 26623-1:2020(E)

Tolerances for threads where tolerance is not stated shall be in accordance with ISO 965-2.

4.2 Polygon shanks

The dimensions of polygon shanks shall be in conformance with <u>Figure 1</u> to <u>Figure 7</u> and <u>Table 1</u>. <u>Figure 6</u> only applies if chip hole bore is used.

NOTE Additional recommendations for use and application (i.e. dynamical balancing by design) are given in $\underline{\text{Annex A}}$. Only in cases where stationary tools need extra room for clamping devices or coolant supply, dimensions specified in $\underline{\text{Annex B}}$ are valid.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 26623-1:2020




Figure 1 — External dimensions of polygon shanks

Gauge pin.

 r_2 or f_1 as alternative.

Detail Y shows the two alternatives.

Gauge line.

single cutting edge.

Position of the cutting edge for right hand tools with

b





Figure 2 — Shape of polygon shanks

Key a

С

d

Dimensions in millimetres



a See <u>Figure 5</u>.


b See <u>Figure 4</u>.

NOTE Details S, T, U, V and W are shown in Figure 4.

Figure 3 — Dimensions of polygon shanks (overview)

Document Preview

ISO 26623-1:2020



https://standards.iteh.ai/catalog/standards/iso/fcf3fb00-918b-4712-84f7-2d3347ac5df3/iso-26623-1-2020

^a Gauge ball.

NOTE An overview and the location of details S, T, U, V and W are shown in Figure 3.

Figure 4 — Dimensions of polygon shanks (details S, T, U, V and W)