

SLOVENSKI STANDARD kSIST-TS FprCEN/TS 17723:2021

01-november-2021

Rastlinski biostimulansi - Določevanje klorida

Plant biostimulants - Determination of chloride

Biostimulanzien für die pflanzliche Anwendung - Chloridbestimmung

iTeh STANDARD PREVIEW

Ta slovenski standard je istoveten z: (standards iteh ai) FprCEN/TS 17723

kSIST-TS FprCEN/TS 17723:2021

https://standards.iteh.ai/catalog/standards/sist/51aa5eb7-eb7b-4c5d-832f-2dda6f0200a7/ksist-ts-fprcen-ts-17723-2021

ICS:

65.080 Gnojila Fertilizers

kSIST-TS FprCEN/TS 17723:2021 en,fr,de

kSIST-TS FprCEN/TS 17723:2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TS FprCEN/TS 17723:2021 https://standards.iteh.ai/catalog/standards/sist/51aa5eb7-eb7b-4c5d-832f-2dda6f0200a7/ksist-ts-fprcen-ts-17723-2021

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

FINAL DRAFT FprCEN/TS 17723

September 2021

ICS 65.080

English Version

Plant biostimulants - Determination of chloride

Biostimulanzien für die pflanzliche Anwendung -Chloridbestimmung

This draft Technical Specification is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 455.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation. DARDPREVIEW

Warning: This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.

kSIST-TS FprCEN/TS 17723:2021 https://standards.iteh.ai/catalog/standards/sist/51aa5eb7-eb7b-4c5d-832f-2dda6f0200a7/ksist-ts-fprcen-ts-17723-2021



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	tents	Page
Europ	ean foreword	3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Sampling	5
5 5.1	Principle Interferences	
6	Reagents	6
7	Apparatus	6
8 8.1 8.2 8.3 8.4 8.4.1 8.4.2 8.5	Procedure	6 7 7 7 7 7
9	Expression of results 2dda6i0200a7/ksist-ts-iprcen-ts-17723-2021	7
10	Test report	9
Annex	f x A (Informative) Preparation and standardization of 0,1 mol/l Silver Nitrate solution	
		1

European foreword

This document (FprCEN/TS 17723:2021) has been prepared by Technical Committee CEN/TC455 "Plant Biostimulants", the secretariat of which is held by AFNOR.

This document is currently submitted to the Vote on TS.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TS FprCEN/TS 17723:2021 https://standards.iteh.ai/catalog/standards/sist/51aa5eb7-eb7b-4c5d-832f-2dda6f0200a7/ksist-ts-fprcen-ts-17723-2021

Introduction

This document was prepared by the experts of CEN/TC 455 'Plant Biostimulants'. The European Committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Regulation (EU) 2019/1009 Of 5 June 2019 laying down rules on the making available on the market of EU fertilising products ("FPR" or "Fertilising Products Regulation"). This request, presented as SReq M/564, also contributes to the Communication on "Innovating for Sustainable Growth: A Bio economy for Europe". The Working Group 5 "Labelling and denominations", was created to develop a work program as part of this request.

The technical committee CEN/TC 455 'Plant Biostimulants' was established to carry out the work program that will prepare a series of standards. The interest in biostimulants has increased significantly in Europe as a valuable tool to use in agriculture. Standardization was identified as having an important role in order to promote the use of biostimulants. The work of CEN/TC 455 seeks to improve the reliability of the supply chain, thereby improving the confidence of farmers, industry, and consumers in biostimulants, and will promote and support commercialization of the European biostimulant industry.

To improve the market of EU Plant Biostimulants products, they should be labelled in accordance with the labelling requirements set out in Annex III of Regulation 2019/1009 [5], which prescribes that the phrase "poor in chloride" or similar may only be used if the chloride (Cl-) content is below 30 g/kg of dry matter.

This means that the manufacturer has the possibility to note on the label that the Plant Biostimulant is "poor in chloride", only if the manufacturer has done the analysis and the chloride content is well below 30 g/kg of dry matter. (standards.iteh.ai)

The trend of the last few years is to reduce the use of harmful chemicals both for operators and the environment, favouring the use of the most advanced technologies that have a lower impact; therefore the potentiometric is preferable to other techniques. -eb7b-4c5d-832f-

2dda6f0200a7/ksist-ts-fprcen-ts-17723-2021 Furthermore, the potentiometric method is not influenced by interferences due to colour or turbidity of the sample solution.

WARNING – Persons using this document should be familiar with usual laboratory practice. This document does not purport to address all of the safety issues, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national regulatory conditions.

IMPORTANT – It is absolutely essential that tests conducted according to this document are carried out by suitably trained staff.

1 Scope

This document specifies a potentiometric method for the determination of chloride (Cl⁻) content in the presence or in the absence of organic material. This method is applicable to plant biostimulants.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

FprCEN/TS 17702-2, Plant biostimulants – Sampling and sample preparation – Part 2: Sample preparation

FprCEN/TS 17724, Plant Biostimulants - Terminology

EN ISO 3696:1995, Water for analytical laboratory use - Specification and test methods (ISO 3696:1987)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in FprCEN/TS 17724 and the following apply. **iTeh STANDARD PREVIEW**

3.1 (standards.iteh.ai)

chloride content of plant biostimulants

mass fraction of chlorides, expressed in g/kg of dry matter, determined in accordance with the procedure described in this document atalog/standards/sist/51aa5eb7-eb7b-4c5d-832f-

2dda6f0200a7/ksist-ts-fprcen-ts-17723-2021

4 Sampling

Sampling is not part of this method specified in this document. A recommended sampling method is given in FprCEN/TS 17702-1.

Laboratory sample preparation shall be carried out in accordance with FprCEN/TS 17702-2. Homogeneous samples are recommended.

5 Principle

5.1 General

Soluble chlorides are extracted from the sample with water containing nitric acid. The chloride content of the solution is titrated with silver nitrate standard solution and the end point is determined potentiometrically by using either a silver ion selective electrode plus a reference electrode or a combined electrode.

5.2 Interferences

Maintain the sample at a lower pH can avoid the silver ion interact with OH⁻ to form silver oxide (Ag₂O) precipitation, minimize other anionic ions interference with the AgCl formation, and improve the binding between the titrant and the analyte.

Reagents 6

Use only reagents of recognized analytical grade.

6.1 Water

Water free from chlorides in compliance with quality grade 2, according to EN ISO 3696:1995 shall be used.

6.2 Nitric acid solution

Nitric acid solution: dilute 1:1 concentrated nitric acid (70 %) with water (6.1).

6.3 Silver nitrate standard solution, c = 0.1 mol/l solution

Silver nitrate solution, 0,1 mol/l in water (6.1). Use commercially available silver nitrate solution with certified concentration or prepare and standardize a solution according to the instructions in Annex A.

Apparatus

Normally automatic titrators are used. This method describes manual titrations.

Ordinary laboratory equipment and the following are required:

- **7.1** Electromagnetic stirrer and polytetrafluoroethylene (PTFE) coated magnetic bars.
- **7.2** Glass burettes class A reading with accuracy of 0,02 ml or automatic pipette with accuracy of 0,002 ml. (standards.iteh.ai)
- 7.3 One-mark volumetric glass flask Class A, capacity 150 ml, 500 ml and 1 000 ml and graduated glass flask Class A, capacity 100 ml. sistematics and standards and significant significan 7.4 Glass beaker, capacity 300 ml.
- **7.5** Glass conical (Erlenmeyer) flask, capacity 250 ml.
- **7.6** Potentiometer, with reading accuracy of 0,1 mV, equipped with an electrode suitable for the measurement of chloride (e.g. a silver electrode) and a reference electrode (e.g. a mercury(I) sulfate electrode). Alternatively, use a suitable combination electrode.

Procedure 8

8.1 Measurement temperature

In order to reduce the effects of thermal and electric hysteresis, take care that the temperatures of the electrodes, the water used for washings, the standard solutions and the test solution are as close to each other as possible. The temperatures of the standard solutions and the test solution shall not differ by more than 1 °C. The measurement temperature should be 25 °C whenever possible.

8.2 Preparation of the test portion

Homogenize solid samples without addition of water. Mix liquid samples well.

Depending on the expected chloride content, with an accuracy of 0,1 mg, weigh 1g - 10g of sample into a beaker (7.4). Add 50 ml of water (6.1) and 5 ml of nitric acid solution (6.2). Mix for 30 min with magnetic stirrer (7.1).

8.3 Blank test

Prepare a blank test in the same manner (8.2) containing the reagents but omitting the sample.

8.4 Titration

8.4.1 Test portion (sample)

Immerse the electrode(s) (7.6) in the sample solution (8.2). Mix the solution with a magnetic stirrer (7.1) and, after having verified the zero of the apparatus, note the value of the starting potential. Titrate using an automatic pipette or manually (7.2) by adding 0,1 ml portions of silver nitrate standard solution (6.3) and read the potential after each addition.

Allow the potentiometer to stabilize 1-2 min between each addition. If the potentiometer, at the beginning of the titration, indicates a high chloride level (low reading), the silver nitrate standard solution may be added in larger portions (1-2 ml); close to the equivalence point, titrate using 0,1 ml portions.

At the equivalence point the difference between two successive voltage readings is largest.

If the experiment is done by an automatic titrator, the instrument will automatically display the volume value at the equivalent point after the end point is reached.

8.4.2 Blank test

Titrate the blank test (8.3) in the same manner (8.4.1).

8.5 Recovery test | Teh STANDARD PREVIEW

Before carrying out the estimations, check the accuracy of the method by adding a known amount of sodium chloride at the expected chloride level to the sample and proceed from (8.1).

Titrate the recovery test in the same manner (8.4.1): 17723:2021

https://standards.iteh.ai/catalog/standards/sist/51aa5eb7-eb7b-4c5d-832f-

9 Expression of results²dda6f0200a7/ksist-ts-fprcen-ts-17723-2021

Many titrators automatically calculate the equivalence point and the chloride concentration.

In manual titrations, it is usually sufficient to regard as the consumption v_s (samples) and v_0 (blank test) of the titrating solution at the equivalence point the volume immediately before the largest voltage difference.

If a more exact equivalence point is needed, calculate the equivalence point from the more sophisticated formula in the Annex B.

Calculate the chloride content *Cl*, expressed as g/kg of fresh matter, of the sample as received for analysis using the formula:

$$Cl_{fm} = \frac{\left[\left(v_s - v_0\right) * a * M_{Cl}\right]}{m}$$

where

Cl fm is the chloride content expressed as g/kg of fresh matter;

is volume consumed (ml) of the titrating solution at the equivalence point, the sample ν_{S}

(8.4.1);

is volume consumed (ml) of the titrating solution at the equivalence point, the blank test ν_0

(8.4.2);

is concentration of the titrating solution (mol/l); а

is molar mass of chlorine = 35,453 g/mol; M_{Cl}

is the mass, in grams, of the test portion (g). m

Give result as average of two replicated determinations done on two different test portions from two different samples, with an accuracy of two figures, e.g. 12 g/kg, 1,2 g/kg, 0,12 g/kg.

To express the result in g/kg of dry matter, use the following formula:

$$Cl_{dr} = \frac{Cl_{fm} \cdot 100}{w_{dr}}$$

iTeh STANDARD PREVIEW

where

(standards.iteh.ai) is the chloride content expressed as g/kg of dry matter

is the dry matter content of the sample, expressed as mass fraction in percent (%) Wdr

2dda6f0200a7/ksist-ts-forcen-ts-17723-2021

If a recovery test (8.5) was carried out, calculate the result for the sample to which chloride (Cl⁻) had been added (Cl⁻added) and calculate the recovery from the formula:

Recovery (%) =
$$\frac{\left[\left(Cl_{added}^{-} - Cl_{sample}^{-}\right)\right]}{Cl_{amount}^{-}}*100$$

where

is amount found in the sample to which chloride had been added; Cl⁻added

is amount found in the sample without addition; Cl⁻sample

is amount chloride added to the sample. Cl⁻amount

Consider correcting the result of the sample with the recovery factor if the recovery is less than 95 %.

NOTE Usually, for the recovery test sodium chloride can be added.