



SLOVENSKI STANDARD
kSIST-TS FprCEN/TS 17725:2021
01-november-2021

Rastlinski biostimulansi - Določanje količine (preko mase ali prostornine)

Plant biostimulants - Determination of the quantity (indicated by mass or volume)

Biostimulanzien für die pflanzliche Anwendung - Bestimmung der Menge (durch Angabe der Masse oder des Volumens)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: FprCEN/TS 17725

[kSIST-TS FprCEN/TS 17725:2021](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021)

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

ICS:

65.080 Gnojila Fertilizers

kSIST-TS FprCEN/TS 17725:2021 en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[kSIST-TS FprCEN/TS 17725:2021](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021)

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

FINAL DRAFT
FprCEN/TS 17725

September 2021

ICS 65.080

English Version

Plant biostimulants - Determination of the quantity (indicated by mass or volume)

Biostimulanzien für die pflanzliche Anwendung -
Bestimmung der Menge (durch Angabe der Masse oder
des Volumens)

This draft Technical Specification is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 455.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.

<https://standards.iteh.ai/catalog/standards/sist/85d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Method of quantity determination	6
4.1 Quantity declaration	6
4.2 Determination of quantity of product in solid and liquid form when sold by mass.....	7
4.2.1 Apparatus.....	7
4.2.2 Equipment checks	7
4.2.3 Method	7
4.3 Determination of quantity of product in liquid form when sold by volume.....	8
4.3.1 Apparatus.....	8
4.3.2 Equipment check.....	8
4.3.3 Determination of density	9
4.3.4 Method	12
4.4 Determination of quantity of product in solid form when sold by volume.....	12
4.5 Plant biostimulant in package marked in both mass and volume	13
Annex A (normative) Scale Intervals.....	14
Bibliography.....	15

I^{Tech} STANDARD PREVIEW

(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

European foreword

This document (FprCEN/TS 17725:2021) has been prepared by Technical Committee CEN/TC 455 “Plant Biostimulants”, the secretariat of which is held by AFNOR.

This document is currently submitted to the Vote on TS.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[kSIST-TS FprCEN/TS 17725:2021](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021)

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

FprCEN/TS 17725:2021 (E)**Introduction**

This document specifies the methods to be used for the determination of quantity of plant biostimulants products sold or offered for sale. It is relevant to the quantity declarations given in European Regulation 2019/1009. Wherever possible quantity determination checks shall be carried out at the premises of the packer/importer/seller.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s). This document was prepared by the experts of CEN/TC 455 'Plant Biostimulants'. The European Committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Regulation (EU) 2019/1009 Of 5 June 2019 laying down rules on the making available on the market of EU fertilising products ("FPR" or "Fertilising Products Regulation"). This request, presented as SReq M/564, also contributes to the Communication on "Innovating for Sustainable Growth: A Bio economy for Europe". The Working Group 5 "Labelling and denominations", was created to develop a work program as part of this request.

The technical committee CEN/TC 455 'Plant Biostimulants' was established to carry out the work program that will prepare a series of standards. The interest in biostimulants has increased significantly in Europe as a valuable tool to use in agriculture. Standardization was identified as having an important role in order to promote the use of biostimulants. The work of CEN/TC 455 seeks to improve the reliability of the supply chain, thereby improving the confidence of farmers, industry, and consumers in biostimulants, and will promote and support commercialization of the European biostimulant industry. (standards.iteh.ai)

[kSIST-TS FprCEN/TS 17725:2021](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021)

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

1 Scope

This document specifies the methods to be used for the determination of quantity of solid and liquid forms of Plant biostimulants in packages, containers or in bulk.

This document is not applicable to the quantity determination of: Soil improvers, growing media, organic and organo-mineral fertilizers and fertilizing product blends whose main constituent is a growing media or soil improver. The method for quantity determination for these products is given in EN 15761, EN 15238¹ and EN 12580.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

FprCEN/TS 17702-1, *Plant Biostimulants - Sampling and sample preparation – Part 1: Sampling*

FprCEN/TS 17724, *Plant Biostimulants - Terminology*

EN 45501:2015, *Metrological aspects of non-automatic weighing instruments*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in FprCEN/TS 17724 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

liquid form

suspension or solution, where a suspension is a two- phase dispersion in which solid particles are maintained in suspension in the liquid phase

3.2

solution

liquid that is free of solid particles, or a gel and includes pastes

Note to entry 1: “liquids” include products in liquid form and solutions.

3.3

solid form

form characterized by structural rigidity and resistance to changes of shape or volume and in which atoms are tightly bound to each other, either in a regular geometric lattice (crystalline solids) or in an irregular manner (an amorphous solid)

3.4

weighing instrument

instrument serving to determine the mass of a body by using the action of gravity on that body

FprCEN/TS 17725:2021 (E)**3.5****non automatic weighing instrument**

weighing instrument requiring the intervention of an operator during the weighing process to decide that the weighing result is acceptable

3.6**nominal quantity****nominal weight or nominal volume**

mass or volume indicated on the prepackage, i.e. the quantity of product which the prepackage is deemed to contain

3.7**net quantity**

actual mass or volume of the contents which a package contains

3.8**gross quantity**

actual mass of the package plus contents

3.9**bulk material**

material that is not packaged

3.10**package**

container and its contents

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.11**container**

closed receptacle directly in contact with a plant biostimulant whereby the plant biostimulant may be transported or stored in unit quantities

[kSIST-TS FprCEN/TS 17725:2021](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-402eb4b02964/ist-ts-fprcen-ts-17725-2021)

[https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-402eb4b02964/ist-ts-fprcen-ts-17725-2021)

[402eb4b02964/ist-ts-fprcen-ts-17725-2021](https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-402eb4b02964/ist-ts-fprcen-ts-17725-2021)

EXAMPLE Road tanker, lorry, ship or boat, bag, bottle, tank, barrel.

4 Method of quantity determination**4.1 Quantity declaration**

The quantity in terms of mass or volume of plant biostimulant shall be at least the nominal quantity stated on the container or documentation associated with the product. The unit of measurement (weight or volume) used for the quantity declaration should comply with national regulations where they exist.

4.2 Determination of quantity of product in solid and liquid form when sold by mass

4.2.1 Apparatus

A suitable weighing instrument.

“Suitable” means of a type sufficiently accurate to determine the actual quantity of the product (gross weight) and mass of the packaging used so that a net quantity of the contents can be determined.

“Suitable type” means an instrument that complies with the requirements of EN 45501:2015.

“Sufficiently accurate” means that the scale intervals and sensitivity of the instrument are appropriate to detect the quantity of the product and of the package/wrapping. This will depend on the nominal quantity of plant biostimulant being weighed.

NOTE An indication of appropriate maximum scale interval is given in Annex A.

4.2.2 Equipment checks

Before using the weighing machine to establish the quantity of a plant biostimulant the machine should be checked for accuracy with weights which comply with OIML R111 and having an accuracy tolerance of one third the maximum error for the weighing machine under test. The tests are laid down out EN 45501:2015.

A record should be kept of the results of the tests.

NOTE Because half a graduation can be read on an analogue indicator weighing instrument weight display, digital instruments will need to indicate 50 % of those for an analogue graduation.

4.2.3 Method

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

4.2.3.1 Packages under 25 kg

Place the package on the weighing plate of the weighing instrument and record the mass shown (x).

Weigh 10 randomly selected empty containers (non-destructive testing) or if empty containers are not available empty 10 randomly selected containers already weighed after ensuring no product remains in or on the containers (destructive testing).

NOTE Because of the small mass of the containers, a more sensitive weighing instrument can be used for this operation see Annex A.

Record the masses and obtain an average mass of the containers (y). Record the calculation and result.

Subtract the mean mass of the container from the gross quantity of each packed fertilizing product and calculate and record each net quantity (z) using Formula (1).

FprCEN/TS 17725:2021 (E)

$$z = x - y \quad (1)$$

where

z is the net quantity by mass of the contents of an individual package in g;

x is the gross quantity by mass of an individual package in g;

y is the mean mass of the empty containers in g.

4.2.3.2 Packages/containers 25 kg to 1 ton

These are containers which cannot be manually handled and require larger capacity weighing instruments to ascertain their gross weight.

The weighing machine used shall be suitable for the mass of plant biostimulant in the container. See 4.2.1 and Annex A.

Otherwise, the procedure given in 4.2.3.1 above should be followed with the exception of the number of empty containers to be weighed reduced to 5.

4.2.3.3 Product sold loose and in bulk

This plant biostimulant will need to be loaded into some type of transport (vehicle, large container or other suitable method of containing the product). Using a weighing instrument suitable for the amount in the consignment (see 4.2.1 and Annex A) The transport should be weighed empty and the mass (m_t) recorded. The Plant biostimulant shall then be placed in the transport container and the gross quantity (m_g) recorded. The net quantity (m_n) of the Plant biostimulant can then be calculated using the Formula (2).

$$m_n = m_g - m_t \quad \text{kSIST-TS FprCEN/TS 17725:2021} \quad (2)$$

<https://standards.iteh.ai/catalog/standards/sist/83d53ede-66e1-4f56-a085-a03cbabb9296/ksist-ts-fprcen-ts-17725-2021>

where

m_n is the net quantity of the plant biostimulant in kg;

m_g is the gross quantity of the plant biostimulant and transport container in kg;

m_t is the mass of the transport container empty in kg.

4.3 Determination of quantity of product in liquid form when sold by volume**4.3.1 Apparatus**

Weighing instrument capable of weighing to the nearest 0,1 g. Sampling equipment according to FprCEN/TS 17702-1 shall be used. Density kit – 250 ml brim measure and strike, 250 ml density bottle/container or graduated pipette capable of measuring to the nearest 0,1 ml and beaker.

Water bath at (20 ± 1) °C.

Density meter capable of reading to six decimal places.

4.3.2 Equipment check

Check all weighing equipment for accuracy as detailed in 4.2.2.