

Designation: E2062-07 Designation: E2062 - 10

# Standard Guide for PDD Examination Standards of Practice<sup>1</sup>

This standard is issued under the fixed designation E2062; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\varepsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

- 1.1 This guide establishes essential and recommended elements in the procedures for the conduct of a psychophysiological detection of deception (PDD) examination.
  - 1.1.1 Other unique PDD applications are addressed separately.

#### 2. Referenced Documents

2.1 ASTM Standards:

E1954ASTM Standards:<sup>2</sup>

E1954 Practice for Conduct of Research in Psychophysiological Detection of Deception (Polygraph)

E2000

<u>E2000</u> Guide for Minimum Basic Education and Training of Individuals Involved in the Detection of Deception (PDD)

E2031

E2031 Practice for Quality Control of Psychophysiological Detection of Deception (Polygraph) Examinations

F2065

E2065 Guide for Ethical Requirements for Psychophysiological Detection of Deception (PDD) Examiners

2080

E2080 Guide for Clinical Psychophysiological Detection of Deception (PDD) Examinations for Sex Offenders

### 3. Location and Test Conditions

3.1 Conditions under which testing occurs shall be free from distractions that would interfere with the ability of the examinee to appropriately focus on the issues being addressed. The examination site should be reasonably free from outside noise and distraction. This is not intended to address examinations conducted for demonstration purposes.

## 4. Preparation

- 4.1 An examiner shall, prior to the examination, dedicate sufficient time to identify the issues and unique circumstances in any area of testing.
- 4.2 No examination shall be conducted unless the instrument is functioning in accordance with the manufacturer's specifications.
- 4.3 Where permitted by law, the conduct of the <u>polygraphPDD</u> examination should be recorded by audio or audio/visual means in <u>it's</u>its entirety.
  - 4.3.1 The recording shall be continuous in nature and any stops or pauses must be fully explained on the recording.
  - 4.3.2All PDD recordings shall be retained and maintained for a minimum of one year or longer as may be required by law.
  - 4.3.2 All PDD recordings shall be retained and maintained for a minimum of one year.
- 4.3.3 All PDD examinations shall be conducted utilizing a separate data channel specifically designed to record covert body movements.
  - 4.4 An examiner should not conduct more than five PDD examinations on a calendar day.

<sup>&</sup>lt;sup>1</sup> This guide is under the jurisdiction of ASTM Committee E52 on Forensic Psychophysiology and is the direct responsibility of Subcommittee E52.05 on Psychophysiological Detection of Deception (PDD).

Current edition approved Nov. 1, 2007. Published December 2008. Originally approved in 2000. Last previous edition approved in 2000 as E2062-00. DOI: 10.1520/E2062-07.

Current edition approved Feb. 15, 2010. Published March 2010. Originally approved in 2000. Last previous edition approved in 2007 as E2062 – 07. DOI: 10.1520/E2062-10.

<sup>&</sup>lt;sup>2</sup> For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.