

FINAL
DRAFT

PROJET
FINAL

INTERNATIONAL
STANDARD

ISO/FDIS
772

NORME
INTERNATIONALE

ISO/TC 113

Secretariat/
Secrétariat: BIS

Voting begins on/
Début de vote:
2021-11-09

Voting terminates on/
Vote clos le:
2022-01-04

**Hydrometry — Vocabulary and
symbols**

**Hydrométrie — Vocabulaire et
symboles**

Hydrometrie — Begriffe und Symbole

standards.iteh.ai

ISO 772:2022

<https://standards.iteh.ai/catalog/standards/sist/1c849cea-911d-410c-9f57-ca171ce92964/iso-772-2022>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

LES DESTINATAIRES DU PRÉSENT PROJET SONT INVITÉS À PRÉSENTER, AVEC LEURS OBSERVATIONS, NOTIFICATION DES DROITS DE PROPRIÉTÉ DONT ILS AURAIENT ÉVENTUELLEMENT CONNAISSANCE ET À FOURNIR UNE DOCUMENTATION EXPLICATIVE.

OUTRE LE FAIT D'ÊTRE EXAMINÉS POUR ÉTABLIR S'ILS SONT ACCEPTABLES À DES FINS INDUSTRIELLES, TECHNOLOGIQUES ET COMMERCIALES, AINSI QUE DU POINT DE VUE DES UTILISATEURS, LES PROJETS DE NORMES INTERNATIONALES DOIVENT PARFOIS ÊTRE CONSIDÉRÉS DU POINT DE VUE DE LEUR POSSIBILITÉ DE DEVENIR DES NORMES POUVANT SERVIR DE RÉFÉRENCE DANS LA RÉGLEMENTATION NATIONALE.

ISO/CEN PARALLEL PROCESSING



Reference number
Numéro de référence
ISO/FDIS 772:2021(E/F)

© ISO 2021

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 772:2022

<https://standards.iteh.ai/catalog/standards/sist/1c849cea-911d-410c-9f57-ca171ce92964/iso-772-2022>



COPYRIGHT PROTECTED DOCUMENT
DOCUMENT PROTÉGÉ PAR COPYRIGHT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

Tous droits réservés. Sauf prescription différente ou nécessité dans le contexte de sa mise en œuvre, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie, ou la diffusion sur l'internet ou sur un intranet, sans autorisation écrite préalable. Une autorisation peut être demandée à l'ISO à l'adresse ci-après ou au comité membre de l'ISO dans le pays du demandeur.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland
Publié en Suisse

ISO/TC 113

Secretariat: BIS

Voting begins on:
2021-11-09

Voting terminates on:
2022-01-04

Hydrometry — Vocabulary and symbols

Hydrometrie — Begriffe und Symbole

Hydrométrie — Vocabulaire et symboles

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 772:2022

<https://standards.iteh.ai/catalog/standards/sist/1c849cea-911d-410c-9f57-ca171ce92964/iso-772-2022>

ISO/CEN PARALLEL PROCESSING

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 772:2021(E)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 772:2022

<https://standards.iteh.ai/catalog/standards/sist/1c849cea-911d-410c-9f57-ca171ce92964/iso-772-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Terms related to velocity-area methods.....	13
5 Terms related to flow measurement structures.....	17
6 Terms related to dilution method.....	30
7 Terms related to instruments and equipment.....	32
8 Terms related to sediment transport.....	38
9 Terms related to precipitation.....	44
10 Terms related to snow.....	45
11 Terms related to groundwater.....	51
12 Terms related to uncertainties in hydrometric determinations.....	61
Annex A (informative) Symbols used in hydrometry.....	70
Bibliography.....	73
Index.....	74

ISO 772:2022

<https://standards.iteh.ai/catalog/standards/sist/1c849cea-911d-410c-9f57-ca171ce92964/iso-772-2022>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 113, *Hydrometry*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 318, *Hydrometry*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This sixth edition cancels and replaces the fifth edition (ISO 772:2011) which has been technically revised. The main changes compared with the previous edition are as follows:

- terms related to precipitation have been added in a new [Clause 9](#);
- additional terms have been added in [Clause 10](#);
- [Figures 1, 3, 4, 5, 6, 9, 11](#) and [12](#) have been modified and updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In the preparation of this document, the following principles were adopted wherever possible:

- a) to standardize suitable terms and symbols without perpetuating unsuitable ones;
- b) to discard any term or symbol with differing meanings in different countries, or for different people, or for the same person at different times, and to replace that term or symbol by one which has an unequivocal meaning;
- c) to exclude terms which are self-evident.

Terms in existing International Standards have been included as much as possible; however, these terms can be subject to future amendments.

NOTE Similar or identical terms can have separate definitions under the different categories.

It is recognized that it is not possible to produce a complete set of definitions which will be universally acceptable, but it is hoped that the definitions provided and the symbols used will find widespread acceptance and that their use will lead to a better understanding of hydrometric practices.

The terminology entries are presented in systematic order, grouped into sections according to particular methods of determination or in relation to particular subjects. [Annex A](#) lists the symbols used in this document.

The structure of each entry is in accordance with the ISO 10241 series. Country codes are in accordance with ISO 3166-1.

(standards.iteh.ai)

ISO 772:2022

<https://standards.iteh.ai/catalog/standards/sist/1c849cea-911d-410c-9f57-ca171ce92964/iso-772-2022>

Hydrometry — Vocabulary and symbols

1 Scope

This document defines terms and symbols used in standards in the field of hydrometry.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

hydrometry

science and practice of measuring the components of the *hydrological cycle* (3.92), including *rainfall* (9.10), *water level* (3.64), flow and *sediment transport* (8.2) of surface waters, and *groundwater* (11.1) characteristics

3.2

hydrology

science that deals with the waters above and below the land surfaces of the Earth, their occurrence, circulation and distribution, their properties and their reaction with the environment

3.3

flow

water flowing on or below the land surface under gravitational influence

3.4

runoff

volume of water flowing through a given channel cross-section related to a given *drainage basin* (3.103) in a defined period of time

3.5

discharge

Q

volume of water flowing through a given channel cross-section in unit time

3.6

current

directed movement of water

3.7

steady flow

flow (3.3) in which parameters [such as *velocity* (3.113), pressure, density and temperature] are constant with respect to time

**3.8
unsteady flow**

flow (3.3) in which one or more parameters [such as *velocity* (3.113), pressure, density and temperature] change with respect to time

**3.9
uniform flow**

flow (3.3) in which the magnitude and direction of flow at a given moment are constant with respect to distance

Note 1 to entry: For uniform flow, the velocity vector is constant along every stream line. Uniform flow is possible only in an *open channel* (3.19) of constant slope and cross-section.

**3.10
non-uniform flow**

flow (3.3) in which the magnitude and direction of flow at a given moment are changing with respect to distance

**3.11
critical flow**

<open channel flow> *flow* (3.3) in an *open channel* (3.19) in which the specific energy is a minimum for a given *discharge* (3.5)

Note 1 to entry: Under this condition, the *Froude number* (3.89) is equal to unity and small surface disturbances cannot travel upstream.

**3.12
subcritical flow**

flow (3.3) in an *open channel* (3.19) at less than *critical velocity* (3.17), which has a *Froude number* (3.89) of less than unity and in which small surface disturbances can travel upstream

**3.13
supercritical flow**

flow (3.3) in an *open channel* (3.19) at more than *critical velocity* (3.17), which has a *Froude number* (3.89) of greater than unity and in which small surface disturbances cannot travel upstream

**3.14
transverse flow**

lateral flow

flow (3.3) horizontally perpendicular to the main direction of flow

Note 1 to entry: Transverse (lateral) flow is frequently associated with secondary flow.

Note 2 to entry: Transverse (lateral) flow in *open channels* (3.19) with a curved plan form causes superelevation of the water surface at the outside of the bend.

**3.15
stratification**

state of a water body that consists of two or more layers arranged according to their density, the lightest layer being on top and the heaviest at the bottom

**3.16
critical depth**

depth (3.78) of *flow* (3.3) at which *critical flow* (3.11) occurs

**3.17
critical velocity**

velocity (3.113) of *flow* (3.3) that has minimum specific energy for a given *discharge* (3.5) or has unit *Froude number* (3.89)

3.18**channel**

course of a *river* (3.27), *stream* (3.26) or other watercourse

3.19**open channel**

longitudinal boundary surface consisting of the bed and banks or sides within which water flows with a free surface

3.20**canal**

man-made *channel* (3.18), usually of regular cross-sectional shape

3.21**stable channel**

open channel (3.19) in which the bed and the sides remain essentially stable over a substantial period of time in the *reach* (3.34) under consideration, and in which the scour and *deposition* (10.5) during the rising and falling stages are negligible

3.22**unstable channel**

open channel (3.19) that changes frequently and significantly in its plan form and/or cross-sectional form for the *reach* (3.34) under consideration

3.23**tidal channel**

open channel (3.19) in which the *flow* (3.3) is subject to tidal influence

3.24**tide**

periodic rise and fall of water due principally to the gravitational attraction of the sun and the moon

3.25**estuary**

lower tidal *reaches* (3.34) of a *river* (3.27) that is freely connected with the sea which receives fresh water supplies from upland drainage areas

3.26**stream**

water course, water flowing in an *open channel* (3.19)

3.27**river**

large natural water course

3.28**large river**

major river

large natural water course that generally flows into the sea

3.29**creek**

brook

small natural water course

3.30**torrent**

small natural water course that is characterized by steep slopes and significant rapid changes in *discharge* (3.5) and that can transport considerable volumes of solid material

3.31

alluvial river

river (3.27) which flows through alluvium formed from its own deposits

3.32

incised river

river (3.27) which has formed its *channel* (3.18) by a process of erosion

3.33

braided river

river (3.27) characterized by a wide and shallow *open channel* (3.19) in which *flow* (3.3) passes through a number of small interlaced *channels* (3.18)

3.34

reach

length of *open channel* (3.19) between two defined cross-sections

3.35

meandering channel

water course formed by natural flow processes and movement of sediments following generally an alternating regular sinuous path

3.36

thalweg

line joining the lowest points of successive cross-sections of a water course

3.37

unit discharge

discharge per unit width

q_u
discharge (3.5) through a unit width of a given vertical section

3.38

yield specific discharge

q
discharge (3.5) per unit area of catchment or *aquifer* (11.15)

3.39

stream gauging

discharge measurement

flow measurement

stream flow measurement

river gauging

all of the operations necessary for the measurement of *discharge* (3.5) of a *stream* (3.26)

3.40

gauge

device installed at a gauging station for measuring the level of the surface of water relative to a datum

3.41

left bank

bank to the left of an observer looking downstream

3.42

right bank

bank to the right of an observer looking downstream

3.43**channel bed**

invert

stream bed

stream bottom

channel bottom

lower part of the stream channel situated between the banks

3.44**bed slope**

bottom slope

 S_o difference in elevation of the bed per unit horizontal distance, measured in the direction of *flow* (3.3)

Note 1 to entry: The slope is usually mathematically negative in the direction of flow.

3.45**bed profile**

shape of the bed in a longitudinal vertical plane

3.46**side slope**

difference in elevation between the bottom and top of a bank per unit horizontal distance

3.47**surface slope** S_w inclination of the surface of the *stream* (3.26) in a *reach* (3.34) measured in the direction of *flow* (3.3)**3.48****fall**difference in elevation of the water surface between the extremities of a defined *reach* (3.34) at a given instant of timeEXAMPLE As recorded at a *slope station* (3.71).**3.49****top width**width of the *open channel* (3.19) measured across the *stream* (3.26) at the water surface normal to the direction of *flow* (3.3)**3.50****wetted perimeter** P_w contact length between a *stream* (3.26) of flowing water and its containing *open channel* (3.19), measured in a direction normal to the *flow* (3.3)**3.51****wetted cross-section**<of a stream> section normal to the mean direction of *flow* (3.3) bounded by the free surface and *wetted perimeter* (3.50)**3.52****gauging section**

measuring section

section at which *discharge* (3.5) measurements are taken**3.53****high water mark**

flood mark

mark left on a structure or any other object indicating exceptional stages of flood

3.54

debris line

trash line

traces of any kind left on the banks or obstacles or flood plain by a flood

Note 1 to entry: The debris line may be used to determine the highest level attained by the water surface during a flood.

3.55

surface velocity

flow (3.3) velocity (3.113) at a given point on the surface

3.56

mean velocity

<at a cross-section> flow (3.3) velocity (3.113) at a given cross-section of a stream (3.26), obtained by dividing the discharge (3.5) by the cross-sectional area

3.57

slush ice

mass of loosely packed anchor ice (3.105) that is released from the bottom, or frazil ice (3.104) that floats or accumulates under surface ice (3.107)

3.58

velocity head

theoretical vertical height to which liquid particles can be elevated by kinetic energy

Note 1 to entry: It is expressed as the square of the velocity (3.113) divided by twice the acceleration due to gravity.

3.59

gauged head

elevation of the free surface above the horizontal datum of a section

3.60

total head

energy head

H

sum of the elevation of the free surface above the horizontal datum of a section plus the velocity head (3.58) based on the mean velocity (3.56) at that section

Note 1 to entry: The total head, H , is given by the following formula:

$$H = h + \alpha \frac{\bar{v}^2}{2g}$$

where

h is the gauged head of water level (3.64);

\bar{v} is the mean velocity of the water;

α is the Coriolis coefficient;

g is the acceleration due to gravity.

Note 2 to entry: The Coriolis coefficient ($\alpha \geq 1$), also known as “energy coefficient” or “energy correction factor”, takes into account the non-uniform velocity distribution. In many cases, α is assumed to equal unity.

3.61**total head line**

energy head line

plot of the *total head* (3.60) in the direction of *flow* (3.3)**3.62****energy gradient**difference in *total head* (3.60) per unit horizontal distance, measured in the direction of *flow* (3.3)**3.63****energy loss**

head loss

difference in *total head* (3.60) between two cross-sections in the direction of *flow* (3.3)**3.64****water level**

stage

gauge height

elevation of the free surface of a *stream* (3.26), lake or reservoir relative to a specified datum**3.65****reference gauge**stage gauge that *discharge* (3.5) is normally linked to**3.66****stage-discharge relation**

rating curve

rating table

equation, curve or table that expresses the relation between the stage and the *discharge* (3.5) in an *open channel* (3.19) at a given cross-section**3.67****hydrograph**

<open channel flow> graphical representation of changes of hydrometric parameters with respect to time

Note 1 to entry: Typically, stage and discharge hydrographs are used for open channel flows.

3.68**cumulative volume curve**

curve in which the cumulative value of a hydrometric parameter is plotted against time

Note 1 to entry: Integral of the *hydrograph* (3.67), such as cumulative discharge curve.**3.69****storage curve**

table

curve depicting the volume of stored water plotted against *water level* (3.64)**3.70****gauging station**site on a *stream* (3.26), *river* (3.27) or lake at which systematic measurements of *water level* (3.64), *velocity* (3.113) or *discharge* (3.5) or any combination of the three are made**3.71****slope station**

twin-gauge station

gauging station (3.70) at which two water-level *gauges* (3.40) define a *reach* (3.34) for measurement of water-surface slope as an essential parameter for establishing a *stage-discharge relation* (3.66)