### FINAL DRAFT

### INTERNATIONAL STANDARD

ISO/FDIS 22453

ISO/TC 298

Secretariat: SAC

Voting begins on: **2021-03-29** 

Voting terminates on: **2021-05-24** 

Exchange of information on rare earth elements in industrial wastes and endof-life cycled products

## iTeh STANDARD PREVIEW (standards.iteh.ai)

**ISO/FDIS 22453** 

https://standards.iteh.ai/catalog/standards/sist/72645c6f-d3ca-4144-90fe-1ab38579dce3/iso-fdis-22453

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 22453:2021(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 22453 https://standards.iteh.ai/catalog/standards/sist/72645c6f-d3ca-4144-90fe-1ab38579dce3/iso-fdis-22453



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Coı	ntents	Page
Fore	eword	iv
Intro	roduction	
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General principles	
5	Generic life cycle of the REE recycling process	2
6	Labelling methods	3
	6.1 General	3
	6.2 QR codes	3
	6.3 RFID	
7	Label contents	4
8	Data exchange	4
Ann	nex A (informative) Measurement example	5
Rihli	lingraphy	6

# iTeh STANDARD PREVIEW (standards.iteh.ai)

**ISO/FDIS 22453** 

https://standards.iteh.ai/catalog/standards/sist/72645c6f-d3ca-4144-90fe-1ab38579dce3/iso-fdis-22453

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 298, *Rare earth*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.isocorg/members.html.

#### Introduction

Rare earth elements (REEs) have become essential for a wide range of industrial applications including electric vehicles, batteries, smartphones, displays, transparent lenses, optical fibre and so on. Due to these varied, important applications, REEs are referred to as "vitamins of industry". In order to ensure the successful use of these vitamins, supply to the industry should be smooth. However, resource scarcity creates an imbalance between supply and demand. Therefore, the importance of REEs is increasingly significant. In order to overcome resource scarcity, the recycling or urban mining of industrial waste and end-of-life (EOL) cycle products is necessary.

For recyclers, it is of utmost importance to know what kind of REEs are present in the waste or scrap material, and how much can be extracted. In order to facilitate recycling, it is important to define what information is required by the recycler, and to establish a standard method of information exchange on REEs in industrial waste and EOL products.

Due to the lack of a standardized system and communication exchange mechanism between waste handlers and recyclers, the ability to recycle currently lags behind what it should be. There are many producers of the same product, but compositions and concentrations are different, which makes it difficult and complicated for recyclers to obtain exact information about the elements being recycled. Furthermore, if the producer and the recycler are located in different countries, information reliability and cross-border transaction of information exchange is problematic. Therefore, a system of information exchange between the waste handler and the recycler is needed.

This document contains a system of information exchange between waste handlers and recyclers about REEs in industrial waste and EQL products. The system of information exchange involves a data exchange mechanism such as quick response (QR) codes and radio frequency identification (RFID). (Standards.iten.a)

ISO/FDIS 22453 https://standards.iteh.ai/catalog/standards/sist/72645c6f-d3ca-4144-90fe-1ab38579dce3/iso-fdis-22453

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/FDIS 22453</u>

https://standards.iteh.ai/catalog/standards/sist/72645c6f-d3ca-4144-90fe-1ab38579dce3/iso-fdis-22453

### Exchange of information on rare earth elements in industrial wastes and end-of-life cycled products

#### 1 Scope

This document specifies methods of information exchange between waste handlers and recyclers for rare earth elements (REEs) contained in industrial waste and end-of-life (EOL) products. This document facilitates the efficient recycling of REEs so that dependency on mining can be reduced by promotion of REE recycling.

This document also includes a generic life cycle of the REE recycling process.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 22444-1, Rare earth — Vocabulary — Part 1: Minerals, oxides and other compounds

ISO 22444-2, Rare earth — Vocabulary — Part 2: Metals and their alloys

ISO 22450, Recycling of rare earth elements 2 Requirements for providing information on industrial waste and end-of-life products

**ISO/FDIS 22453** 

https://standards.iteh.ai/catalog/standards/sist/72645c6f-d3ca-4144-90fe-

#### 3 Terms and definitions 1ab385

1ab38579dce3/iso-fdis-22453

For the purposes of this document, the terms and definitions given in ISO 22444-1, ISO 22444-2, ISO 22450 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1

#### industrial waste

waste produced by industrial activity, which includes any material that is rendered useless during a manufacturing process such as that of factories and industries

Note 1 to entry: Industrial waste originates from downstream processing operations of manufacturing industries. In this document, downstream operations refer to processes during the production stages such as machining, milling, chamfering, etc.

SOURCE: ISO 22450:2020, 3.5, modified — "mining and milling operations" has been deleted from the definition and Note 1 to entry has been replaced.]

#### 3.2

#### life cycle

consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to final disposal

[SOURCE: ISO 14040:2006, 3.1, modified — "of a product system" has been added.]

#### ISO/FDIS 22453:2021(E)

#### 3.3

#### life cycle stage

element of a life cycle (3.2)

EXAMPLE Raw material acquisition and production, manufacturing, collection, dismantling, pre-treatment, identification, sorting, recycling.

[SOURCE: ISO 14009:2020, 3.2.18, modified — the example has been added.]

#### 3.4

#### quick response code

#### QR code

machine-readable code consisting of an array of black and white squares, used for storing information for reading by the camera on a smartphone

#### 3.5

#### $radio\ frequency\ identification$

#### **RFID**

use of radio waves to read and capture information stored on a tag attached to an object

#### 4 General principles

There are a variety of processes to convert or use REEs from minerals to final products such as REE magnets, batteries, laser light sources, etc. This document defines methods of communication for the exchange of information on REE-related substances that can be recycled at the product stage as industrial waste by manufacturers and EOL products by recyclers. It suggests ways to facilitate the recycling of REEs by recyclers on the basis of information provided to them by the waste handler. Information can be provided to recyclers efficiently with the use of QR codes, barcodes and RFID depending on the precision of the data. The code containing the information shall be marked on the shipment box in which the REE industrial waste or EOL product is packed. The marking on the shipment simplifies the exchange of information. The recycler can scan the code and receive the useful information provided by the waste producer.

#### 5 Generic life cycle of the REE recycling process

The generic life cycle of recycling industrial scrap and EOL is shown in <u>Figure 1</u>. It gives a general picture of the steps involved in the recycling process and clarifies at which life cycle stage this document applies. The recycling process can vary from industry to industry and this life cycle is one of many potential scenarios. Additional processes may be added, and the steps shown may be excluded or amended.




Figure 1 — Generic life cycle of REE recycling

#### 6 Labelling methods

#### 6.1 General

There are many different types of labelling methods, including barcodes and RFID. One-dimensional (1D) barcodes are simple and widely used for providing information for products. However, they can represent only a small amount of data. In comparison, two-dimensional (2D) barcodes and RFID can include lots of data. Therefore, this document specifies using 2D barcodes, specifically QR codes and RFID, to record REE information.

#### 6.2 QR codes

2D barcodes are a type of printable label with a low cost and a high storage capacity. There are several kinds of 2D barcodes including QR codes, PDF417, DataMatrix and MaxiCode. The specifications state that up to 2 900 bytes and 4 200 ASCII characters can be encoded in a single symbol.

QR codes are the most suitable and efficient method for storing REE information due to their larger capacity for recording data and error correction function. QR creation and reading tools are commonly available and the cost of creation is very low to negligible. They have readability in different orientations, good processing speed, high durability against damage and a sufficient lifetime. Furthermore, they

#### ISO/FDIS 22453:2021(E)

have almost no environmental impact and they can direct a user to online content. Their large storage capacity is particularly useful in this context, since there are 17 REEs plus numerous variables such as the name of the supplier, etc. (see <u>Clause 7</u>). All these data can easily be incorporated into a QR code.

#### **6.3 RFID**

RFID tags contain an integrated circuit for storing and processing information. The tags contain the information in a non-volatile memory and can be read at a distance of hundreds of metres from the RFID reader, depending on the type of tag. RFID uses electromagnetic fields to identify RFID tags. Thus, unlike 2D barcodes, they do not need to be within the line of sight of the reader. Like QR codes, RFID tags can be read in different orientations and have a good processing speed. Although they are more expensive to create than QR codes, RFID tags have the function of real-time location tracking and are well suited to cylindrical objects.

#### 7 Label contents

The label shall contain REE information in accordance with ISO 22450. This will reduce the time, energy and money spent on confirming the economic efficiency of recycling. The summarized REE information shall be encoded in plain text where a declaration of composition is not mandatory. The label, as illustrated in Annex A, shall contain the following information:

- a) 1st row: "Name of the supplier, manufacturer or producer", which is provided to maintain the reliability of the information;
- b) 2nd row: "Name of the product", which gives information about any possible contamination of the REE product located inside the whole product; (Standards.iteh.ai)
- c) 3rd row: "Gross mass of the shipment"; if available, the gross mass of REE should also be provided;
- d) 4th row: "Physical form of the product" since this is an important parameter in deciding the recycling route for REE; 1ab38579dce3/iso-fdis-22453
- e) 5th row: "Method of storage";
- f) 6th row: "Date of production", which is provided to improve quality control;
- g) 7th row: "Country and region" which is also provided to improve quality control since geological and climate conditions play a key role in deciding the amount of REE left for recycling;
- h) 8th row: "Production method", since compositions and recycling methods can be dependent on the production method;
- i) 9th row: "WRE code", in accordance with ISO 22450:2020, Clause 5, Table 2;
- i) 10th row: "Batch number".

#### 8 Data exchange

Information on REEs in industrial waste and EOL products should be communicated to recyclers and policymakers involved in REEs. This information, except for the composition declaration, shall be recorded in the QR code in accordance with ISO 22450 by the waste handlers of industrial waste and EOL products. Waste handlers may also share the complete information in accordance with ISO 22450 i.e. including a composition declaration; however, this is not mandatory. Recyclers can then access it by scanning the QR code.