



SLOVENSKI STANDARD
oSIST prEN ISO/ASTM 52908:2022
01-marec-2022

Aditivna proizvodnja kovinskih izdelkov - Lastnosti končnih delov - Končna obdelava, kontrola in preskušanje delov, izdelanih s spajanjem prahu v postelji (ISO/ASTM DIS 52908:2022)

Additive manufacturing of metals - Finished Part properties - Post-processing, inspection and testing of parts produced by powder bed fusion (ISO/ASTM DIS 52908:2022)

Additive Fertigung von Metallen - Eigenschaften von Fertigteilen - Nachbearbeitung, Inspektion und Prüfung von Bauteilen hergestellt mittels pulverbettbasiertem Schmelzen (ISO/ASTM DIS 52908:2022)

Fabrication additive de métaux - Propriétés des pièces finies - Post-traitement, inspection et essais des pièces produites par fusion sur lit de poudre (ISO/ASTM DIS 52908:2022)

<https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022>

Ta slovenski standard je istoveten z: prEN ISO/ASTM 52908

ICS:

25.030 3D-tiskanje Additive manufacturing

oSIST prEN ISO/ASTM 52908:2022 en,fr,de

DRAFT INTERNATIONAL STANDARD

ISO/ASTM DIS 52908

ISO/TC 261

Secretariat: DIN

Voting begins on:
2022-01-14Voting terminates on:
2022-04-08

Additive manufacturing of metals — Finished Part properties — Post-processing, inspection and testing of parts produced by powder bed fusion

ICS: 25.030

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN ISO/ASTM 52908:2022](https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022)

<https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022>

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

ISO/CEN PARALLEL PROCESSING



Reference number
ISO/ASTM DIS 52908:2022(E)

© ISO/ASTM International 2022

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN ISO/ASTM 52908:2022](https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022)

<https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO/ASTM International 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester. In the United States, such requests should be sent to ASTM International.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11

Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ASTM International
100 Barr Harbor Drive, PO Box C700
West Conshohocken, PA 19428-2959, USA
Phone: +610 832 9634
Fax: +610 832 9635
Email: khooper@astm.org
Website: www.astm.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviations	2
4.1 Symbols.....	2
4.2 Abbreviations.....	3
5 Qualification	3
5.1 General.....	3
5.2 Part Validation.....	3
5.3 Technical documentation relating to part(s) produced.....	3
5.4 Facility documentation.....	4
5.4.1 Additive manufacturer documentation requirements.....	4
5.4.2 Subcontractor documentation requirements.....	4
5.5 Quality Assurance documentation.....	4
6 Post processing	5
6.1 General.....	5
6.2 Post-build activities.....	5
6.3 Thermal treatment.....	5
6.4 Separation from the built platform and support structures.....	6
6.5 Surface finishing.....	6
6.5.1 Surface finishing operations.....	6
6.5.2 Machining allowances.....	7
7 Inspection and testing	7
7.1 General.....	7
7.2 Metallurgical testing.....	7
7.2.1 Objective.....	7
7.2.2 Specimen selection, design, and preparation for part characterization.....	8
7.2.3 Test methods, parameters and specimens.....	9
7.2.4 Metallurgical properties.....	9
7.2.5 Determining the non-metallic inclusion content.....	9
7.2.6 Analysis and test report.....	9
7.3 Mechanical testing.....	10
7.3.1 General.....	10
7.3.2 Orientation in the build space.....	10
7.3.3 Specimen geometry and surface quality.....	10
7.3.4 Density (Part).....	10
7.3.5 Archimedean method.....	12
7.3.6 Image analysis of metallographic specimens.....	13
7.3.7 Static testing.....	15
7.3.8 Dynamic testing.....	19
7.4 Surface quality inspection.....	20
7.5 Geometrical inspection (form, dimension and tolerances).....	20
7.6 Non-destructive testing.....	21
Bibliography	22

ISO/ASTM DIS 52908:2022(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM Committee F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the Objective to create a common set of ISO/ASTM standards on Additive Manufacturing.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022>

Introduction

This document is designed to complement ISO/ASTM 52900, which describes different additive manufacturing processes using a variety of materials. This standard covers the testing of components manufactured from metallic materials using additive technologies.

As with conventional manufacturing processes (e. g. casting and milling), metallic parts produced by additive manufacturing technologies have critical-to-quality characteristics. These include in particular density, strength, hardness, surface quality, dimensional accuracy, residual stresses, absence of cracks, voids and structural homogeneity, which are typically tested in additively manufactured components. The quality of additively manufactured components is essential if functional components are produced on an industrial scale. Thus, it is necessary to qualify additive manufacturing processes according to uniform criteria and to apply standardised in-process and post-process testing.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN ISO/ASTM 52908:2022](https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022)

<https://standards.iteh.ai/catalog/standards/sist/5e1bcb08-39b9-498f-8843-0826a930df74/osist-pren-iso-astm-52908-2022>

Additive manufacturing of metals — Finished Part properties — Post-processing, inspection and testing of parts produced by powder bed fusion

1 Scope

This document sets requirements for the qualification, quality assurance and post processing for metal parts made by powder bed fusion. This document defines methods and procedures for testing and qualification of various characteristics of additively manufactured metal parts, in accordance with ISO 17296-3, Classes H and M.

This document is intended to be used by part providers and/or customers of parts. This standard is a top-level standard in the hierarchy of additive manufacturing standards in that it is intended to apply to metallic parts made by additive manufacturing. This document defines qualification procedures where appropriate to meet defined quality levels.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/ASTM 52900, *Additive manufacturing — General principles — Fundamentals and vocabulary*

ISO/ASTM 52920, *Additive manufacturing — Qualification principles— Requirements for industrial additive manufacturing sites*

ISO/ASTM 52927, *Additive manufacturing — General principles — Main characteristics and corresponding test methods*

ISO/ASTM 52928, *Additive manufacturing — Feedstock materials — Powder life cycle management*

ISO/ASTM/TS 52930, *Additive manufacturing — Qualification principles — Installation, operation and performance (IQ/OQ/PQ) of PBF-LB equipment*

ISO 1302, *Geometrical Product Specifications (GPS) — Indication of surface texture in technical product documentation*

ISO 3369, *Impermeable sintered metal materials and hardmetals — Determination of density*

ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature*

ASTM E8/E8M, *Standard Test Methods for Tension Testing of Metallic Materials*

DIN 50125, *Testing of metallic materials — Tensile test pieces*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/ASTM 52900 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

ISO/ASTM DIS 52908:2022(E)

— IEC Electropedia: available at <https://www.electropedia.org/>

3.1

grain size

powder particle size

particle size

average diameter of powder particles under consideration

3.2

grain size

metallurgical grain size

average grain size in the metallurgical structure when viewed in cross-section

4 Symbols and abbreviations

4.1 Symbols

The symbols listed in [Table 1](#) are used throughout this document.

Table 1 — Symbols

Symbol	Term	Unit
a	specimen thickness (bending test)	mm
b_{pb}	specimen width (bend test)	mm
d_0	specimen diameter	mm
d_1	ISO metric threads	mm
d_b	roller diameter (bend test)	mm
E_V	volume energy density	J/mm ³
F_b	punch force	N
F_{max}	maximum force (bend test)	N
h	head height	mm
h_s	scan line spacing	mm
KU, KV	notch impact energy U:U-notch, V:V-notch	J
L_0	initial gauge length	mm
L_c	test length ($L_c > L_0 + d_0$)	mm
L_t	total length	mm
l_{ab}	roller spacing (bend test)	mm
l_p	specimen length (bend test)	mm
l_z	layer thickness	mm
N	nominal dimension	mm
P_L	laser power	W
R_z	average surface roughness	μm
S_b	punch path (bend test)	mm
T	tolerance	mm
T_T	transition temperature	K, °C
VR	volume rate	mm ³ /s
v_s	scan speed	mm/s
α	angle of bend (bend test)	°(degree)
β	angle of bend (bend test)	°(degree)

4.2 Abbreviations

The abbreviations listed in [Table 2](#) are used throughout this document:

Table 2 — Abbreviations

AM	additive manufacturing
EDX	energy-dispersive X-ray spectroscopy
SEM	scanning electron microscope
CAD	computer aided design
NDT	non-destructive testing
QA	quality assurance
COC	certificate of conformance
ASL	approved supplier list
HIP	hot isostatic pressing
EDM	electrical discharge machining
PBF	powder bed fusion

5 Qualification

5.1 General

The manufacturer shall demonstrate the capability to produce AM parts to the requirements given in the purchase specification. The inspection and testing described in the following clauses is performed and assessed using the methods and acceptance criteria stated in the purchase specification.

NOTE Purchase specification requirements are developed at the design stage, as described in ISO/ASTM 52927, and are in accordance with the relevant standards and regulations that are required for the conformity of that part.

5.2 Part Validation

Validation that the part produced complies with the requirements of the purchase specification shall be captured in a qualification record. A typical 'qualification record', shall consist of:

- Technical documentation relating to part(s) produced;
- Facility documentation;
- Quality assurance (QA) documentation.

5.3 Technical documentation relating to part(s) produced

The technical documentation relating to part(s) produced shall contain:

- Purchase specification in accordance with ISO/ASTM 52927, which includes inspection methods, associated plans, acceptance criteria, and representative quality indicators where applicable;
- Feedstock specification, test results and declaration of conformity with ISO/ASTM 52907;
- Material specification (consolidated product material properties specification);
- Completed manufacturing plan;
- Records of destructive and non-destructive testing;
- Inspection record for the part (in accordance with the purchase specification);