

INTERNATIONAL STANDARD

IEC
61182-10

First edition
1999-12

**Printed boards –
Electronic data description and transfer –**

**Part 10:
Electronic data hierarchy**

*Cartes imprimées –
Description et transmission de données informatiques –*

*Partie 10:
Hiérarchie des données électroniques*

[IEC 61182-10:1999](https://standards.iteh.ai/catalog/standards/iec/6d9545a0-bc32-424f-b4c7-4d5fd5ad91f6/iec-61182-10-1999)

<https://standards.iteh.ai/catalog/standards/iec/6d9545a0-bc32-424f-b4c7-4d5fd5ad91f6/iec-61182-10-1999>



Reference number
IEC 61182-10:1999(E)

Numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series.

Consolidated publications

Consolidated versions of some IEC publications including amendments are available. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Validity of this publication

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology.

Information relating to the date of the reconfirmation of the publication is available in the IEC catalogue.

Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is to be found at the following IEC sources:

- **IEC web site***
- **Catalogue of IEC publications**
Published yearly with regular updates
(On-line catalogue)*
- **IEC Bulletin**
Available both at the IEC web site* and as a printed periodical

Terminology, graphical and letter symbols

For general terminology, readers are referred to IEC 60050: *International Electrotechnical Vocabulary (IEV)*. <https://standards.iteh.ai/catalog/standards/iec-61182-10-1999>

For graphical symbols, and letter symbols and signs approved by the IEC for general use, readers are referred to publications IEC 60027: *Letter symbols to be used in electrical technology*, IEC 60417: *Graphical symbols for use on equipment. Index, survey and compilation of the single sheets* and IEC 60617: *Graphical symbols for diagrams*.

* See web site address on title page.

INTERNATIONAL STANDARD

IEC 61182-10

First edition
1999-12

Printed boards – Electronic data description and transfer –

Part 10: Electronic data hierarchy

*Cartes imprimées –
Description et transmission de données informatiques –*

*Partie 10:
Hiérarchie des données électroniques*

IEC 61182-10:1999

<https://standards.iteh.ai/catalog/standards/iec/6d9545a0-bc32-424f-b4c7-4d5fd5ad91f6/iec-61182-10-1999>

© IEC 1999 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland
Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XC**

For price, see current catalogue

CONTENTS

	Page
FOREWORD	9
INTRODUCTION	10
Clause	
1 Scope	11
2 Normative references	11
3 Terms and definitions	11
3.1 Filename extension	11
3.2 Data hierarchy	11
3.3 Keyword	11
4 General requirements	12
4.1 Category classification	12
4.1.1 Categories and contents	12
4.1.2 Description format common to all category files	14
4.2 Correlation between referential information	15
4.3 Physical layer and logical layer	17
4.3.1 Logical layer definition	17
4.4 Negative layer and positive layer	18
4.5 Layer-to-layer interconnection information	19
4.5.1 Concept of stack information	20
4.6 Part information	21
5 General specification	23
5.1 Syntactical rules in this document used to describe the EDH format	23
5.1.1 Syntax notation characters	23
5.1.2 Examples	24
5.2 Types of standard category files	24
5.2.1 File format	24
5.2.2 Filename	24
5.2.3 Abbreviated name of a printed board assembly	24
5.2.4 Filename extension identifier	25
5.3 Syntax used in category files	25
5.3.1 Record descriptions	26
5.3.2 Parameters	27
5.3.3 Numerical values	27
5.3.4 Character strings	28
5.3.5 Reserved words	28
5.3.6 Formatted description	28
5.3.7 Fixed format messages	29
5.4 Coordinate system	29
5.5 Libraries	30
5.5.1 Types of library	30
5.5.2 Internal libraries and external libraries	30
5.5.3 Priority of library calls	30

Clause	Page
5.6 General description format.....	30
5.6.1 Types of statements.....	30
5.6.2 "HEAD" statement.....	31
5.6.3 "UNIT" statement.....	31
5.6.4 "XCHAR" statement.....	31
5.6.5 "COMMENT" statement.....	31
5.6.6 "END" statement.....	31
5.6.7 Description of comments.....	32
5.6.8 "DEFOLD" statement.....	32
5.6.9 "DEFATR" statement.....	32
6 File for file control information (FIL).....	32
6.1 General information.....	32
6.2 Types of statements.....	32
6.2.1 "HEAD" statement.....	33
6.2.2 "FORMAT" statement.....	33
6.2.3 "LIMIT" statement.....	33
6.2.4 "SYSTEM" statement.....	34
6.2.5 "DATE" statement.....	34
6.2.6 "AUTHOR" statement.....	34
6.2.7 "FILE" statement.....	34
6.2.8 "EXTERN" statement.....	34
6.2.9 "NOSTD" statement.....	34
6.2.10 "UNIT" statement.....	34
6.2.11 "END" statement.....	34
6.3 Example of file control information.....	35
7 Management information file (MNG).....	35
7.1 General information.....	35
7.2 Types of statements.....	35
7.2.1 "HEAD" statement.....	36
7.2.2 "NAME" statement.....	36
7.2.3 "DRAW" statement.....	37
7.2.4 "EDITION" statement.....	37
7.2.5 "DESIGNER" statement.....	37
7.2.6 "OPERATOR" statement.....	37
7.2.7 "END" statement.....	37
7.3 Example of management information file.....	37
8 Technology information file (TEC).....	38
8.1 General information.....	38
8.2 Types of statements.....	39
8.2.1 "HEAD" statement.....	39
8.2.2 "VIEW" statement.....	39
8.2.3 "BOARD" statement.....	39
8.2.4 "LAYNO" statement.....	39
8.2.5 "LAYER" statement.....	40
8.2.6 "INTERL" statement.....	40
8.2.7 "VIA" statement.....	41
8.2.8 "GRID" statement.....	41

Clause	Page
8.2.9 "AREA" statement	41
8.2.10 "CLEAR" statement	41
8.2.11 "WIDTH" statement	42
8.2.12 "UNIT" statement	42
8.2.13 "END" statement	42
9 Net information file (NET)	42
9.1 General information	42
9.1.1 Type of information	43
9.1.2 Old and new NET data information	43
9.1.3 Description of signal attributes	43
9.2 Correlation between category files	43
9.3 File format	44
9.4 Types of statements	44
9.5 Statement description format	45
9.5.1 Net information	45
9.5.2 Signal attributes	46
9.6 Example of "NET" file	52
10 Component information file (ELM)	53
10.1 General information	53
10.2 Correlation between category files	53
10.3 File format	53
10.4 Types of statements	53
10.5 Record description format	54
10.5.1 "ELMCMP" statement	54
10.5.2 "XELMCMP" statement	54
10.6 Example of "ELM" file	55
11 Primitive figure libraries file (FLB)	55
11.1 General information	55
11.2 Correlation between category files	55
11.3 Constituents of primitive figures libraries	55
11.4 Types of statements	56
11.5 Figure library central records	56
11.5.1 "HEAD" record	56
11.5.2 "UNIT" record	56
11.5.3 "CONTENTS" record	57
11.5.4 "END" record	57
11.6 Figure-shape library records	57
11.6.1 Record sequence of figure-shape library	57
11.6.2 "DEFFLIB" record	57
11.6.3 "ENDFLIB" record	57
11.6.4 Example of figure-shape library	57
11.7 Hole library records	58
11.7.1 Record sequence of hole library	58
11.7.2 "DEFHLIB" record	58
11.7.3 "DEFHOLE" record	58
11.7.4 "ENDHOLE" record	59
11.7.5 "ENDHLIB" record	59
11.7.6 Example of hole library	59

Clause	Page
11.8 Stack library records	59
11.8.1 Record sequence of stack library	59
11.8.2 "DEFSLIB" record	60
11.8.3 "DEFSTK" record	60
11.8.4 "STKFIG" record	60
11.8.5 "STKHOLE" record.....	60
11.8.6 "ENDSTK" record.....	60
11.8.7 "ENDSLIB" record.....	60
12 Part-shape library file (PRT)	60
12.1 General information	60
12.1.1 Rules for part-shape library definition.....	60
12.2 Correlation between category files	61
12.3 Elements included in part-shape library file.....	61
12.4 Library items and contents	61
12.5 Record sequence of part-shape library.....	62
12.6 Record descriptions	63
12.6.1 "DEFPLIB" record	63
12.6.2 "DEFPRT" record	63
12.6.3 "PRTDF1" record	63
12.6.4 "PRTDF2" record	64
12.6.5 "ENDPRT" record.....	64
12.6.6 "ENDPLIB" record.....	64
13 Component placement file (PLC).....	64
13.1 General information	64
13.2 Correlation between category files	65
13.3 File format	65
13.4 Type of statement.....	65
13.5 Record description format.....	65
13.5.1 Part placement data.....	65
13.6 Example of "PLC" file.....	66
14 Figure information file (FIG)	66
14.1 File description concept	66
14.1.1 List of keywords in "FIG" file	66
14.1.2 Priority of land descriptions.....	67
14.1.3 Component definitions	67
14.1.4 Description of electrically connected figures.....	68
14.1.5 Description of height limitations	68
14.1.6 Priority of keywords	68
14.1.7 Priority of overlapping positive/negative patterns	68
14.1.8 Description of dimension lines.....	68
14.1.9 Method for specifying default values of attributes	69
14.2 Primitive figures	69
14.2.1 Circle (see figure 24)	69
14.2.2 Square (see figure 25)	69
14.2.3 Rectangle (see figure 26).....	70
14.2.4 Polygon (see figure 27)	70
14.2.5 Line	70
14.2.6 Text (see figure 28).....	71

Clause	Page
14.3 Attributes	71
14.3.1 Color designation attributes	71
14.3.2 Paint-in attributes (see figures 29 and 30)	71
14.3.3 Line-width attribute (see figure 31)	72
14.3.4 Line type attributes (see figure 32)	72
14.3.5 Line end attributes (see figure 33)	73
14.3.6 Text attributes (individually defined) (see figures 34 to 38)	73
14.3.7 Text attribute (collectively defined)	75
14.3.8 Rats-nest attributes	75
14.3.9 Height description attributes	75
14.3.10 Rotation description attribute	75
14.3.11 Scale factor description attribute.....	75
14.3.12 Line end modification attributes (see figure 39).....	76
14.3.13 Conductive figure attributes	76
14.4 Applicable attributes for each feature.....	76
14.4.1 Line end attributes	77
14.4.2 Scale and rotation.....	77
14.5 Assignment of logical layer	77
14.6 Grouping.....	78
14.6.1 Grouping of primitive figures	78
14.6.2 Grouping of electrically connected figures	78
14.6.3 Grouping of attributes (referred by each figure statement).....	78
14.6.4 Grouping of component information.....	78
14.7 Calling of primitive figure libraries	79
14.7.1 Figure-shape library.....	79
14.7.2 Stack library.....	79
14.7.3 Hole library	79
14.8 Exchange of figures	79
14.8.1 Exchange of registered figures.....	79
14.8.2 Exchange of stack.....	79
15 Back-annotation file (BAI)	79
15.1 General information	79
15.2 Correlation between category files	80
15.3 File format	80
15.4 Types of statements.....	81
15.5 Statement description format	81
15.5.1 Back-annotation information level 1 – component.....	81
15.5.2 Back-annotation information level 2 – pin.....	82
15.6 Description example of BAI file	82
16 Summary EDH characteristics.....	83
16.1 Column category file	83
16.2 Column type	83
16.3 Column key.....	83
Bibliography	89

Figure 1 – EDH file structure	13
Figure 2 – Correlation between referential category files	15
Figure 3 – Correlation between figure-related files	16
Figure 4 – Correlation between net-related files	16
Figure 5 – Physical layer and logical layer.....	17
Figure 6 – Physical layer numbering.....	18
Figure 7 – Concept of negative layer and positive layer.....	19
Figure 8 – Layer-to-layer interconnection	20
Figure 9 – Registration of shapes.....	21
Figure 10 – Registration of stacks	21
Figure 11 – Part-shape specification	22
Figure 12 – Registration of part shape.....	23
Figure 13 – Format structure	26
Figure 14 – Numbering convention	27
Figure 15 – Coordinate positioning.....	30
Figure 16 – Name statement	36
Figure 17 – File correlation with net file.....	44
Figure 18 – Component information file correlation.....	53
Figure 19 – Primitive figure library file correlation.....	55
Figure 20 – Example of the three library types.....	56
Figure 21 – Part-shape library file correlation	61
Figure 22 – Dip part-shape library example	61
Figure 23 – Component placement file correlation.....	65
Figure 24 – Circle.....	69
Figure 25 – Square.....	69
Figure 26 – Rectangle	70
Figure 27 – Polygon	70
Figure 28 – Text.....	71
Figure 29 – Paint-in designation.....	71
Figure 30 – Paint-in mesh.....	71
Figure 31 – Line width.....	72
Figure 32 – Line type attributes	72
Figure 33 – Line end attributes	73
Figure 34 – Text character height.....	73
Figure 35 – Rotation angle	73
Figure 36 – Character width adjustment	74
Figure 37 – Horizontal space.....	74
Figure 38 – Character string positioning	75
Figure 39 – Line end modification attributes	76
Figure 40 – Square line end attribute example	77
Figure 41 – Back-annotation correlation	80
Table 1 – EDH file descriptions	12
Table 2 – EDH file name extension and content	14
Table 3 – Format of category file name	14
Table 4 – File structure	14
Table 5 – Statement format.....	15
Table 6 – Key items which connect the related category files for figure information interchange	16
Table 7 – Key items which connect the related category files for net information interchange	17
Table 8 – Logical layer content.....	18

Table 9 – Syntax notation characters for this document.....	23
Table 10 – Standard category files and their extension identifiers	25
Table 11 – Types of parameters	27
Table 12 – Description of character strings – Example	28
Table 13 – Statement types common for all category files	31
Table 14 – Statement types permitted in file for file control information	33
Table 15 – Example of file control information	35
Table 16 – Statement types permitted in the management information file.....	36
Table 17 – Management information file	38
Table 18 – Statement types permitted in basic information files.....	39
Table 19 – Types of logical layers	40
Table 20 – Elements to which the clearance specification is applied.....	42
Table 21 – Net file format order	44
Table 22 – Type of statement	45
Table 23 – ELM statement.....	54
Table 24 – Library types.....	55
Table 25 – Primitive figures library statements	56
Table 26 – Example of figure-shape library.....	58
Table 27 – Example of hole library	59
Table 28 – Part-shape library items and contents	62
Table 29 – Record sequence of part-shape library statements.....	63
Table 30 – Component placement file – Type of statement.....	65
Table 31 – Figure information keywords	67
Table 32 – Attribute/Feature matrix	77
Table 33 – Back-annotation file format	80
Table 34 – Back-annotation file – Types of statements.....	81
Table 35 – File and term summary	83

[IEC 61182-10:1999](https://standards.iteh.ai/catalog/standards/iec/6d9545a0-bc32-424f-b4c7-4d5fd5ad91f6/iec-61182-10-1999)

<https://standards.iteh.ai/catalog/standards/iec/6d9545a0-bc32-424f-b4c7-4d5fd5ad91f6/iec-61182-10-1999>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**PRINTED BOARDS –
ELECTRONIC DATA DESCRIPTION AND TRANSFER –**
Part 10: Electronic data hierarchy

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61182-10 has been prepared by IEC technical committee 52: Printed circuits.

The text of this standard is based on the following documents:

FDIS	Report on voting
52/831/FDIS	52/839/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

A bilingual version of this standard may be issued at a later date.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

INTRODUCTION

This standard is intended to provide information on a series of data files that contain information, in an organized fashion, to convey the completed design description of a printed board and a printed board assembly. The data may be exchanged between Computer-Aided Design (CAD) Systems, Computer-Aided Engineering (CAE) Systems or Computer Aided Manufacturing (CAM) Systems.

The information about the design is organized into specific category files, where each file has a specific function and is independent of each other. Data exchange for a specific purpose is possible only if the category file information has been prepared in the CAD system or if a user desires to provide certain data to those outside the design function. The information about a unique printed board or printed board assembly is contained in a single file which is headed by "file control information" provided to identify those characteristics contained in the file. Specific rules for syntax are described for each file category as are the methodologies for organizing the information in a cohesive, unambiguous manner.

The format and syntax of EDH consists of statements that are prefaced by a unique "keyword" followed by one or more parameters intended to provide the necessary information. Parameters consist of numeric values and character strings, which maybe general character strings, reserved words, formatted descriptions and/or fixed format messages. Although the language for keywords and parameters is "English" using the ISO 7-bit coded character set (ISO registration number 006), any character set may be used for informational purposes or comment descriptions provided the language has a registration number according to ISO/IEC 646.

EDH category files are a small subset of other neutral design formats. These larger formats are intended to provide and define behavioral characteristics, design rules, simulation parameters, drawing information, timing analysis, etc., some of which may be user proprietary. The EDH category files bear a close relationship with design representation formats such as EDIF (IEC 61690-2) and STEP (ISO 10303, Parts 201 and 210). It is intended for this relationship to be maintained through continued surveillance by the originating committees. Inter-operational ability between these formats is important so that information content is mutually consistent. This coordination is necessary as technology changes require reassessments of keywords and parameters.

PRINTED BOARDS – ELECTRONIC DATA DESCRIPTION AND TRANSFER –

Part 10: Electronic data hierarchy

1 Scope

This part of IEC 61182 specifies data file formats used to describe printed board and printed board assembly products in sufficient detail for tooling, manufacturing, assembly, and testing requirements. These formats may be used for transmitting information between a printed board designer and a manufacturing or assembly facility. The files are also useful when the manufacturing cycle includes computer-aided processes and numerically controlled machines.

The information can be used for both manual and digital interpretation. The data may be defined in either English or SI units.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61182. For dated references subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 61182 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60050(541):1990, *International Electrotechnical Vocabulary – Chapter 541: Printed circuits*

<https://standards.iteh.ai/catalog/standards/iec/6d9545a0-bc32-424f-b4c7-4d5fd5ad91f6/iec-61182-10-1999>

3 Terms and definitions

For the purposes of this part of IEC 61182 and, unless otherwise specified herein, terms and definitions shall be in accordance with IEC 60050(541) and the definitions in the following subclauses.

3.1

filename extension

three-letter acronym used to identify a category file name

3.2

data hierarchy

organized arrangement of data, according to a specific set of rules

3.3

keyword

word, set of words, or acronym used to identify data in the Electronic Data Hierarchy (EDH)

4 General requirements

The EDH specifies data files specifically for the information interchange of data relating to printed board CAD designs that have been completed and are ready for manufacturing expansion (i.e. panelization, process allowance incorporation, tooling feature addition, etc.).

EDH is comprised of ten category files shown in tables 1 and 2. Figure 1 shows the relationship of the ten (10) category files and the communication links that must be established between the files.

Each category file has a specific function or task and is independent of the other. Accordingly, the information interchange for a specific purpose is possible only if the category files required for such a purpose have been prepared. Any data file with a format different from this format can be interchanged as a non-standard category file, if the format has been mutually agreed to by the sending CAD and the receiving CAM workstation.

4.1 Category classification

Table 1 provides the name and purpose of each of the ten files.

Table 1 – EDH file descriptions

Ten category types	
Name of file	Purpose
File control information	File control
Management information	CAD data management
Technology information	Board characteristics, design specification, layer definition, etc.
Net information	Net information and signal attributes
Component information	Component list
Primitive figures library	Figure-shape library, hold library, and stack library
Part-shape library	Library of part shapes
Component placement information	List of component locations
Figure information	Figures and figure attributes
Back-annotation information	Component change information and component-pin change information

4.1.1 Categories and contents

Figure 1 shows the relationship of the ten files of the EDH format and the communication links that shall be established between the files.