

INTERNATIONAL STANDARD



**Information technology – Implementation and operation of customer premises
cabling –
Part 2: Planning and installation**

Document Preview

ISO/IEC 14763-2:2019

<https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

iTeh Standards
<https://standards.iteh.ai/>
Document Preview

[ISO/IEC 14763-2:2019](https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019)

<https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019>

INTERNATIONAL STANDARD



**Information technology – Implementation and operation of customer premises
cabling –
Part 2: Planning and installation**

Document Preview

ISO/IEC 14763-2:2019

<https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-7698-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|---|----|
| FOREWORD..... | 9 |
| INTRODUCTION..... | 11 |
| 1 Scope..... | 13 |
| 2 Normative references | 14 |
| 3 Terms, definitions and abbreviated terms | 15 |
| 3.1 Terms and definitions..... | 15 |
| 3.2 Abbreviated terms..... | 20 |
| 3.3 Conventions..... | 21 |
| 4 Conformance..... | 21 |
| 5 Specification of installations | 21 |
| 5.1 General..... | 21 |
| 5.2 Installation specification..... | 22 |
| 5.2.1 Requirements | 22 |
| 5.2.2 Recommendations | 23 |
| 5.3 Technical specification..... | 24 |
| 5.3.1 General | 24 |
| 5.3.2 Notification of hazards | 24 |
| 5.3.3 Security requirements..... | 25 |
| 5.3.4 Performance and configuration – Requirements..... | 25 |
| 5.3.5 Environmental conditions..... | 27 |
| 5.4 Scope of work | 28 |
| 5.4.1 Pre-installation | 28 |
| 5.4.2 Installation..... | 29 |
| 5.4.3 Post-installation..... | 30 |
| 5.5 Quality assurance | 30 |
| 6 Quality planning..... | 30 |
| 6.1 Quality plan | 30 |
| 6.2 Specification of cabling components | 31 |
| 6.3 Sampling..... | 32 |
| 6.3.1 Balanced cabling | 32 |
| 6.3.2 Optical fibre cabling..... | 34 |
| 6.4 Treatment of marginal results..... | 36 |
| 6.4.1 Balanced cabling | 36 |
| 6.4.2 Optical fibre cabling..... | 36 |
| 6.5 Treatment of non-compliant results | 36 |
| 6.6 Change control | 36 |
| 7 Installation planning..... | 36 |
| 7.1 General..... | 36 |
| 7.2 Safety | 37 |
| 7.2.1 General | 37 |
| 7.2.2 Low voltage power supply cabling..... | 37 |
| 7.2.3 Telecommunications cables fire performance | 37 |
| 7.2.4 Optical fibre cabling..... | 37 |
| 7.2.5 Transmission and terminal equipment..... | 37 |
| 7.3 Environment..... | 37 |
| 7.4 Points of electrical contact | 38 |

| | | |
|--------|--|----|
| 7.5 | External service provision | 38 |
| 7.5.1 | Requirements | 38 |
| 7.5.2 | Recommendations | 38 |
| 7.6 | Pathways and pathway systems | 38 |
| 7.6.1 | General | 38 |
| 7.6.2 | Inside buildings | 42 |
| 7.6.3 | Outside buildings | 49 |
| 7.7 | Spaces | 61 |
| 7.7.1 | Requirements | 61 |
| 7.7.2 | Recommendations | 66 |
| 7.8 | Functional elements | 68 |
| 7.8.1 | Requirements | 68 |
| 7.8.2 | Recommendations | 70 |
| 7.9 | Segregation of telecommunications cabling and power supply cabling inside buildings | 70 |
| 7.9.1 | General | 70 |
| 7.9.2 | Requirements | 72 |
| 7.9.3 | Recommendations | 78 |
| 7.10 | Segregation of underground telecommunications cabling and power supply cabling outside buildings | 78 |
| 7.10.1 | General | 78 |
| 7.10.2 | Power supply cabling \leq AC 1 000 V RMS or DC 1 500 V | 78 |
| 7.10.3 | Power supply cabling $>$ AC 1 000 V RMS or DC 1 500 V | 79 |
| 7.10.4 | Earthing systems | 80 |
| 7.10.5 | Other infrastructures | 81 |
| 7.11 | Segregation of aerial telecommunications cabling | 82 |
| 7.11.1 | General | 82 |
| 7.11.2 | Overhead power supply infrastructures | 82 |
| 7.11.3 | Sharing of infrastructures carrying \leq 1 000 V AC (1 500 V DC) | 84 |
| 7.11.4 | Sharing of infrastructures carrying $>$ 1 000 V AC (1 500 V DC) | 86 |
| 7.12 | Planning for repair | 86 |
| 7.13 | Cabling – Requirements | 87 |
| 7.13.1 | General | 87 |
| 7.13.2 | Unscreened cabling | 87 |
| 7.13.3 | Screened cabling | 87 |
| 7.13.4 | Optical fibre cabling | 87 |
| 7.14 | Planning and assessment of cabling in support of remote powering objectives | 88 |
| 7.14.1 | General | 88 |
| 7.14.2 | Remote powering installations of Category RP3 | 88 |
| 7.14.3 | Connecting hardware | 92 |
| 8 | Installation practices | 93 |
| 8.1 | General | 93 |
| 8.2 | Safety | 93 |
| 8.2.1 | General | 93 |
| 8.2.2 | Power supply cabling | 93 |
| 8.2.3 | Telecommunications cables fire performance | 93 |
| 8.2.4 | Optical fibre cabling | 93 |
| 8.2.5 | Guards and signs | 94 |

| | | |
|--------|---|-----|
| 8.2.6 | Enclosed spaces | 94 |
| 8.2.7 | Maintenance holes | 94 |
| 8.2.8 | Closures | 94 |
| 8.3 | Environment | 94 |
| 8.3.1 | Storage | 94 |
| 8.3.2 | Installation – Requirements | 94 |
| 8.4 | Component inspection and testing – Requirements | 94 |
| 8.5 | Pathways | 95 |
| 8.5.1 | Requirements | 95 |
| 8.5.2 | Recommendations | 96 |
| 8.6 | Spaces | 96 |
| 8.6.1 | Requirements | 96 |
| 8.6.2 | Recommendations | 97 |
| 8.7 | Pathway system installation | 97 |
| 8.7.1 | General | 97 |
| 8.7.2 | Inside buildings | 98 |
| 8.7.3 | Outside buildings | 98 |
| 8.8 | Closure installation | 98 |
| 8.9 | Cable installation | 99 |
| 8.9.1 | Cable installation within pathway systems | 99 |
| 8.9.2 | Inside buildings | 100 |
| 8.9.3 | Cable installation in maintenance holes | 101 |
| 8.9.4 | Cable installation within closures – Requirements | 102 |
| 8.10 | Jointing and terminating of cables | 102 |
| 8.10.1 | Requirements | 102 |
| 8.10.2 | Balanced cabling | 103 |
| 8.10.3 | Screened balanced cabling | 103 |
| 8.10.4 | Optical fibre cabling | 103 |
| 8.11 | Cords and jumpers | 103 |
| 8.12 | Surge protective devices | 103 |
| 8.13 | Acceptance | 104 |
| 8.13.1 | Inspection | 104 |
| 8.13.2 | Testing | 104 |
| 9 | Documentation and administration | 104 |
| 9.1 | Symbols and preparation of documents | 104 |
| 9.1.1 | Requirements | 104 |
| 9.1.2 | Recommendations | 104 |
| 9.2 | Administration | 104 |
| 9.2.1 | General | 104 |
| 9.2.2 | Administration system | 105 |
| 9.2.3 | Identifiers – Requirements | 109 |
| 9.2.4 | Component labelling | 109 |
| 9.2.5 | Records | 112 |
| 9.2.6 | Cable administration system | 116 |
| 9.2.7 | Reports | 119 |
| 10 | Testing | 119 |
| 10.1 | General | 119 |
| 10.1.1 | Links and permanent links | 119 |
| 10.1.2 | Channels | 120 |

| | | |
|-----------------------|---|-----|
| 10.1.3 | Cabling interface adapters | 121 |
| 10.1.4 | Calibration | 121 |
| 10.1.5 | Equipment protection | 121 |
| 10.1.6 | Measurement conditions | 122 |
| 10.2 | Test procedures for balanced cabling | 122 |
| 10.2.1 | General | 122 |
| 10.2.2 | Measurement of length-related parameters | 122 |
| 10.2.3 | Treatment of marginal test results | 122 |
| 10.2.4 | Treatment of unacceptable test results | 122 |
| 10.2.5 | Test result format | 122 |
| 10.2.6 | Test result documentation | 123 |
| 10.3 | Test procedures for optical fibre cabling | 123 |
| 10.3.1 | General | 123 |
| 10.3.2 | Treatment of unacceptable test results | 123 |
| 10.3.3 | Test result documentation | 124 |
| 11 | Inspection | 124 |
| 11.1 | General | 124 |
| 11.2 | Inspection Level 1 | 124 |
| 11.3 | Inspection Level 2 | 125 |
| 11.4 | Inspection Level 3 | 125 |
| 11.5 | Inspection documentation – Requirements | 125 |
| 12 | Operation | 126 |
| 12.1 | Connection of equipment | 126 |
| 12.2 | Standard operating procedure | 126 |
| 12.2.1 | Requirements | 126 |
| 12.2.2 | Recommendations | 126 |
| 12.3 | Cords and jumpers | 126 |
| 12.4 | Optical fibre adapters | 126 |
| 13 | Maintenance | 127 |
| 13.1 | Approaches to maintenance | 127 |
| 13.1.1 | General | 127 |
| 13.1.2 | Requirements | 127 |
| 13.2 | Maintenance procedures | 127 |
| 13.2.1 | Requirements | 127 |
| 13.2.2 | Recommendations | 127 |
| 14 | Repair | 128 |
| Annex A (normative) | Optical fibre polarity maintenance: connecting hardware for multiple optical fibres | 129 |
| Annex B (normative) | Common infrastructures within multi-tenant premises | 143 |
| Annex C (normative) | Cabling in accordance with ISO/IEC 11801-2 | 151 |
| Annex D (normative) | Cabling in accordance with ISO/IEC 11801-3 | 153 |
| Annex E (normative) | Cabling in accordance with ISO/IEC 11801-4 | 156 |
| Annex F (normative) | Cabling in accordance with ISO/IEC 11801-5 | 162 |
| Annex G (normative) | Cabling in accordance with ISO/IEC 11801-6 | 166 |
| Annex H (informative) | Equipment accommodation environments | 168 |
| Annex I (normative) | Information for remote powering | 169 |
| Bibliography | | 173 |

| | |
|--|-----|
| Figure 1 – Schematic relationship between ISO/IEC 14763-2 and other relevant International Standards and Technical Reports | 12 |
| Figure 2 – Quality assurance schematic..... | 22 |
| Figure 3 – Conductor current for IEEE 802.3 remote powering applications | 26 |
| Figure 4 – Examples of conformant and non-conformant bend radius management | 44 |
| Figure 5 – Example of use of curved corners in pathway systems | 46 |
| Figure 6 – Example of layered cable trays with smaller width upper trays | 48 |
| Figure 7 – Example of uncovered (accessible) row of floor tiles to provide access to lower tray | 48 |
| Figure 8 – Example of cabling installations outside buildings | 49 |
| Figure 9 – Example of wind vibration damper..... | 61 |
| Figure 10 – Dimensions of rooms intended to contain distributors | 63 |
| Figure 11 – Process of determining cable separation | 72 |
| Figure 12 – Flowchart for cable separation calculation | 75 |
| Figure 13 – Separation of power supply and telecommunications cables without dividers..... | 76 |
| Figure 14 – Assumed minimum separation of power supply and telecommunications cables with dividers | 77 |
| Figure 15 – Example of cable separation distance | 77 |
| Figure 16 – Example showing the protection of underground information technology cables when located next to power supply cables | 79 |
| Figure 17 – Separation of adjacent infrastructures | 83 |
| Figure 18 – Separation distances on supporting structures | 85 |
| Figure 19 – Separation distance on supporting structures with lighting devices | 85 |
| Figure 20 – Separation of cable bundles to minimize heating | 101 |
| Figure 21 – Examples of labels indicating RP Category of remote powering installation | 108 |
| Figure 22 – Examples of cord and jumper labelling | 111 |
| Figure 23 – Cable administration database and possible linkages | 117 |
| Figure 24 – Basic cabling administration | 117 |
| Figure 25 – Examples of cabling permanent links..... | 120 |
| Figure 26 – Reference planes for link and channels (point-to-point) | 120 |
| Figure 27 – Example of a cabling channel..... | 121 |
| Figure A.1 – Duplex connecting hardware plug | 130 |
| Figure A.2 – Duplex connecting hardware adapter | 130 |
| Figure A.3 – Duplex patch cord..... | 130 |
| Figure A.4 – Views of crossover patch cords..... | 131 |
| Figure A.5 – Optical fibre sequences and adapter orientation in patch panel for the symmetrical position method..... | 132 |
| Figure A.6 – Optical fibre sequences and adapter orientation in patch panel for the reverse-pair position method..... | 133 |
| Figure A.7 – Array connector cable or patch cord (key-up to key-up) | 134 |
| Figure A.8 – Array adapter with aligned keyways | 135 |
| Figure A.9 – Transition assembly | 136 |
| Figure A.10 – Connectivity method for duplex signals | 137 |

| | |
|---|-----|
| Figure A.11 – Connectivity method for parallel optics channels | 138 |
| Figure A.12 – Array connector cable or patch cord (key-up to key-up)..... | 139 |
| Figure A.13 – Array adapter with aligned keyways | 139 |
| Figure A.14 – Transition assembly | 140 |
| Figure A.15 – Connectivity method for duplex cabling | 141 |
| Figure A.16 – Connectivity method for array cabling | 142 |
| Figure B.1 – Example of common pathways and spaces in a multi-tenant building | 144 |
| Figure B.2 – Example of a campus entrance facility | 146 |
| Figure B.3 – Example 1: Common equipment room..... | 148 |
| Figure B.4 – Example 1: Common telecommunications room | 149 |
| Figure B.5 – Example 2: Common telecommunications room | 149 |
| Figure C.1 – Connection of functional elements providing redundancy | 152 |
| Figure F.1 – Connection of functional elements providing redundancy | 163 |
| Figure I.1 – Illustration of installation environments | 172 |
| Table 1 – Remote powering cabling installation Categories and controls..... | 26 |
| Table 2 – Installed balanced cabling test parameters | 33 |
| Table 3 – Minimum sample sizes for alien (exogenous) crosstalk testing | 34 |
| Table 4 – Installed optical fibre cabling test parameters | 35 |
| Table 5 – Examples of pathway systems | 39 |
| Table 6 – Stacking height for non-continuous and interval support pathway systems | 45 |
| Table 7 – Design and planning of pathways outside buildings | 50 |
| Table 8 – Requirements and recommendations for pathway depths below finished surface | 52 |
| Table 9 – Minimum installed clearances above ground for aerial cables | 54 |
| Table 10 – Separation recommendations between metallic telecommunications cabling and specific EMI sources | 71 |
| Table 11 – Classification of telecommunications cables | 73 |
| Table 12 – Minimum separation, S | 74 |
| Table 13 – Power cabling factor, P | 74 |
| Table 14 – Minimum distance between telecommunications cables and earthed electrodes of power systems in rural and urban environments | 81 |
| Table 15 – Minimum distance between telecommunications cables and earthed electrodes of power systems in accordance with ITU-T K.8..... | 81 |
| Table 16 – Minimum clearances and protective measures at crossings between telecommunications cables and various underground services | 82 |
| Table 17 – Minimum clearances between aerial telecommunications and overhead power supply cabling | 83 |
| Table 18 – Technology-independent channel length vs. temperature | 89 |
| Table 19 – Temperature changes for various cable bundle sizes..... | 90 |
| Table 20 – Reduction factors for rectangular cable groups..... | 91 |
| Table 21 – Level of installation complexity | 105 |
| Table 22 – Level of operational complexity | 106 |
| Table 23 – Minimum requirements of administration systems | 106 |
| Table 24 – Minimum requirements of operational administration systems..... | 108 |

| | |
|--|-----|
| Table 25 – Labelling requirements | 110 |
| Table 26 – Labelling recommendations (additional)..... | 111 |
| Table 27 – Infrastructure records for spaces, cabinets, racks, frames and closures | 113 |
| Table 28 – Infrastructure records for cables and termination points..... | 114 |
| Table 29 – Infrastructure records | 115 |
| Table 30 – Infrastructure records for pathways and premises..... | 116 |
| Table 31 – Recommendations of installation administration systems..... | 118 |
| Table 32 – Recommendations of operational administration systems | 118 |
| Table A.1 – Optical fibre colour code scheme used in Annex A | 129 |
| Table B.1 – Summary of common spaces used to service a multi-tenant building..... | 144 |
| Table D.1 – Risk elements in determining a maintenance approach | 154 |
| Table E.1 – Minimum requirements for dimensions of primary distribution spaces..... | 159 |
| Table E.2 – Requirements for dimensions of secondary distribution spaces | 159 |
| Table E.3 – Minimum dimensions of spaces allocated to junction boxes | 160 |
| Table E.4 – Recommendations for dimensions of primary distribution spaces | 161 |
| Table E.5 – Recommendations for dimensions of secondary distribution spaces | 161 |
| Table H.1 – Equipment environmental specifications | 168 |
| Table I.1 – Temperature changes for remote power installations of Category RP2 | 170 |

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/IEC 14763-2:2019

<https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019>

INFORMATION TECHNOLOGY – IMPLEMENTATION AND OPERATION OF CUSTOMER PREMISES CABLING –

Part 2: Planning and installation

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14763-2 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This second edition cancels and replaces the first edition published in 2012 and Amendment 1:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the inclusion of planning and installation practices to support remote powering over the telecommunications cabling infrastructure;
- the inclusion of planning and installation practices outside buildings.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|---------------------|--------------------|
| JTC1-SC25/2909/FDIS | JTC1-SC25/2931/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the ISO/IEC 14763 series, published under the general title *Information technology – Implementation and operation of customer premises cabling*, can be found on the IEC and ISO websites.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 14763-2:2019](https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019)

<https://standards.iteh.ai/catalog/standards/iso/7579a681-f3d3-447c-9120-8a28546b826b/iso-iec-14763-2-2019>

INTRODUCTION

The use of generic information technology (IT) cabling, termed telecommunications cabling throughout this document (in accordance with the ISO/IEC 11801 series), for an increased number of non-IT services is reflected in the predominant use of the term telecommunications in this document.

The importance of services delivered by telecommunications cabling infrastructure is similar to that of utilities such as heating, lighting and electricity supplies. As with those utilities, interruptions to service can have a serious impact. Poor quality of service due to lack of planning, use of inappropriate components, incorrect installation, poor administration or inadequate support can threaten an organization's effectiveness.

There are four phases in the successful implementation of telecommunications cabling:

- a) design;
- b) specification – the detailed requirement for the cabling, including the planning of its accommodation and associated building services addressing safety and specific environments (e.g. electromagnetic), together with the quality assurance requirements to be applied;
- c) installation – in accordance with the requirements of the specification;
- d) operation – the management of connectivity and the maintenance of transmission performance during the life of the cabling.

This document supports the specification, implementation and operation of generic telecommunications cabling designed in accordance with the standards and associated documents developed by ISO/IEC JTC 1/SC 25 and addresses the following topics:

- specification depending on the application, environment, building infrastructure and facilities;
- quality assurance;
- installation planning (including pathways and spaces) depending on the application, environment, building infrastructure and facilities, etc.;
- installation practice (including pathways and spaces);
- documentation and administration;
- testing;
- inspection;
- operation;
- maintenance and maintainability (based on any impact from planning and installation);
- repair and repairability (based on any impact from planning and installation).

It does not cover those aspects of installation associated with the transmission of signals in free space between transmitters, receivers or their associated antenna systems (e.g. wireless, radio, microwave or satellite).

The following normative annexes support specific aspects of planning and installation:

- Annex A: Optical fibre polarity;
- Annex B: Common infrastructures within multi-tenant premises.

The requirements and recommendations of Clauses 5 to 14 are premises-independent. The following normative annexes include requirements for generic cabling in accordance with specific International Standards:

- Annex C: Cabling in accordance with ISO/IEC 11801-2;

- Annex D: Cabling in accordance with ISO/IEC 11801-3;
- Annex E: Cabling in accordance with ISO/IEC 11801-4;
- Annex F: Cabling in accordance with ISO/IEC 11801-5;
- Annex G: Cabling in accordance with ISO/IEC 11801-6.

Annex H provides information on environmental classes for spaces containing telecommunications equipment.

Annex I provides additional information regarding remote powering.


This document sets out the responsibilities of telecommunications cabling installers and premises owners, and is intended to be referenced in relevant contracts. The owners can delegate selected responsibilities to designers, specifiers, operators and maintainers of installed telecommunications cabling.

This document is also relevant to

- architects, building designers and builders,
- main contractors,
- designers, suppliers, installers, inspectors (auditors), building managers, maintainers and owners of telecommunications cabling,
- access providers and service providers,
- end users.

This document is one of a number of documents prepared in support of International Standards and Technical Reports for cabling design produced by ISO/IEC JTC 1/SC 25. Figure 1 shows the inter-relationship between these International Standards and Technical Reports.

Users of this document should be familiar with the applicable cabling design standard.



IEC

Figure 1 – Schematic relationship between ISO/IEC 14763-2 and other relevant International Standards and Technical Reports

NOTE Telecommunications infrastructure affects raw material consumption. The infrastructure design and installation methods also influence product life and sustainability of electronic equipment life cycling. These aspects of telecommunications infrastructure impact our environment. Since building life cycles are typically planned for decades, technological electronic equipment upgrades are necessary. The telecommunications infrastructure design and installation process magnifies the need for sustainable infrastructures with respect to building life, electronic equipment life cycling and considerations of effects on environmental waste. Telecommunications designers are encouraged to research local building practices for a sustainable environment and conservation of fossil fuels as part of the design process.