TECHNICAL SPECIFICATION

Second edition 2019-02

Graphic technology — Print quality requirements for printed matter —

Part 1:

Measurement methods and reporting schema

iTeh ST Technologie graphique – Exigences de qualité d'impression pour les imprimés – (stance arcs iteh ai) Partie 1: Méthodes de mesure et schémas de rapport

ISO/TS 15311-1:2019 https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-8bd6-38ea6bee23ab/iso-ts-15311-1-2019



Reference number ISO/TS 15311-1:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 15311-1:2019 https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-8bd6-38ea6bee23ab/iso-ts-15311-1-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents

Page

Fore	eword		iv		
Introduction					
1	Scop	e			
2	Norn	native references			
3		ns and definitions			
4		lirements			
•	4.1	General			
	4.2	Single or multiple sheet assessment			
		4.2.1 Total number of sheets			
		4.2.2 Number of sheets measured			
		4.2.3 Reporting	5		
	4.3	Print quality measures			
		4.3.1 Overview			
		4.3.2 Colour, tone reproduction and gloss	6		
		4.3.3 Uniformity			
		4.3.4 Detail rendition capabilities			
		4.3.5 Permanence			
		4.3.6 Artefacts			
	4.4	Printing conditions			
Ann	ex A (in	formative) Sampling of sheets			
		formative) Estimation of BlackPoint from control strip			
Ann	ex C (in	formative) Calculation of 95th percentile			
Bihl	iogrant	<u>ISO/IS 15311-1:2019</u> https://standards.itch:ai/catalog/standards/sist/94b03905=4791=443d=	31		
5101	1051 upi		J.		
		8bd6-38ea6bee23ab/iso-ts-15311-1-2019			

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 130, Graphic technology.

This second edition of ISO/TS 15311-1:2016), which has been technically revised. 8bd6-38ea6bee23ab/iso-ts-15311-1-2019

The main changes compared to the previous edition are as follows:

- a) All references are now undated, unless reference is made to a specific element of the cited document.
- b) <u>4.3.2.3</u> Absolute colour reproduction (process colours)
 - 1) Title changed to: Colour accuracy (absolute colour reproduction, process colours).
- c) <u>4.3.2.4</u> Media relative colour reproduction (process colours)
 - 1) Title changed to: Colour accuracy (media relative colour reproduction, process colours).
- d) Subclauses added:
 - 1) <u>4.3.2.5</u> Colour accuracy (media relative colour reproduction with BlackPoint compensation)
 - 2) <u>4.3.2.7</u> Colour accuracy (spot colours)
 - 3) <u>4.3.3.7</u> Print-through resistance
 - 4) <u>4.3.4.8</u> Registration
 - 5) <u>4.3.5.5</u> Water resistance
 - 6) <u>4.3.5.6</u> Scratch resistance
 - 7) <u>4.3.5.7</u> Abrasion resistance (transportation of sheets)

- 8) <u>4.3.6.1</u> Background extraneous marks and voids (monochrome)
- e) Annex B added
 - 1) Estimation of BlackPoint from control strip
- f) Annex C added
 - 1) Calculation of 95th percentile
- g) <u>4.3.2.4</u> Colour accuracy (media relative colour reproduction, process colours) modified
 - 1) Reference colour values are now adjusted instead of adjusting measurement values as in the published version of this standard. This was done to be consistent with the method used to assess media relative colour reproduction with BlackPoint compensation.

A list of all parts in the ISO/TS 15311 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 15311-1:2019 https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-8bd6-38ea6bee23ab/iso-ts-15311-1-2019

Introduction

When producing a colour reproduction, it is important that the persons responsible for data creation, colour separation, proofing and printing operations have previously agreed a minimum set of parameters that define the visual characteristics and other technical properties of the planned print product. This document identifies a number of metrics that can be applied to printed sheets and that can be used as the basis for such communication. The range of metrics is large and it is not intended that all of these metrics are to be applied to any given printed product and for any given application, the range of metrics is to be carefully selected, for example based on subsequent parts of ISO/TS 15311.

The metrics described by this document can be applied to any type of print. They are likely most often to be applied to digitally printed prints.

When selecting the set of metrics, only those metrics that have a clear specification and that correlate well with human perception are included in this document. Since this is an area of significant research activity, new metrics are expected to emerge and existing metrics to be revised in the next few years. For this reason, we anticipate the need to revise this document within a very short time scale as new metrics are tested and found to be reliable.

Additional tests to those specified in this document, for example visual assessment of smoothness, images and other elements may be required when assessing print quality.

As with any parameter that is used as part of a product specification, it is important for readers to understand clearly what the metric means. For this reason, a reporting schema is to be followed when reporting measurements in conformance with this document. **PREVIEW**

(standards.iteh.ai)

ISO/TS 15311-1:2019 https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-8bd6-38ea6bee23ab/iso-ts-15311-1-2019

Graphic technology — Print quality requirements for printed matter —

Part 1: Measurement methods and reporting schema

1 Scope

This document defines print quality metrics, measurement methods and reporting requirements for printed sheets that are suitable for all classes of printed products.

Guidance as to which of these metrics to apply to any given product category along with acceptable conformance criteria is provided in subsequent parts of ISO/TS 15311.

Although this document is expected to be used primarily to measure prints from digital printing systems, the metrics are general and may be applied to other kinds of print.

2 Normative references I Could to in the text in such a way that

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2813, Paints and varnishes — Determination of gloss value at 20° 60° and 85°

ISO 8254-1, Paper and board — Measurement of specialar gloss²⁰¹ Part 1: 75° gloss with a converging beam, TAPPI method

ISO 12642-2, Graphic technology — Input data for characterization of 4-colour process printing — Part 2: Expanded data set

ISO 12647-8, Graphic technology — Process control for the production of half-tone colour separations, proof and production prints — Part 8: Validation print processes working directly from digital data

ISO 13655, Graphic technology — Spectral measurement and colorimetric computation for graphic arts images

ISO 15184, Paints and varnishes — Determination of film hardness by pencil test

ISO 18619, Image technology colour management — Black point compensation

ISO 18924, Imaging materials — Test method for Arrhenius-type predictions

ISO 18930, Imaging materials — Pictorial colour reflection prints — Methods for evaluating image stability under outdoor conditions

ISO 18935, Imaging materials — Colour images — Determination of water resistance of printed colour images

ISO 18936, Imaging materials — Processed colour photographs — Methods for measuring thermal stability

ISO 18937:2014, Imaging materials — Photographic reflection prints — Methods for measuring indoor light stability

ISO 18947, Imaging materials — Photographic reflection prints — Determination of abrasion resistance of photographic images

ISO/IEC 24790, Information technology — Office equipment — Measurement of image quality attributes for hardcopy output — Monochrome text and graphic images

ISO/IEC 29112, Information technology — Office equipment — Test pages and methods for measuring monochrome printer resolution

Terms and definitions 3

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at http://www.electropedia.org/

3.1

banding

appearance of one dimensional variation within an area that should be homogeneous

3.2

CIEDE2000 colour difference

total colour difference as defined in ISO/CIE 11664-6:2014 (CIE S 014-6/E:2013)

Note 1 to entry: The unit is ΔE_{00} . The default weights for lightness, chroma and hue are (1:1:1). iTeh STANDARD PREVIEW

3.3 colour deviation

colour deviation (standards.iteh.ai) colour difference between the colour aim value and a colour measurement or the mean of a set of colour measurements

ISO/TS 15311-1:2019

Note 1 to entry: In addition to the ΔE_{ho} the ΔL^{*} with Δa^{*} and Δb^{*} and Δb^{*} and ΔH^{*} may be reported. 8bd6-38ea6bee23ab/iso-ts-15311-1-2019

3.4

colour variation

colour difference between the mean of a set of colour measurements and each sample

Note 1 to entry: Colour variation is also known as colour fluctuation and may be reported as the mean or 95th percentile.

3.5

digital print

print where the image is printed directly from the digital domain

Note 1 to entry: Digital printing is a process for text and image reproduction with a colour marker on a medium using a marking device, on which the marking information is generated from digital data directly to the medium. It differs from traditional ink-based printing on which the marking information is generated from a form produced offline prior to imaging on the medium.

[SOURCE: ISO 18913:2012]

3.6

permanence

ability to remain chemically and physically stable over long periods of time

[SOURCE: ISO 18913:2012, 3.134]

3.7

image quality

impression of the overall merit or excellence of an image, as perceived by an observer

Note 1 to entry: For a meaningful technical evaluation of image quality, the evaluation should be based on a third-party assessment, i.e. by an observer neither associated with the artistic creation of the image, nor closely or emotionally involved with the subject matter being depicted. This restriction is designed to eliminate sources of variability that arise from more idiosyncratic aspects of image perception that are outside control of imaging system designers.

[SOURCE: Handbook of Image Quality: Characterization and prediction, by Brian W. Keelan]

3.8

printing condition

set of primary process parameters which describe the conditions associated with a specific printed output, associated with spectral, colorimetric and/or densitometric aim values

Note 1 to entry: Such parameters usually include (as a minimum) printing process, paper category, printing ink, screening and printing sequence. The aim values typically comprise the colorant description and tone value increase aims.

Note 2 to entry: For the purposes of colour management, a printing condition is fully characterized by giving the relationship between the digital input values (for example as stipulated in ISO 12642-2) and the corresponding measured colorimetric values.

Note 3 to entry: Based on a given set of characterization data according to <u>3.9</u>, Note 2 entry and a definition of achromatic perception, a grey printing condition might be extracted.

3.9

tone value

(standards.iteh.ai)

proportional printing value encoded in a data file and interpreted as defined in the file format specification ISO/TS 15311-1:2019

$$A = 100 \times \left(\frac{V_p - V_0}{V_{100} - V_0}\right) \%$$

https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-8bd6-38ea6bee23ab/iso-ts-15311-1-2019 $\frac{1}{2}$

where

 V_p is the integer value of the pixel;

 V_0 is the integer value corresponding to a tone value of 0 %;

 V_{100} is the integer value corresponding to a tone value of 100 %.

Note 1 to entry: Tone value is expressed in units of percent.

Note 2 to entry: Most files store these data as 8-bit integer values, i.e. 0 to 255. The tone value of a pixel is typically computed from the formula.

3.10

URI

Uniform Resource Identifier as specified by the World Wide Web Consortium (W3C)

4 Requirements

4.1 General

The following sub-clauses provide a number of metrics that define attributes of printed sheets and requirements for reporting them.

In many cases, the existing standards use CIE ΔE^*_{ab} rather than CIEDE2000. Although these are not interchangeable quantities, ΔE^*_{ab} has been superseded by CIEDE2000 in ISO/TC 130 standards. For this reason, CIEDE2000 shall be used to report colour difference metrics in this document.

Similarly, printing density is seldom used to measure colour and where the referenced standards specify printing density, approximately equivalent CIELAB colour measurements shall be used.

4.2 Single or multiple sheet assessment

Unless otherwise specified, metrics shall be assumed to apply to the assessment of a single sheet.

In many cases, it is useful to be able to report metrics for a set of sheets; for example, the set of sheets produced in a single print run or the set of sheets to be delivered as part of an order for print. In these cases, it is important to be able to indicate the likely variation across the entire set of sheets.

Sheets should be selected randomly with no replacement.

NOTE Best practice sampling is time-stamped to demonstrate what time and date the sample was taken.

Samples should be selected with the following provisos:

- a) sheets should be selected throughout the entire press run;
- b) sheets should not be selected synchronous to any press event, e.g. at each roll change or after every blanket wash.

In cases where metrics are reported for a set of sheets, the report shall indicate the following: the total number of sheets in the set to be assessed, the number of sheets measured and, unless random selection with no replacement is used, the sampling method used to select the sheets shall be indicated.

4.2.1 Total number of sheets

ISO/TS 15311-1:2019

https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-

The total number of sheets in the set of sheets assessed shall be reported. Details of the printing system used to create the sheets should also be reported.

4.2.2 Number of sheets measured

Conformance with this document requires only that values measured for the sampled set of sheets are reported. As a general rule, the higher the number of sheets measured from the set, the closer this value will be to that of the entire set of sheets. Where there are a large number of sheets in the set, it may be impractical to measure a high percentage of these sheets and so the likely spread of values may be high. Table 1 provides guidelines for the suggested number of sheets to be assessed for different numbers of sheets in the set.

Total number of sheets in set	Suggested number of sheets to be measured
50	12
100	13
1 000 and greater	15

Table 1 — Guidelines for the number of sheets to be assessed

Table 1 provides typical sampling strategies used in the industry today. Users should be aware that where these values are used, the average value (and the 95th percentile) for the total set of sheets may vary substantially from the average measured for the sample set. Annex A provides details of how the likely difference between these two values varies with the sample size and provides a method for finding the sampling rate needed to increase the confidence in the metric to a required level.

NOTE ISO 186 Paper and board — Sampling to determine average quality suggests increasing the number of samples to 20 for run lengths greater than 5000.

In order to verify whether the difference between the two values is statistically significant, the variable E of <u>Annex A</u> can be used as a point of reference. The number of samples may be chosen to avoid overlapping error bars by selecting an appropriate value for E.

4.2.3 Reporting

When multiple sheets are assessed, the total number of sheets and the number of sheets assessed shall be reported as shown in the example below.

EXAMPLE 1 Sheets assessed: 15 (500).

When multiple sheets are assessed, the mean and standard deviation for each metric shall be reported as shown below except when reporting colour difference metrics.

EXAMPLE 2 Estimated line width: sample mean = 0,12 mm, sample standard deviation = 0,01 mm.

When reporting colour difference metrics for a single colour measured on multiple sheets, both the colour deviation and colour variation should be reported.

The colour deviation shall be calculated as follows: calculate the mean CIELAB value of the samples. The colour deviation is given by the CIEDE2000 colour difference between the CIELAB colour aim value and the mean CIELAB value. In addition to the ΔE_{00} value the ΔL^* , Δa^* and Δb^* values (Mean - Reference) should be reported.

EXAMPLE 3 Colour deviation 3,2 ΔE_{00} , $\Delta L^* = 2,8$, $\Delta a^* = 0,3$, $\Delta b^* = 1,4$.

The colour variation shall be calculated as follows: calculate the mean CIELAB value of the samples. Calculate the CIEDE2000 colour differences between this mean and the CIELAB of each sample. The colour variation is given by the mean value of these CIEDE2000 colour differences or the corresponding 95th percentile. Refer to Annex C for details on the calculation of the 95th percentile.

EXAMPLE 4 Colour variation 0.8 DE₀₀. ISO/TS 15311-12019 https://standards.itelf.ai/catalog/standards/sist/94b03905-4791-443d-

Where the spread of colour variation is reported, the mean colour difference and the 95th percentile (and not the standard deviation) should be used.

EXAMPLE 5 Colour variation 0.8 DE_{00} , 95th percentile 1.2 DE_{00} .

NOTE 1 Standard deviation is not an appropriate measure for colour difference as this assumes a normal distribution, whereas colour differences are not normally distributed. The 95 percentile provides a more reliable estimate of the spread of values.

NOTE 2 The parameters of arithmetic average (mean from a small sample set) and 95th percentile are well known and easy to compute. But, neither parameter is insensitive to the changes in the underlying distribution of readings or the presence of erroneous or outlier readings (statistical robustness). With the small numbers of readings being collected, a single bad read could move either the mean or the 95th percentile several points further away from their ideal values. When reporting these parameters, if the results are much larger than expected, then the data should be examined for values that are much larger than the rest of the sample. If this is the case, then that reading should be examined to determine if there is a cause for this difference and this may provide justification to leave that outlier out of the analysis.

Colour errors across multiple sheets shall be calculated and reported as follows. For all patches on all sheets, calculate the colour error between the patch and the corresponding reference colour. This results in a total of n x m colour errors where n is the number of colour patches on each sheet and m is the number of sheets. Calculate and report the mean and 95th percentile of this entire set of colour errors.

4.3 Print quality measures

4.3.1 Overview

Image quality metrics or attributes are aspects, dimensions or components of overall perceived print image quality.

The visual attributes specified in this document, to be used by the remaining parts of ISO/TS 15311, are defined in the following clauses.

4.3.2 Colour, tone reproduction and gloss

4.3.2.1 General

Colour accuracy describes the visual closeness between a defined reference and a reproduction. It is important to distinguish two concepts: absolute and media relative colour accuracy.

Absolute colour accuracy is usually required for side-by-side viewing, whereas media relative colour accuracy is usually more desirable for sequential viewing where the prints being compared are never viewed together.

When selecting a suitable metric, it is important to know which kind of comparison is expected and when reporting colour metrics, the colour accuracy method and the intended evaluation method should be indicated.

4.3.2.2 Print substrate

In some cases, it may be desirable to indicate the substrate that is used when reporting other attributes. For example, the colour accuracy achieved for a particular reference printing condition usually depends on the substrate. This is only likely to be useful for cases where isotropic (paper-like) substrates are used.

When such substrate attributes are included they shall be reported as shown in <u>Table 2</u>.

Print substrate attribute	Description	Example
Substrate name	(Required) A text string that provides details of the substrate used. This should include suffi- cient detail to enable purchase of simi- lar substrate.	Substrate name; StoraEnso NovaPress 15311-1-2019
Substrate colour	(Required) CIELAB D50/2° M1 colour value of the substrate measured as specified in ISO 13655	Substrate colour: (95,0.5, –2) CIELAB
Other metrics from ISO 15397 may be reported	(Optional)	Report metric as indicated in ISO 15397

Table 2 — Substrate reporting requirements

4.3.2.3 Colour accuracy (absolute colour reproduction, process colours)

In some cases, particularly when proofing, it is useful to be able to estimate the accuracy to which the print simulates a reference printing condition and this attribute is called "absolute colour accuracy".

When reported, assessment of absolute colour accuracy shall be performed by printing and measuring an ISO 12642-2 characterization data chart or where appropriate a subset of these patches (control strip patches) according to ISO 12647-8 (Validation print control strip).

NOTE Where the option to preserve 100 % K elements is used, the 100 % K patch on the control strip is likely to include an unexpected error.

The values shown in <u>Table 3</u> shall be reported using the measurement units shown and values shall be reported to two significant figures.

Full label	Abbreviated label	Units
Substrate	Sub	ΔE_{00}
Control strip maximum	CSMax	ΔΕ00
Control strip 95th percentile	CS95 %	ΔΕ00
Control strip average	CSAve	ΔΕ00
Control strip neutrals maximum	CSMaxNeutral	ΔC _h
Control strip neutrals average	CSAveNeutral	ΔC_{h}
Characterization chart surface patches average	CCAveSurface	ΔΕ ₀₀
Characterization chart average	CCAve	ΔΕ00
Characterization chart 95th percentile	CC95 %	ΔΕ00
	Substrate Control strip maximum Control strip 95th percentile Control strip average Control strip neutrals maximum Control strip neutrals average Characterization chart surface patches average Characterization chart average Characterization chart 95th	SubstrateSubControl strip maximumCSMaxControl strip 95th percentileCS95 %Control strip averageCSAveControl strip neutrals maximumCSMaxNeutralControl strip neutrals averageCSAveNeutralCharacterization chart surface patches averageCCAveSurfaceCharacterization chart averageCCAveCharacterization chart surface patches averageCCAveCharacterization chart averageCCAve

Table 3 — Reporting absolute colour reproduction parameters

NOTE Technically speaking the 'unit' in this table represents the method by which the value is calculated.

Absolute colour accuracy: Sub (1,2 ΔE_{00}), CSMax (8,0 ΔE_{00}), CS95 % (6,0 ΔE_{00}), CSAve (3,0 ΔE_{00}), **EXAMPLE 1** CSMaxNeutral (3,2 ΔC_h), CSAveNeutral (2,5 ΔC_h), CCAveSurface (4,0 ΔE_{00}), CCAve (3,0 ΔE_{00}), CC95 % (6,0 ΔE_{00}).

EXAMPLE 2 Absolute colour accuracy:

ISO/TS 15311-1:2019

Substrate: $1,2 \Delta E_{00}$ https://standards.iteh.ai/catalog/standards/sist/94b03905-4791-443d-Control strip maximum: 8,0 ΔE_{00} 8bd6-38ea6bee23ab/iso-ts-15311-1-2019

Control strip 95th percentile: $6,0 \Delta E_{00}$

Control strip average: 3,0 ΔE_{00}

Control strip neutrals maximum: $3,2 \Delta C_h$

Control strip neutrals average: $2,5 \Delta C_h$

Characterization chart surface patches average: $4,0 \Delta E_{00}$

Characterization chart average: $3,0 \Delta E_{00}$

Characterization chart 95th percentile: 6,0 ΔE_{00}

Colour accuracy (media relative colour reproduction, process colours) 4.3.2.4

In some cases, particularly when creating final use prints, it is useful to be able to estimate the accuracy to which the print simulates a reference printing condition but where the print substrate used differs from that of the reference. In this case, there is no intent to be able to compare the print "side-by-side" with the reference but instead, the intent is "sequential viewing", where the print is viewed sometime after the reference.

When reported, assessment of media relative colour accuracy shall be performed by printing and measuring an ISO 12642-2 characterization data chart and a subset of these patches (control strip patches) according to ISO 12647-8 (Validation print control strip) as follows. The reference CIEXYZ tristimulus values for each colour of these charts shall be calculated for the characterized printing