



SLOVENSKI STANDARD SIST EN IEC 62453-2:2022

01-december-2022

Nadomešča:
SIST EN 62453-2:2017

Specifikacija vmesnika orodja procesne naprave - 2. del: Osnutki in podrobna razlaga (IEC 62453-2:2022)

Field device tool (FDT) interface specification - Part 2: Concepts and detailed description (IEC 62453-2:2022)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil 2: Konzept und grundlegende Beschreibung (IEC 62453-2:2022)

Spécification des interfaces des outils des dispositifs de terrain (FDT) - Partie 2: Concepts et description détaillée (IEC 62453-2:2022)

Ta slovenski standard je istoveten z: EN IEC 62453-2:2022

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

SIST EN IEC 62453-2:2022

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 62453-2

October 2022

ICS 25.040.40; 35.100.05; 35.110

Supersedes EN 62453-2:2017

English Version

**Field device tool (FDT) interface specification - Part 2: Concepts
and detailed description
(IEC 62453-2:2022)**

Spécification des interfaces des outils des dispositifs de
terrain (FDT) - Partie 2: Concepts et description détaillée
(IEC 62453-2:2022)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil 2:
Konzept und grundlegende Beschreibung
(IEC 62453-2:2022)

This European Standard was approved by CENELEC on 2022-10-05. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62453-2:2022 (E)**European foreword**

The text of document 65E/906/FDIS, future edition 3 of IEC 62453-2, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62453-2:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2023-07-05
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-10-05

This document supersedes EN 62453-2:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of the International Standard IEC 62453-2:2022 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC/TR 62453-41 NOTE Harmonized as CLC/TR IEC 62453-41

IEC/TR 62453-42 NOTE Harmonized as CLC/TR IEC 62453-42

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61131	series	Programmable controllers	EN 61131	series
IEC/TR 62390	2005	Common automation device - Profile guideline	-	-
IEC 62453-1	2016	Field device tool (FDT) interface specification - Part 1: Overview and guidance	EN 62453-1	2017
IEC 62453-3xy	series	Field device tool (FDT) interface specification - Part 3xy: Communication profile integration	EN 62453-3xy	series

[SIST EN IEC 62453-2:2022](https://standards.iteh.ai/catalog/standards/sist/6b5c75d5-8352-4921-a177-407d5cca8ad7/sist-en-iec-62453-2-2022)

<https://standards.iteh.ai/catalog/standards/sist/6b5c75d5-8352-4921-a177-407d5cca8ad7/sist-en-iec-62453-2-2022>



IEC 62453-2

Edition 3.0 2022-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device tool (FDT) interface specification –
Part 2: Concepts and detailed description**

**Spécification des interfaces des outils des dispositifs de terrain (FDT) –
Partie 2: Concepts et description détaillée**

<https://standards.iteh.ai/catalog/standards/sist/6b5c75d5-8352-4921-a177-407d5cca8ad7/sist-en-iec-62453-2-2022>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8322-4532-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	10
INTRODUCTION	12
1 Scope	13
2 Normative references	13
3 Terms, definitions, symbols, abbreviated terms and conventions	13
3.1 Terms and definitions	13
3.2 Symbols and abbreviated terms	14
3.3 Conventions	14
3.3.1 Use of UML	14
3.3.2 State availability statement	14
3.3.3 Data type names and references to data types	14
4 Fundamentals	14
4.1 General	14
4.2 Abstract FDT model	15
4.2.1 FDT model overview	15
4.2.2 Frame Application (FA)	18
4.2.3 Device Type Manager (DTM)	19
4.2.4 Channel object	26
4.3 Modularity	28
4.4 Bus categories	28
4.5 Identification	29
4.5.1 DTM instance identification	29
4.6 System and FDT topology	30
4.7 FDT Communication	31
4.7.1 General	31
4.7.2 Handling of communication requests	32
4.7.3 Handling of communication errors	32
4.7.4 Handling of loss of connection	32
4.7.5 Point-to-point communication	32
4.7.6 Nested communication	33
4.8 DTM, DTM Device Type and hardware identification information	35
4.8.1 DTM and DTM Device Type	35
4.8.2 Supported hardware identification	36
4.8.3 Connected hardware identification	36
4.9 DTM data persistence and synchronization	37
4.10 DTM device parameter access	38
4.11 DTM state machine	38
4.11.1 DTM states	38
4.11.2 'Communication allowed' substates	39
4.12 Basic operation phases	40
4.12.1 Roles and access rights	40
4.12.2 Operation phases	40
4.13 FDT version interoperability	41
4.13.1 Version interoperability overview	41
4.13.2 DTM and device versions	42
4.13.3 Persistence	42

4.13.4	Nested communication	43
5	FDT session model and use cases	43
5.1	Session model overview.....	43
5.2	Actors	44
5.3	Use cases	46
5.3.1	Use case overview.....	46
5.3.2	Observation	46
5.3.3	Operation	46
5.3.4	Maintenance.....	50
5.3.5	Planning	53
5.3.6	OEM service.....	56
5.3.7	Administration.....	56
6	General concepts	57
6.1	Address management	57
6.2	Scanning and DTM assignment.....	58
6.2.1	Scanning overview.....	58
6.2.2	Scanning	58
6.2.3	DTM assignment.....	59
6.2.4	Manufacturer-specific device identification.....	59
6.2.5	Scan for communication hardware	60
6.3	Configuration of Fieldbus Master or Communication Scheduler.....	60
6.4	PLC tool support.....	61
6.4.1	General	61
6.4.2	Process image modifications while PLC is running.....	62
6.5	Slave redundancy	63
6.5.1	Redundancy overview.....	63
6.5.2	Redundancy support in Frame Application.....	64
6.5.3	Parent component for redundant fieldbus.....	64
6.5.4	Redundancy support in Device DTM	65
6.5.5	Scan and redundant slaves.....	65
7	FDT service specification.....	65
7.1	Service specification overview	65
7.2	DTM services.....	66
7.2.1	General services.....	66
7.2.2	DTM services related to installation	68
7.2.3	DTM services related to DTM/device information	69
7.2.4	DTM services related to the DTM state machine	71
7.2.5	DTM services related to functions	74
7.2.6	DTM services related to Channel objects – service GetChannels	77
7.2.7	DTM services related to documentation – service GetDocumentation	77
7.2.8	DTM services to access the instance data	77
7.2.9	DTM services to evaluate the instance data.....	79
7.2.10	DTM services to access the device data	80
7.2.11	DTM services related to network management information	81
7.2.12	DTM services related to online operation	82
7.2.13	DTM services related to data synchronization.....	84
7.2.14	DTM services related to import and export.....	86
7.3	Presentation object services	86
7.4	Channel object service.....	87

7.4.1	Channel object service overview	87
7.4.2	Service ReadChannelInformation	87
7.4.3	Service WriteChannelInformation	87
7.5	Process Channel object services – services for I/O related information	87
7.5.1	Service ReadChannelData	87
7.5.2	Service WriteChannelData	88
7.6	Communication Channel object services	88
7.6.1	Services related to communication	88
7.6.2	Services related to sub-topology management	92
7.6.3	Services related to GUI and functions	94
7.6.4	Service Scan	95
7.7	Frame Application services	96
7.7.1	General state availability	96
7.7.2	FA services related to general events	96
7.7.3	FA services related to topology management	97
7.7.4	FA services related to redundancy	100
7.7.5	FA services related to storage of DTM data	101
7.7.6	FA services related to DTM data synchronization	102
7.7.7	FA service related to process image validation – service ValidateProcessImage	103
7.7.8	FA services related to presentation	104
7.7.9	FA Services related to audit trail – service RecordAuditTrailEvent	105
8	FDT dynamic behavior	105
8.1	Generate FDT topology	105
8.1.1	FDT topology generation triggered by the Frame Application	105
8.1.2	FDT topology generation triggered by the DTM	106
8.2	Address setting	107
8.2.1	Address setting overview	107
8.2.2	Set or modify device address – with user interface	107
8.2.3	Set or modify device address – without user interface	107
8.2.4	Display or modify all child device addresses with user interface	108
8.3	Communication	109
8.3.1	Communication overview	109
8.3.2	Point-to-point communication	109
8.3.3	Nested communication	109
8.3.4	Device-initiated data transfer	110
8.4	Scanning and DTM assignment	111
8.5	Multi-user scenarios	112
8.5.1	General	112
8.5.2	Synchronized and non-synchronized locking mechanism for DTMs	114
8.5.3	Additional rules	116
8.6	Notification of changes	116
8.7	DTM instance data state machines	116
8.7.1	Instance data set overview	116
8.7.2	Modifications state machine	117
8.7.3	Persistence state machine	118
8.7.4	Modification in device	118
8.7.5	Storage life cycle	119
8.8	Parent component handling redundant slave	120

8.9	DTM upgrade	121
8.9.1	General rules	121
8.9.2	Saving data from a DTM to be upgraded	122
8.9.3	Loading data in the replacement DTM	122
Annex A	(normative) FDT data types definition	124
A.1	General	124
A.2	Basic data types	125
A.3	General data types	125
A.4	User information data types	141
A.5	DTM information data type	142
A.6	BTM data types	142
A.7	Device and Scan identification data types	144
A.8	Function data types	148
A.9	AuditTrail data types	151
A.10	Documentation data types	152
A.11	DeviceList data type	153
A.12	Network management data types	155
A.13	Instance data types	156
A.14	DeviceStatus data types	161
A.15	OnlineCompare data types	161
A.16	UserInterface data types	162
A.17	Fieldbus-specific data types	163
Bibliography		165
Figure 1	– Part 2 of the IEC 62453 series	12
Figure 2	– Abstract FDT model	15
Figure 3	– Frame Application with integrated Communication Channel	19
Figure 4	– Device Type Manager (DTM)	19
Figure 5	– Communication DTM	20
Figure 6	– Device DTM	21
Figure 7	– Gateway DTM	21
Figure 8	– Composite Device DTM	22
Figure 9	– Module DTM	23
Figure 10	– Block Type Manager (BTM)	24
Figure 11	– Presentation object	25
Figure 12	– Channel object	26
Figure 13	– Communication Channel	27
Figure 14	– Combined Process/Communication Channel	28
Figure 15	– Identification of connected devices	29
Figure 16	– FDT topology for a simple system topology	30
Figure 17	– FDT topology for a complex system topology	31
Figure 18	– Point-to-point communication	33
Figure 19	– Nested communication	34
Figure 20	– DTM, DTM Device Type and device identification information	35
Figure 21	– Connected hardware identification	36
Figure 22	– FDT storage and synchronization mechanisms	37

Figure 23 – DTM state machine	38
Figure 24 – Substates of communication allowed	39
Figure 25 – Main use case diagram	44
Figure 26 – Observation use cases	46
Figure 27 – Operation use cases	47
Figure 28 – Maintenance use cases	50
Figure 29 – Planning use cases	54
Figure 30 – OEM Service	56
Figure 31 – Administrator use cases	56
Figure 32 – Address setting via DTM Presentation object	58
Figure 33 – Fieldbus scanning	59
Figure 34 – Fieldbus master configuration tool as part of a DTM	61
Figure 35 – Process Image	62
Figure 36 – Transfer of layout information using ProcessImage services	62
Figure 37 – Redundancy scenarios	63
Figure 38 – FDT topology generation triggered by the Frame Applications	106
Figure 39 – FDT topology generation triggered by a DTM	106
Figure 40 – Set or modify device address – with user interface	107
Figure 41 – Set or modify device address – without user interface	108
Figure 42 – Set or modify all device addresses – with user interface	108
Figure 43 – Point-to-point communication	109
Figure 44 – Nested communication	110
Figure 45 – Device-initiated data transfer	111
Figure 46 – Scanning and DTM assignment	112
Figure 47 – Multi-user system	113
Figure 48 – General synchronized locking mechanism	114
Figure 49 – General non-synchronized locking mechanism	115
Figure 50 – Parameterization in the case of synchronized locking mechanism	115
Figure 51 – Modifications state machine of instance data	117
Figure 52 – Persistence state machine of instance data	118
Figure 53 – Management of redundant topology	121
Figure 54 – Associating data to a dataSetId	122
Figure 55 – Loading data for a supported dataSetId	123
 Table 1 – Description of FDT objects	 16
Table 2 – Description of associations between FDT objects	17
Table 3 – Transitions of DTM states	39
Table 4 – Transitions of DTM 'communication allowed' substates	40
Table 5 – Operation phases	41
Table 6 – Actors	45
Table 7 – Operation use cases	48
Table 8 – Maintenance use cases	51
Table 9 – Planning use cases	54

Table 10 – Administrator use cases	57
Table 11 – Arguments for service PrivateDialogEnabled	66
Table 12 – Arguments for service SetLanguage	67
Table 13 – Arguments for service SetSystemGuiLabel	68
Table 14 – Arguments for service GetTypeInformation (for DTM)	69
Table 15 – Arguments for service GetTypeInformation (for BTM)	69
Table 16 – Arguments for service GetIdentificationInformation (for DTM)	69
Table 17 – Arguments for service GetIdentificationInformation (for BTM)	70
Table 18 – Arguments for service Hardware information (for DTM)	70
Table 19 – Arguments for service GetActiveTypeInfo	70
Table 20 – Arguments for service GetActiveTypeInfo (for BTM)	71
Table 21 – Arguments for service Initialize (for DTM)	71
Table 22 – Arguments for service Initialize (for BTM)	72
Table 23 – Arguments for service SetLinkedCommunicationChannel	72
Table 24 – Arguments for service EnableCommunication	72
Table 25 – Arguments for service ReleaseLinkedCommunicationChannel	73
Table 26 – Arguments for service ClearInstanceData	73
Table 27 – Arguments for service Terminate	74
Table 28 – Arguments for service GetFunctions	74
Table 29 – Arguments for service InvokeFunctions	75
Table 30 – Arguments for service GetGuiInformation	75
Table 31 – Arguments for service OpenPresentation	76
Table 32 – Arguments for service ClosePresentation	76
Table 33 – Arguments for service GetChannels	77
Table 34 – Arguments for service GetDocumentation	77
Table 35 – Arguments for service InstanceDataInformation	78
Table 36 – Arguments for service InstanceDataRead	78
Table 37 – Arguments for service InstanceDataWrite	79
Table 38 – Arguments for service Verify	79
Table 39 – Arguments for service CompareDataValueSets	79
Table 40 – Arguments for service DeviceDataInformation	80
Table 41 – Arguments for service DeviceDataRead	80
Table 42 – Arguments for service DeviceDataWrite	81
Table 43 – Arguments for service NetworkManagementInfoRead	81
Table 44 – Arguments for service NetworkManagementInfoWrite	82
Table 45 – Arguments for service DeviceStatus (for DTM)	82
Table 46 – Arguments for service CompareInstanceDataWithDeviceData (for DTM)	83
Table 47 – Arguments for service WriteDataToDevice (for DTM)	83
Table 48 – Arguments for service ReadDataFromDevice (for DTM)	84
Table 49 – Arguments for service OnLockInstanceData	84
Table 50 – Arguments for service OnUnlockInstanceData	85
Table 51 – Arguments for service OnInstanceDataChanged	85
Table 52 – Arguments for service OnInstanceChildDataChanged	85

Table 53 – Arguments for service Export	86
Table 54 – Arguments for service Import.....	86
Table 55 – Arguments for service ReadChannelInformation	87
Table 56 – Arguments for service WriteChannelInformation	87
Table 57 – Arguments for service ReadChannelData	87
Table 58 – Arguments for service WriteChannelData	88
Table 59 – Arguments for service GetSupportedProtocols.....	88
Table 60 – Arguments for service Connect.....	89
Table 61 – Arguments for service Disconnect	90
Table 62 – Arguments for service AbortRequest	90
Table 63 – Arguments for service AbortIndication	90
Table 64 – Arguments for service Transaction	91
Table 65 – Arguments for service SequenceDefine	92
Table 66 – Arguments for service SequenceStart.....	92
Table 67 – Arguments for service ValidateAddChild	92
Table 68 – Arguments for service ChildAdded.....	93
Table 69 – Arguments for service ValidateRemoveChild	93
Table 70 – Arguments for service ChildRemoved	94
Table 71 – Arguments for service SetChildrenAddresses	94
Table 72 – Arguments for service GetChannelFunctions	95
Table 73 – Arguments for service GetGuiInformation	95
Table 74 – Arguments for service Scan.....	95
Table 75 – Arguments for service OnErrorMessage	96
Table 76 – Arguments for service OnProgress	96
Table 77 – Arguments for service OnOnlineStatusChanged	97
Table 78 – Arguments for service OnFunctionsChanged	97
Table 79 – Arguments for service GetDtmInfoList	97
Table 80 – Arguments for service CreateChild (DTM)	98
Table 81 – Arguments for service CreateChild (BTM).....	98
Table 82 – Arguments for service DeleteChild.....	98
Table 83 – Arguments for service MoveChild	99
Table 84 – Arguments for service GetParentNodes	99
Table 85 – Arguments for service GetChildNodes	99
Table 86 – Arguments for service GetDtm.....	100
Table 87 – Arguments for service ReleaseDtm.....	100
Table 88 – Arguments for service OnAddedRedundantChild	100
Table 89 – Arguments for service OnRemovedRedundantChild.....	101
Table 90 – Arguments for service SaveInstanceData	101
Table 91 – Arguments for service LoadInstanceData	101
Table 92 – Arguments for service GetPrivateDtmStorageInformation	102
Table 93 – Arguments for service LockInstanceData	102
Table 94 – Arguments for service UnlockInstanceData.....	103
Table 95 – Arguments for service OnInstanceDataChanged.....	103

Table 96 – Arguments for service ValidateProcessImage	103
Table 97 – Arguments for service OpenPresentationRequest	104
Table 98 – Arguments for service ClosePresentationRequest	104
Table 99 – Arguments for service UserDialog	105
Table 100 – Arguments for service RecordAuditTrailEvent	105
Table 101 – Modifications state machine of instance data	117
Table 102 – Persistence state machine of instance data	118
Table 103 – Example life cycle of a DTM	119
Table A.1 – Basic data types	125
Table A.2 – Simple general data types	125
Table A.3 – Definition of classificationId enumeration values	132
Table A.4 – General structured data types	134
Table A.5 – Simple user information data types	141
Table A.6 – Structured user information data type	142
Table A.7 – Structured DTM information data type	142
Table A.8 – Simple BTM data types	143
Table A.9 – Structured BTM data types	144
Table A.10 – Simple device identification data types	145
Table A.11 – Structured device identification data types	146
Table A.12 – Simple function data types	149
Table A.13 – Structured function data types	150
Table A.14 – Simple auditTrail data types	151
Table A.15 – Structured auditTrail data types	152
Table A.16 – Simple documentation data types	152
Table A.17 – Structured documentation data types	153
Table A.18 – Simple deviceList data type	154
Table A.19 – Structured deviceList data type	154
Table A.20 – Simple network management data types	155
Table A.21 – Structured network management data types	156
Table A.22 – Simple instance data types	157
Table A.23 – Structured instance data types	159
Table A.24 – Simple device status data types	161
Table A.25 – Structured device status data types	161
Table A.26 – Simple online compare data types	161
Table A.27 – Structured online compare data types	162
Table A.28 – Simple user interface data types	162
Table A.29 – Structured user interface data types	163
Table A.30 – Fieldbus data types	164