



SLOVENSKI STANDARD
SIST ISO 3030:2023

01-april-2023

Kotalni ležaji - Radialni sestav igličastih kotalk s kletko - Glavne mere, geometrijske specifikacije izdelka (GPS) in vrednosti tolerance

Rolling bearings - Radial needle roller and cage assemblies - Boundary dimensions, geometrical product specifications (GPS) and tolerance values

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Roulements - Cages à aiguilles radiales - Dimensions d'encombrement, spécification géométrique des produits (GPS) et valeurs de tolérance

<https://standards.iteh.ai/catalog/standards/sist/6d2e22b8-f750-4213-93a0-57e10f1d8/sist-iso-3030-2023>

Ta slovenski standard je istoveten z: ISO 3030:2022

ICS:

21.100.20 Kotalni ležaji Rolling bearings

SIST ISO 3030:2023

en,fr,de

INTERNATIONAL
STANDARD

ISO
3030

Fourth edition
2022-03

**Rolling bearings — Radial needle
roller and cage assemblies —
Boundary dimensions, geometrical
product specifications (GPS) and
tolerance values**

*Roulements — Cages à aiguilles radiales — Dimensions
d'encombrement, spécification géométrique des produits (GPS) et
valeurs de tolérance*

(standards.iteh.ai)

SIST ISO 3030:2023

<https://standards.iteh.ai/catalog/standards/sist/6d2e22b8-f750-4213-93a0-7656316feed8/sist-iso-3030-2023>



Reference number
ISO 3030:2022(E)

© ISO 2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 3030:2023

<https://standards.iteh.ai/catalog/standards/sist/6d2e22b8-f750-4213-93a0-7656316feed8/sist-iso-3030-2023>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols	1
5	Dimensions	3
6	Tolerances	5
6.1	Tolerances for the needle roller.....	5
6.2	Tolerance for the cage width.....	5
Annex A (informative) Tolerances for shaft raceway, housing raceway and raceway widths		6
Annex B (informative) Functional gauging of radial needle roller and cage assemblies		8
Bibliography		10

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 3030:2023

<https://standards.iteh.ai/catalog/standards/sist/6d2e22b8-f750-4213-93a0-7656316feed8/sist-iso-3030-2023>

ISO 3030:2022(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 4, *Rolling bearings*, Subcommittee SC 5, *Needle, cylindrical and spherical roller bearings*.

This fourth edition cancels and replaces the third edition (ISO 3030:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- geometrical product specifications (GPS) have been implemented;
- an informative annex on functional gauging of radial needle roller and cage assembly has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is a machine element geometry standard as defined in the geometrical product specification system (GPS system) presented in the matrix model of ISO 14638^[9].

The fundamental rules of ISO/GPS given in ISO 8015^[5] apply to this document and the default decision rules given in ISO 14253-1^[7] apply to specifications made in accordance with this document, unless otherwise indicated.

The connection between functional requirements, measuring technique and measuring uncertainty is always intended to be considered. For measurement uncertainty, ISO 14253-2^[8] should be considered.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 3030:2023

<https://standards.iteh.ai/catalog/standards/sist/6d2e22b8-f750-4213-93a0-7656316feed8/sist-iso-3030-2023>

Rolling bearings — Radial needle roller and cage assemblies — Boundary dimensions, geometrical product specifications (GPS) and tolerance values

1 Scope

This document specifies the boundary dimensions for radial needle roller and cage assemblies.

In addition, this document gives the tolerances for the cage width and method of functional gauging of bore diameter of needle roller complement.

Informative values for the tolerances of shaft raceway, housing raceway and raceway widths are given in [Annex A](#).

Functional gauging of radial needle roller and cage assembly is given in [Annex B](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1132-1, *Rolling bearings — Tolerances — Part 1: Terms and definitions*

ISO 3096, *Rolling bearings — Needle rollers — Boundary dimensions, geometrical product specifications (GPS) and tolerance values*

ISO 5593, *Rolling bearings — Vocabulary*

ISO 14405-1, *Geometrical product specifications (GPS) — Dimensional tolerancing — Part 1: Linear sizes*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1132-1, ISO 5593 and ISO 14405-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Symbols

To express that the ISO/GPS system, ISO 8015^[5], is applied, the dimensional and geometrical characteristics shall be included in the technical product documentation (e.g. on the drawing).

The dimensional and geometrical specifications associated to these characteristics are described in [Table 1](#) and [Figure 1](#).

Descriptions for symbols are in accordance with GPS terminology.

A tolerance value associated to a characteristic is symbolised by t followed by the symbol for the characteristic, in subscript, for example, $t_{\Delta Bcs}$.


ISO 3030:2022(E)

In this document, the ISO default specification operator for size is in accordance with ISO 14405-1.

Table 1 — Symbols for nominal sizes, characteristics and specification modifiers

Symbol for nominal size ^a	Symbol for characteristic ^a	GPS symbol and specification modifier ^b	Description ^c
B_c			nominal cage width
	Δ_{Bcs}	(GN)	deviation of minimum circumscribed size of cage width from its nominal size
E_w			nominal circumscribed diameter of needle roller complement
F_w			nominal inscribed diameter of needle roller complement

^a Symbols as defined in ISO 15241^[10] except for the format used.
^b Symbols as defined in ISO 14405-1.
^c Description based on ISO 14405-1.



NOTE Radial needle roller and cage assemblies can also be with two rows of needle roller or split-type.

Figure 1 — Radial needle roller and cage assembly