INTERNATIONAL STANDARD

ISO 22585

First edition 2022-03

Traditional Chinese medicine — *Codonopsis pilosula* root

Médecine traditionnelle chinoise — Racine de Codonopsis pilosula

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22585:2022

https://standards.iteh.ai/catalog/standards/sist/c6d9cbc7-38d4-451c-ac25-86e607948429/iso-22585-2022



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22585:2022

https://standards.iteh.ai/catalog/standards/sist/c6d9cbc7-38d4-451c-ac25-86e607948429/iso-22585-2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

| Con | ents | Page |
|--------------|---|---------------------------------|
| Forew | rd | iv |
| Introd | ction | v |
| 1 | cope | 1 |
| 2 | Jormative references | |
| 3 | erms and definitions | |
| 4 | Descriptions | |
| 5 | Requirements | |
| 3 | .1 Morphological features 5.1.1 Appearance 5.1.2 Colour 5.1.3 Dimensions 5.1.4 Texture 5.1.5 Odour and taste .2 Moisture .3 Total ash .4 Acid-insoluble ash .5 Ethanol-soluble extractives .6 Thin-layer chromatogram (TLC) identification .7 Contents of marker compound .8 Heavy metals .9 Pesticide residues | 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 |
| | .10 Sulfur dioxide residues | |
| 6 | ampling | 4 |
| 7 http:// | Pest methods 1 Macroscopic identification 2 Determination of moisture content 3 Determination of total ash content 4 Determination of acid-insoluble ash content 5 Determination of ethanol-solution extractives content 6 Thin-layer chromatogram (TLC) identification 7 Determination of lobetyolin content 8 Determination of heavy metals content 9 Determination of pesticide residues content 10 Determination of sulfur dioxide residues content | 4 4 4 4 4 4 4 4 |
| 8 | 'est report | 5 |
| 9 | ackaging, storage and transportation | 5 |
| 10 | Marking and labelling | 5 |
| Annex | (informative) Determination of ethanol-soluble extractives | 6 |
| Annex | 3 (informative) Thin-layer chromatogram (TLC) identification | 7 |
| Annex | C (informative) Determination of lobetyolin content | 9 |
| Annex | O (informative) Referenced values of Codonopsis pilosula root in different countries nd regions | 12 |
| Riblio | ranhy | 14 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html. 23-86607948429180

22585 2022

Introduction

Codonopsis pilosula root is dried root of *Codonopsis pilosula* (Franch.) Nannf. (Family: Campanulaceae). It has a long history of use in East Asian countries for invigorating the stomach and spleen and benefitting qi.

Clinically, *Codonopsis pilosula* root is effective for the treatment of anaemia and malnutrition. To date, *Codonopsis pilosula* root occupies a huge share of the international market. However, many problems affect the quality of *Codonopsis pilosula* root, such as limited wild resources, increasing demand, the high investment cost of planting, different quality requirements among different countries and regions, and different packaging, transportation and storage conditions. Therefore, standardization of *Codonopsis pilosula* root is required.

As national implementation can differ, national standards bodies are invited to modify the values given in 5.2, 5.3, 5.4, 5.5 and 5.7 in their national standards. Examples of national and regional values are given in $\underline{\text{Annex D}}$.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22585:2022

https://standards.iteh.ai/catalog/standards/sist/c6d9cbc7-38d4-451c-ac25-86e607948429/iso-22585-2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22585:2022

https://standards.iteh.ai/catalog/standards/sist/c6d9cbc7-38d4-451c-ac25-86e607948429/iso-22585-2022

Traditional Chinese medicine — Codonopsis pilosula root

1 Scope

This document specifies the minimum requirements and test methods for *Codonopsis pilosula* root derived from the plant of *Codonopsis pilosula* (Franch.) Nannf.

It is applicable to *Codonopsis pilosula* root that is sold as Chinese materia medica (whole medicinal materials) and decoction pieces derived from this plant.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1575, Tea — Determination of total ash

ISO 1577, Tea — Determination of acid-insoluble ash

ISO 18664, Traditional Chinese Medicine — Determination of heavy metals in herbal medicines used in Traditional Chinese Medicine

ISO 20409, Traditional Chinese medicine — Panax notoginseng root and rhizome

ISO 21371, Traditional Chinese medicine — Labelling requirements of products intended for oral or topical use

ISO 22217, Traditional Chinese medicine —Storage requirements for raw materials and decoction pieces

ISO 22258, Traditional Chinese medicine — Determination of pesticide residues in natural products by gas chromatography

ISO 22590, Traditional Chinese medicine — Determination of sulfur dioxide in natural products by titration

ISO 23723:2021, Traditional Chinese medicine — General requirements for herbal raw material and materia medica

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

Codonopsis pilosula root

dried root of Codonopsis pilosula (Franch.) Nannf. in the family of Campanulaceaea

3.2

marker compound


chemical constituent within a medicinal herb that can be used to verify its quality

Note 1 to entry: Usually described as active ingredients or chemicals that confirm the correct botanical identity of the starting material.

Note 2 to entry: There may be one or more marker compounds for a medicinal herb.

4 Descriptions

Codonopsis pilosula root is dried root of *Codonopsis pilosula* (Franch.) Nannf. in the family of Campanulaceaea, as shown in Figure 1.



a) Codonopsis pilosula (Franch.) Nannf.

b) Codonopsis pilosula root

Key

- 1 flower
- 2 plant
- 3 calyx
- 4 ovary
- 5 root
- 6 stem scars
- 7 lenticels

Figure 1 — Structure of *Codonopsis pilosula* root

5 Requirements

5.1 Morphological features

5.1.1 Appearance

The whole root is cylindrical, slightly curved. The root crown, which is broader than the root, forms an irregular head with a convex centre consisting of buds and numerous prominent, rounded verrucose stem scars (Figure 1, key 6). The whole root from the base to the central part shows deep longitudinal wrinkles and prominent scattered protuberances, resembling lenticels (Figure 1, key 7), over its entire length.

5.1.2 Colour

The external surface is brownish-yellow or brownish-grey. The colour of the transverse section is yellowish-white to light brown in the cortex, light yellow in the xylem, sometimes with a slit in the cortex. The cortex adheres tenaciously to the xylem and is difficult to remove.

5.1.3 Dimensions

The root is 10 cm to 35 cm in length measured from the base to the end of the root and 0,4 cm to 2 cm in diameter measured at the base of the root (Figure 1 b).

5.1.4 Texture Teh STANDARD PREVIEW

The texture is pliable and easily bendable or hard and easily breakable.

5.1.5 Odour and taste

ISO 22585-2022

The odour is slight and characteristic; the taste is slightly sweet. $\frac{1}{10-ac}$

1505 2020

5.2 Moisture

The moisture content in percentage mass should not be more than 16,0 %.

5.3 Total ash

The total ash content in percentage mass should not be more than 5,0 %.

5.4 Acid-insoluble ash

The total acid-insoluble ash content in percentage mass should not be more than 2,0 %.

5.5 Ethanol-soluble extractives

The ethanol-soluble extracts content in percentage mass should not be less than 35,0 %.

5.6 Thin-layer chromatogram (TLC) identification

The identification of marker compound, such as lobetyolin, with thin-layer chromatogram (TLC) shall present spots or bands obtained from the test and reference drug solution in the same position with the same colour.

5.7 Contents of marker compound

The content of the marker compound, such as lobetyolin, should be determined.

5.8 Heavy metals

The content of heavy metals, such as arsenic, mercury, lead and cadmium, shall be determined.

5.9 Pesticide residues

The content of pesticide residues shall be determined.

5.10 Sulfur dioxide residues

The content of sulfur dioxide residues should be determined.

6 Sampling

Sampling of *Codonopsis pilosula* root shall be carried out in accordance with ISO 23723:2021, Clause 8.

7 Test methods

7.1 Macroscopic identification

Samples of not less than 500 g are taken from each batch randomly. These samples are examined by unaided visual inspection, smell and taste.

7.2 Determination of moisture content

The testing method specified in ISO 20409 applies.

7.3 Determination of total ash content SO 22585 202

The testing method specified in ISO 1575 applies.

7.4 Determination of acid-insoluble ash content

The testing method specified in ISO 1577 applies.

7.5 Determination of ethanol-solution extractives content

See Annex A for additional information.

7.6 Thin-layer chromatogram (TLC) identification

See Annex B for additional information.

7.7 Determination of lobetyolin content

See Annex C for additional information.

7.8 Determination of heavy metals content

The testing method specified in ISO 18664 applies.

7.9 Determination of pesticide residues content

The testing method specified in ISO 22258 applies.

7.10 Determination of sulfur dioxide residues content

The testing method specified in ISO 22590 applies.

8 Test report

For each test method, the test report shall specify the following:

- a) all the information necessary for the complete identification of the sample;
- b) the sampling method used;
- c) the test method used, with reference to this document;
- d) the test result(s) obtained;
- e) all operating details not specified in this document, or regarded as optional, together with details of any incidents which might have influenced the test result(s);
- f) any unusual features (anomalies) observed during the test;
- g) the date of the test.

9 Packaging, storage and transportation

Packaging should not transmit any odour or flavour to the product and should not contain substances which have the potential to damage the product or constitute a health risk. The packaging should be strong enough to withstand normal handling and transportation.

The storage requirements specified in ISO 22217 shall apply.

The *Codonopsis pilosula* root should be protected from light, moisture, pollution and the entry of foreign substances during long-distance delivery.

10 Marking and labelling

The general requirements specified in ISO 21371 shall apply. The following items shall be marked or labelled on the packages:

- a) product name;
- b) category of the product in the marketed country or region;
- c) net mass or quantity;
- d) contact information;
- e) name of raw materials;
- f) warning statements, if any;
- g) expiry date;
- h) storage method;
- i) batch or lot number;
- j) miscellaneous.