
Fluid power systems — O-rings —
Part 3:
Quality acceptance criteria
AMENDMENT 1

Transmissions hydrauliques et pneumatiques — Joints toriques —
Partie 3: Critères de qualité
AMENDMENT 1

<https://standards.iteh.ai/catalog/standards/sist/25171fef-569f-4e7e-8e46-681b3be2e375/iso-3601-3-2005-amd-1-2018>

[ISO 3601-3:2005/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/25171fef-569f-4e7e-8e46-681b3be2e375/iso-3601-3-2005-amd-1-2018)



iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 3601-3:2005/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/25171fe5f-569f-4e7e-8e46-681b3be2e375/iso-3601-3-2005-amd-1-2018)
<https://standards.iteh.ai/catalog/standards/sist/25171fe5f-569f-4e7e-8e46-681b3be2e375/iso-3601-3-2005-amd-1-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 7, *Sealing devices*.

A list of all parts in the ISO 3601 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 3601-3:2005/Amd 1:2018

<https://standards.iteh.ai/catalog/standards/sist/25171fef-569f-4e7e-8e46-681b3be2e375/iso-3601-3-2005-amd-1-2018>

Fluid power systems — O-rings —

Part 3: Quality acceptance criteria

AMENDMENT 1

Page 1, Scope

Replace the Scope with the following new Scope:

This document defines the quality acceptance criteria of O-rings used in fluid systems, the dimensions of which are standardized in ISO 3601-1, ISO 16031-1 and ISO 16031-2. The ISO 3601 series of standards basically addresses O-rings with moulded cross-sections without a radial joint.

This document also defines and classifies surface imperfections on O-rings and specifies maximum acceptable limits for these imperfections.

This document is also applicable to O-rings to be used in aerospace construction.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

Page 5, Table 1

Replace Table 1 with the new [Table 1](http://standards.iteh.ai/catalog/standards/sist/25171fef-569f-4e7e-8e46-681b3be2e375/iso-3601-3-2005-amd-1-2018) as shown below.

In accordance with Amendment 1 for ISO 3601-1:2012, three tolerance ranges for cross section diameters $d_2 > 8,4$ mm were added. In addition, criterion *a* ("flash") for the combined flash was deleted for Grade N and Grade S O-rings.







Page 6, Table 2

Replace Table 2 with the new [Table 2](#) as shown below.

Criterion *a* ("flash") for the combined flash was deleted for Grade N and Grade S O-rings.

Table 1 — Limits of size for surface imperfections for Grade N O-rings

Dimensions in millimetres

Surface imperfection type	Diagrammatic representation	Limiting dimensions	Maximum limits of imperfections							
			Grade N O-rings Cross-section, d_2							
			$\geq 0,8^b$ $\leq 2,25$	$> 2,25$ $\leq 3,15$	$> 3,15$ $\leq 4,50$	$> 4,50$ $\leq 6,30$	$> 6,30$ $\leq 8,40$	$> 8,40$ $\leq 10,00$	$> 10,00$ $\leq 12,00$	$> 12,00$ $\leq 14,00^b$
Off-register, mis-match (offset)		e	0,08	0,10	0,13	0,15	0,15	0,19	0,22	0,25
Combined flash (combination of offset, flash and parting line projection)		x	0,10	0,12	0,14	0,16	0,18	0,20	0,23	0,26
		y	0,10	0,12	0,14	0,16	0,18	0,20	0,23	0,26
Backrind		g	0,18	0,27	0,36	0,53	0,70	0,90	1,10	1,30
		u	0,08	0,08	0,10	0,10	0,13	0,16	0,16	0,18
Excessive trimming (radial tool marks not allowed)		n	Trimming is allowed provided the dimension n is not reduced below the minimum diameter d_2 for the O-ring.							
Flow marks (radial orientation of flow marks is not permissible)		k	0,08	0,08	0,08	0,08	0,08	0,08	0,10	0,10
		v	1,50 ^a	1,50 ^a	6,50 ^a	6,50 ^a	6,50 ^a	6,50 ^a	8,50 ^a	8,50 ^a
Non-fills and indentations (including parting line indentations)		w	0,60	0,80	1,00	1,30	1,70	2,20	2,50	2,80
		t	0,08	0,08	0,10	0,10	0,13	0,15	0,16	0,18







^a Or 0,05 times the O-ring's inside diameter (d_2), whichever is greater.

^b Limits of imperfections for cross sections $d_2 < 0,8$ mm or $d_2 > 14$ mm shall be agreed upon between manufacturer and customer.

^c Round edges.

Table 2 — Limits of size for surface imperfections for Grade S O-rings

Dimensions in millimetres

Surface imperfection type	Diagrammatic representation	Limiting dimensions	Maximum limits of imperfections				
			Grade S O-rings				
			Cross-section d_2				
			$\geq 0,8^b$ $\leq 2,25$	$> 2,25$ $\leq 3,15$	$> 3,15$ $\leq 4,50$	$> 4,50$ $\leq 6,30$	$> 6,30$ $\leq 8,40^b$
Off-register, mismatch (offset)		e	0,08	0,08	0,10	0,12	0,13
Combined flash (combination of offset, flash and parting line projection)		x	0,10	0,10	0,13	0,15	0,15
		y	0,10	0,10	0,13	0,15	0,15
Backrind		g	0,10	0,15	0,20	0,20	0,30
		u	0,05	0,08	0,10	0,10	0,13
Excessive trimming (radial tool marks not allowed)		n	Trimming is allowed provided the dimension n is not reduced below the minimum diameter d_2 for the O-ring.				
Flow marks (radial orientation of flow marks is not permissible)		v	1,50 ^a	1,50 ^a	5,00 ^a	5,00 ^a	5,00 ^a
		k	0,05	0,05	0,05	0,05	0,05
Non-fills and indentations (including parting line indentations)		w	0,15	0,25	0,40	0,63	1,00
		t	0,08	0,08	0,10	0,10	0,13

^a Or 0,05 times the O-ring's inside diameter (d_1), whichever is greater.

^b Limits of imperfections for cross sections $d_2 < 0,8$ mm or $d_2 > 8,40$ mm shall be agreed upon between manufacturer and customer.

^c Round edges.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 3601-3:2005/Amd 1:2018](https://standards.iteh.ai/catalog/standards/sist/25171fe569f4e7e8e46681b3be2e375/iso-3601-3-2005-amd-1-2018)
<https://standards.iteh.ai/catalog/standards/sist/25171fe569f4e7e8e46681b3be2e375/iso-3601-3-2005-amd-1-2018>