

ETSI TS 136 133 V13.24.0 (2024-10)



LTE;
Evolved Universal Terrestrial Radio Access (E-UTRA);
Requirements for support of radio resource management
(3GPP TS 36.133 version 13.24.0 Release 13)

[ETSI TS 136 133 V13.24.0 \(2024-10\)](https://standards.iteh.ai/catalog/standards/etsi/3253d401-a670-4b4c-88b7-51af247b7af0/etsi-ts-136-133-v13-24-0-2024-10)

<https://standards.iteh.ai/catalog/standards/etsi/3253d401-a670-4b4c-88b7-51af247b7af0/etsi-ts-136-133-v13-24-0-2024-10>



Reference

RTS/TSGR-0436133vdo0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-10)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	65
1 Scope	66
2 References	66
3 Definitions, symbols and abbreviations	67
3.1 Definitions	67
3.2 Symbols.....	69
3.3 Abbreviations	70
3.4 Test tolerances.....	72
3.5 Additional notation.....	72
3.5.1 Groups of bands.....	72
3.6 General	74
3.6.1 Applicability of requirements in this specification version	74
4 E-UTRAN RRC_IDLE state mobility.....	77
4.1 Cell Selection	77
4.2 Cell Re-selection	77
4.2.1 Introduction.....	77
4.2.2 Requirements	78
4.2.2.1 Measurement and evaluation of serving cell.....	79
4.2.2.2 Void.....	80
4.2.2.3 Measurements of intra-frequency E-UTRAN cells	80
4.2.2.4 Measurements of inter-frequency E-UTRAN cells	81
4.2.2.5 Measurements of inter-RAT cells	83
4.2.2.5.1 Measurements of UTRAN FDD cells.....	83
4.2.2.5.2 Measurements of UTRAN TDD cells	85
4.2.2.5.3 Measurements of GSM cells.....	86
4.2.2.5.4 Measurements of HRPD cells.....	87
4.2.2.5.5 Measurements of cdma2000 1X.....	88
4.2.2.6 Evaluation of cell re-selection criteria.....	89
4.2.2.7 Maximum interruption in paging reception.....	90
4.2.2.8 void	90
4.2.2.9 UE measurement capability	90
4.2.2.9a UE measurement capability (Increased UE carrier monitoring)	91
4.2.2.10 Reselection to CSG cells	91
4.2.2.10.1 Reselection from a non CSG to an inter-frequency CSG cell.....	91
4.2.2.10.2 Reselection from a non CSG to an inter-RAT UTRAN FDD CSG cell.....	92
4.2.2.11 Void	93
4.3 Minimization of Drive Tests (MDT).....	93
4.3.1 Introduction.....	93
4.3.2 Measurements	93
4.3.2.1 Requirements	93
4.3.3 Relative Time Stamp Accuracy	94
4.3.3.1 Requirements	94
4.3.4 Relative Time Stamp Accuracy for RRC Connection Establishment Failure Log Reporting	94
4.3.4.1 Requirements	94
4.3.5 Relative Time Stamp Accuracy for Radio Link Failure and Handover Failure Log Reporting.....	94
4.3.5.1 Requirements for <i>timeSinceFailure</i>	94
4.4 MBSFN Measurements	94
4.4.1 Introduction.....	94
4.4.2 MBSFN RSRP measurements	95
4.4.3 MBSFN RSRQ measurements.....	95
4.4.4 MCH BLER measurements	95

4.5	Proximity-based Services	95
4.5.1	Introduction.....	95
4.5.2	Requirements	95
4.5.2.1	Interruptions with ProSe Direct Discovery	95
4.5.2.2	Interruptions with ProSe Direct Communication	96
4.5.2.3	Initiation/Cease of SLSS transmissions with ProSe Direct Discovery.....	96
4.5.2.4	Initiation/Cease of SLSS transmissions with ProSe Direct Communication	96
4.6	Cell Selection and Re-selection Requirements for UE category NB1	97
4.6.1	Cell Selection.....	97
4.6.2	Cell Re-selection.....	97
4.6.2.1	Measurement and evaluation of serving NB-IoT cell for UE category NB1 in normal coverage.....	97
4.6.2.2	Measurements of intra-frequency NB-IoT cells for UE category NB1 in normal coverage	98
4.6.2.3	Measurement and evaluation of serving NB-IoT cell for UE category NB1 in enhanced coverage	99
4.6.2.4	Measurements of intra-frequency NB-IoT cells for UE category NB1 in enhanced coverage	100
4.6.2.5	Measurements of inter-frequency NB cells for UE category NB1 in normal coverage	101
4.6.2.6	Measurements of inter-frequency NB-IoT cells for UE category NB1 in enhanced coverage	103
4.6.2.7	Maximum interruption in paging reception in normal coverage	104
4.6.2.7A	Maximum interruption in paging reception in enhanced coverage	104
4.6.2.8	UE measurement capability	104
4.7	Cell Selection and Re-selection Requirements for UE category M1	104
4.7.1	Cell Selection.....	104
4.7.2	Cell Re-selection.....	104
4.7.2.1	Cell Re-selection requirements for UE category M1 in normal coverage.....	105
4.7.2.1.1	Measurement and evaluation of serving cell for UE category M1 in normal coverage.....	105
4.7.2.1.2	Measurements of intra-frequency cells for UE category M1 in normal coverage	105
4.7.2.2	Cell Re-selection requirements for UE category M1 in enhanced coverage	106
4.7.2.2.1	Measurement and evaluation of serving cell for UE category M1 in enhanced coverage.....	106
4.7.2.2.2	Measurements of intra-frequency cells for UE category M1 in enhanced coverage	107
5	E-UTRAN RRC_CONNECTED state mobility	109
5.1	E-UTRAN Handover.....	109
5.1.1	Introduction.....	109
5.1.2	Requirements	109
5.1.2.1	E-UTRAN FDD – FDD	109
5.1.2.1.1	Handover delay.....	109
5.1.2.1.2	Interruption time	110
5.2.2.2	E-UTRAN FDD – TDD	110
5.2.2.2.1	(Void)	110
5.2.2.2.2	(Void)	110
5.2.2.3	E-UTRAN TDD – FDD	110
5.2.2.3.1	(Void)	110
5.2.2.3.2	(Void)	110
5.2.2.4	E-UTRAN TDD – TDD.....	110
5.2.2.4.1	Handover delay	110
5.2.2.4.2	Interruption time	111
5.2.2.5	E-UTRAN HD–FDD	111
5.2.2.5.1	Handover delay.....	111
5.2.2.5.2	Interruption time	111
5.3	Handover to other RATs	112
5.3.1	E-UTRAN - UTRAN FDD Handover	112
5.3.1.1	Introduction.....	112
5.3.1.1.1	Handover delay.....	112
5.3.1.1.2	Interruption time	112
5.3.2	E-UTRAN - UTRAN TDD Handover	113
5.3.2.1	Introduction.....	113
5.3.2.2	Requirements	113
5.3.2.2.1	Handover delay.....	113
5.3.2.2.2	Interruption time	113
5.3.3	E-UTRAN - GSM Handover	114
5.3.3.1	Introduction.....	114
5.3.3.2	Requirements	114
5.3.3.2.1	Handover delay.....	114

5.3.3.2.2	Interruption time	114
5.4	Handover to Non-3GPP RATs	115
5.4.1	E-UTRAN – HRPD Handover.....	115
5.4.1.1	Introduction	115
5.4.1.1.1	Handover delay.....	115
5.4.1.1.2	Interruption time.....	115
5.4.2	E-UTRAN – cdma2000 1X Handover.....	115
5.4.2.1	Introduction	115
5.4.2.1.1	Handover delay.....	116
5.4.2.1.2	Interruption time.....	116
5.5	E-UTRAN Handover for Cat-M1 UEs.....	116
5.5.1	Introduction.....	116
5.5.2	Requirements in CEModeA.....	116
5.5.2.1	E-UTRAN FDD – FDD for Cat-M1 FDD UEs	116
5.5.2.1.1	Handover delay.....	116
5.5.2.1.2	Interruption time.....	117
5.5.2.2	E-UTRAN FDD – FDD for Cat-M1 HD – FDD UEs.....	117
5.5.2.3	E-UTRAN TDD – TDD for Cat-M1 TDD UEs.....	117
5.5.2.3.1	Void.....	117
5.5.2.3.2	Void.....	117
5.5.3	Requirements in CEModeB	117
5.5.3.1	E-UTRAN FDD – FDD for Cat-M1 FDD UEs	117
5.5.3.1.1	Handover delay.....	117
5.5.3.1.2	Interruption time.....	118
5.5.3.2	E-UTRAN FDD – FDD for Cat-M1 HD – FDD UEs.....	118
5.5.3.3	E-UTRAN TDD – TDD for Cat-M1 TDD UEs.....	118
5.6	Void.....	118
6	RRC Connection Mobility Control	118
6.1	RRC Re-establishment	118
6.1.1	Introduction.....	119
6.1.2	Requirements	119
6.1.2.1	UE Re-establishment delay requirement.....	119
6.2	Random Access	119
6.2.1	Introduction.....	119
6.2.2	Requirements	120
6.2.2.1	Contention based random access.....	120
6.2.2.1.1	Correct behaviour when receiving Random Access Response reception	120
6.2.2.1.2	Correct behaviour when not receiving Random Access Response reception	120
6.2.2.1.3	Correct behaviour when receiving a NACK on msg3	120
6.2.2.1.4	Void.....	120
6.2.2.1.5	Correct behaviour when receiving a message over Temporary C-RNTI.....	120
6.2.2.1.6	Correct behaviour when contention Resolution timer expires.....	120
6.2.2.2	Non-Contention based random access	120
6.2.2.2.1	Correct behaviour when receiving Random Access Response.....	120
6.2.2.2.2	Correct behaviour when not receiving Random Access Response.....	121
6.2.3	Requirements for Cat-M1 UEs	121
6.3	RRC Connection Release with Redirection.....	121
6.3.1	Introduction.....	121
6.3.2	Requirements	121
6.3.2.1	RRC connection release with redirection to UTRAN FDD	121
6.3.2.2	RRC connection release with redirection to GERAN	122
6.3.2.3	RRC connection release with redirection to UTRAN TDD	122
6.4	CSG Proximity Indication for E-UTRAN and UTRAN.....	123
6.4.1	Introduction.....	123
6.4.2	Requirements	123
6.5	RRC Re-establishment for NB-IoT UEs	123
6.5.1	Introduction.....	123
6.5.2	Requirements	123
6.5.2.1	UE Re-establishment delay requirement in normal coverage	123
6.5.2.2	UE Re-establishment delay requirement in enhanced coverage.....	124
6.6	Random Access for UE category NB1	124

6.6.1	Introduction.....	124
6.6.2	Requirements	124
6.6.2.1	Correct behaviour when receiving Random Access Response reception.....	125
6.6.2.2	Correct behaviour when not receiving Random Access Response reception.....	125
6.6.2.3	Correct behaviour when receiving a NACK on msg3.....	125
6.6.2.4	Correct behaviour when receiving a message over Temporary C-RNTI	125
6.6.2.5	Correct behaviour when contention Resolution timer expires	125
6.6.3	Requirements for NPRACH configuration.....	125
6.7	RRC Re-establishment for Cat-M1 UEs	125
6.7.1	Introduction.....	125
6.7.2	Requirements	125
6.7.2.1	UE Re-establishment delay requirement for CEModeA	126
6.7.2.2	UE Re-establishment delay requirement for CEModeB	126
6.8	RRC Connection Release with Redirection for Cat-M1 UEs.....	127
6.8.1	Introduction.....	127
6.8.2	Requirements	127
6.8.2.1	RRC connection release with redirection to E-UTRAN with CE Mode A	127
6.9	RRC Connection Redirection to Non-anchor Carrier in NB-IoT	128
6.9.1	Introduction.....	128
6.9.2	Requirements	128
7	Timing and signalling characteristics.....	128
7.1	UE transmit timing	128
7.1.1	Introduction.....	128
7.1.2	Requirements	129
7.2	UE timer accuracy	130
7.2.1	Introduction.....	130
7.2.2	Requirements	130
7.3	Timing Advance	130
7.3.1	Introduction.....	130
7.3.2	Requirements	130
7.3.2.1	Timing Advance adjustment delay.....	130
7.3.2.2	Timing Advance adjustment accuracy	130
7.4	Cell phase synchronization accuracy (TDD).....	131
7.4.1	Definition.....	131
7.4.2	Minimum requirements.....	131
7.5	Synchronization Requirements for E-UTRAN to 1xRTT and HRPD Handovers.....	131
7.5.1	Introduction.....	131
7.5.2	eNodeB Synchronization Requirements	132
7.5.2.1	Synchronized E-UTRAN	132
7.5.2.2	Non-Synchronized E-UTRAN	132
7.6	Radio Link Monitoring.....	132
7.6.1	Introduction.....	132
7.6.2	Requirements	133
7.6.2.1	Minimum requirement when no DRX is used.....	133
7.6.2.2	Minimum requirement when DRX is used.....	134
7.6.2.3	Minimum requirement at transitions	135
7.6.2.4	Minimum requirement during SI Acquisition with autonomous gaps	135
7.6.2.5	Minimum requirement under IDC Interference	135
7.7	SCell Activation and Deactivation Delay for E-UTRA Carrier Aggregation	136
7.7.1	Introduction.....	136
7.7.2	SCell Activation Delay Requirement for Deactivated SCell	136
7.7.3	SCell Deactivation Delay Requirement for Activated SCell	137
7.7.4	SCell Activation Delay Requirement for Deactivated SCell with Multiple Downlnk SCells.....	137
7.7.5	SCell Deactivation Delay Requirement for Activated SCell with Multiple Downlink SCells	138
7.7.6	SCell Activation Delay Requirement for Deactivated PUCCH SCell	138
7.7.7	SCell Activation Delay Requirement for Deactivated PUCCH SCell with Multiple SCells	139
7.7.8	SCell Deactivation Delay Requirement for Activated PUCCH SCell	139
7.7.9	SCell Deactivation Delay Requirement for Activated PUCCH SCell with Multiple SCells	139
7.7.10	SCell Activation Delay Requirement for Deactivated SCell under Frame Structure 3.....	140
7.7.11	SCell Deactivation Delay Requirement for Activated SCell under Frame Structure 3.....	141

7.7.12	SCell Activation Delay Requirement for Deactivated SCell with Multiple Downlink SCells under Frame Structure 3	141
7.7.13	SCell Deactivation Delay Requirement for Activated SCell with Multiple Downlink SCells under Frame Structure 3	142
7.8	Interruptions with Carrier Aggregation	142
7.8.1	Introduction.....	142
7.8.2	Requirements	142
7.8.2.1	Interruptions at SCell addition/release for intra-band CA.....	142
7.8.2.2	Interruptions at SCell addition/release for inter-band CA.....	142
7.8.2.3	Interruptions at SCell activation/deactivation for intra-band CA.....	143
7.8.2.4	Interruptions at SCell activation/deactivation for inter-band CA.....	143
7.8.2.5	Interruptions during measurements on SCC for intra-band CA	143
7.8.2.6	Interruptions during measurements on SCC for inter-band CA	143
7.8.2.7	Interruptions at SCell addition/release with multiple downlink SCells.....	143
7.8.2.8	Interruptions at SCell activation/deactivation with multiple downlink SCells.....	143
7.8.2.9	Interruptions during measurements on SCC with multiple downlink SCells.....	144
7.8.2.10	Interruptions at overlapping addition/release/activation/deactivation of SCells	145
7.8.2.11	Interruptions during RSSI measurements on one SCC under Frame Structure 3.....	145
7.8.2.12	Interruptions during RSSI measurements on multiple SCCs under Frame Structure 3.....	145
7.9	Maximum Transmission Timing Difference in Carrier Aggregation	146
7.9.1	Introduction.....	146
7.9.2	Minimum Requirements for Interband Carrier Aggregation	146
7.9.3	Minimum Requirements for Intra-band non-contiguous Carrier Aggregation.....	146
7.9.4	Minimum Requirements for Inter-Band Carrier Aggregation under Frame Structure 3.....	147
7.10	Interruptions with RSTD Measurements with Carrier Aggregation.....	147
7.10.1	Introduction.....	147
7.10.2	Requirements	147
7.10.2.1	Interruptions during RSTD measurements on SCC for intra-band CA with one downlink SCell	147
7.10.2.2	Interruptions during RSTD measurements on SCC for inter-band CA with one downlink SCell	147
7.10.2.3	Interruptions during RSTD measurements on SCC with multiple downlink SCells.....	147
7.10.2.4	Interruptions at overlapping RSTD and inter-frequency measurements	148
7.11	Radio Link Monitoring for UE Category 0	148
7.11.1	Introduction.....	148
7.11.2	Requirements for FD-FDD and TDD	149
7.11.2.1	Minimum requirement when no DRX is used.....	149
7.11.2.2	Minimum requirement when DRX is used.....	150
7.11.2.3	Minimum requirement at transitions	150
7.11.3	Requirements for HD-FDD	151
7.11.3.1	Minimum requirement when no DRX is used.....	151
7.11.3.2	Minimum requirement when DRX is used.....	151
7.11.3.3	Minimum requirement at transitions	152
7.12	Interruptions with Dual Connectivity	152
7.12.1	Introduction.....	152
7.12.2	Requirements	152
7.12.2.1	Interruptions at PSCell addition/release	152
7.12.2.2	Interruptions at transitions between active and non-active during DRX.....	152
7.12.2.3	Interruptions at transitions from non-DRX to DRX.....	153
7.12.2.4	Interruptions at SCell addition/release	153
7.12.2.5	Interruptions at SCell activation/deactivation	153
7.12.2.6	Interruptions during measurements on SCC	153
7.13	Cell phase synchronization accuracy (Synchronized mode of dual connectivity).....	154
7.13.1	Definition.....	154
7.13.2	Minimum requirements.....	154
7.14	PSCell Addition and Release Delay for E-UTRA Dual Connectivity.....	155
7.14.1	Introduction.....	155
7.14.2	PSCell Addition Delay Requirement	155
7.14.3	PSCell Release Delay Requirement.....	155
7.15	Maximum Receive Timing Difference in Dual Connectivity	155
7.15.1	Introduction.....	155
7.15.2	Minimum Requirements for Inter-band Dual Connectivity	156
7.16	Proximity-based Services	156
7.16.1	Introduction.....	156

7.16.2	Requirements	156
7.16.2.1	ProSe UE transmission timing	156
7.16.2.1.1	Serving cell or PCell as timing reference	156
7.16.2.1.2	SCell or non-serving cell as timing reference.....	157
7.16.3	Interruptions with ProSe	157
7.16.3.1	Interruptions at ProSe Direct Discovery configuration	157
7.16.3.2	Interruptions at ProSe Direct Communication configuration.....	157
7.16.3.3	Interruptions during ProSe Direct Discovery	157
7.16.3.4	Interruptions during ProSe Direct Discovery with discovery gaps	158
7.16.3.5	Interruptions during ProSe Direct Communication.....	158
7.16.4	Cell reselection for ProSe Direct Discovery on non-serving frequency	158
7.16.4.1	Measurement and evaluation of selected cell.....	159
7.16.4.2	Measurement of intra-frequency E-UTRAN cells	159
7.16.5	Selection / Reselection of ProSe relay UE.....	159
7.16.6	ProSe operation under deactivated SCell.....	160
7.17	Maximum Transmission Timing Difference in Dual Connectivity	160
7.17.1	Introduction.....	160
7.17.2	Minimum Requirements for maximum transmission timing difference Inter-band Dual Connectivity ...	160
7.18.1	Introduction.....	160
7.18.2	SCell Activation Delay Requirement for Deactivated SCell	161
7.18.3	SCell Deactivation Delay Requirement for Activated SCell	161
7.19	Radio Link Monitoring for UE Category M1	161
7.19.1	Introduction.....	161
7.19.2	Requirements for FD-FDD and TDD CE mode A.....	161
7.19.2.1	Minimum requirement when no DRX is used.....	161
7.19.2.2	Minimum requirement when DRX is used.....	162
7.19.2.3	Minimum requirement at transitions	163
7.19.3	Requirements for HD-FDD with CE mode A.....	163
7.19.3.1	Minimum requirement when no DRX is used.....	163
7.19.3.2	Minimum requirement when DRX is used.....	163
7.19.3.3	Minimum requirement at transitions	164
7.19.4	Requirements for FD-FDD and TDD with CE mode B.....	164
7.19.4.1	Minimum requirement when no DRX is used.....	165
7.19.4.2	Minimum requirement when DRX is used.....	165
7.19.4.3	Minimum requirement at transitions	166
7.19.5	Requirements for HD-FDD with CE mode B	166
7.19.5.1	Minimum requirement when no DRX is used.....	166
7.19.5.2	Minimum requirement when DRX is used.....	166
7.19.5.3	Minimum requirement at transitions	167
7.20	UE transmit timing for NB-IoT	167
7.20.1	Introduction.....	167
7.20.2	Requirements	167
7.21	UE timer accuracy for NB-IoT.....	168
7.21.1	Introduction.....	168
7.21.2	Requirements	168
7.22	Timing Advance for NB-IoT.....	169
7.22.1	Introduction.....	169
7.22.2	Requirements	169
7.22.2.1	Timing Advance adjustment delay.....	169
7.22.2.2	Timing Advance adjustment accuracy	169
7.23	Radio Link Monitoring for Category NB1 UE.....	169
7.23.1	Introduction.....	169
7.23.2	Requirements for HD-FDD Category NB1 UE	169
7.23.2.1	Minimum requirement when no DRX is used.....	170
7.23.2.2	Minimum requirement when DRX is used.....	170
7.23.2.3	Minimum requirement at transitions	171
7.24	UE transmit timing for Category M1	171
7.24.1	Introduction.....	171
7.24.2	Requirements	171
7.25	Timing Advance for Category M1	172
7.25.1	Introduction.....	172
7.25.2	Requirements	172

7.26	UE timer accuracy for category M1	172
7.26.1	Introduction.....	172
7.26.2	Requirements	172
8	UE Measurements Procedures in RRC_CONNECTED State	172
8.1	General Measurement Requirements.....	172
8.1.1	Introduction.....	172
8.1.2	Requirements	173
8.1.2.1	UE measurement capability	173
8.1.2.1.1	Monitoring of multiple layers using gaps	175
8.1.2.1.1a	Monitoring of multiple layers using gaps (Increased UE carrier monitoring).....	176
8.1.2.2	E-UTRAN intra frequency measurements	177
8.1.2.2.1	E-UTRAN FDD intra frequency measurements.....	177
8.1.2.2.2	E-UTRAN TDD intra frequency measurements	181
8.1.2.2.3	E-UTRAN FDD intra frequency measurements with autonomous gaps	184
8.1.2.2.4	E-UTRAN TDD intra frequency measurements with autonomous gaps.....	185
8.1.2.3	E-UTRAN inter frequency measurements	186
8.1.2.3.1	E-UTRAN FDD – FDD inter frequency measurements.....	186
8.1.2.3.2	E-UTRAN TDD – TDD inter frequency measurements	190
8.1.2.3.3	E-UTRAN TDD – FDD inter frequency measurements.....	193
8.1.2.3.4	E-UTRAN FDD – TDD inter frequency measurements.....	194
8.1.2.3.5	E-UTRAN FDD-FDD inter frequency measurements with autonomous gaps.....	194
8.1.2.3.6	E-UTRAN TDD-FDD inter frequency measurements using autonomous gaps.....	195
8.1.2.3.7	E-UTRAN TDD-TDD inter frequency measurements with autonomous gaps	196
8.1.2.3.8	E-UTRAN FDD-TDD inter frequency measurements using autonomous gaps	197
8.1.2.4	Inter RAT measurements	198
8.1.2.4.1	E-UTRAN FDD – UTRAN FDD measurements	198
8.1.2.4.2	E-UTRAN TDD – UTRAN FDD measurements	202
8.1.2.4.3	E-UTRAN TDD – UTRAN TDD measurements.....	202
8.1.2.4.4	E-UTRAN FDD – UTRAN TDD measurements	206
8.1.2.4.5	E-UTRAN FDD – GSM measurements	206
8.1.2.4.6	E-UTRAN TDD – GSM measurements	212
8.1.2.4.7	E-UTRAN FDD – UTRAN FDD measurements for SON.....	212
8.1.2.4.8	E-UTRAN TDD – UTRAN FDD measurements for SON.....	214
8.1.2.4.9	E-UTRAN FDD – cdma2000 1xRTT measurements.....	214
8.1.2.4.9.1A	E-UTRAN FDD – cdma2000 1xRTT measurements when no DRX is used	214
8.1.2.4.10	E-UTRAN TDD – cdma2000 1xRTT measurements.....	214
8.1.2.4.11	E-UTRAN FDD – HRPD measurements	214
8.1.2.4.12	E-UTRAN TDD – HRPD measurements	214
8.1.2.4.13	E-UTRAN TDD – UTRAN TDD measurements for SON	215
8.1.2.4.14	E-UTRAN FDD – UTRAN TDD measurements for SON.....	216
8.1.2.4.15	E-UTRAN FDD – cdma2000 1xRTT measurements for SON ANR.....	216
8.1.2.4.16	E-UTRAN TDD – cdma2000 1xRTT measurements for SON ANR.....	217
8.1.2.4.17	E-UTRAN FDD-UTRAN FDD measurements with autonomous gaps	217
8.1.2.4.18	E-UTRAN TDD-UTRAN FDD measurements with autonomous gaps	218
8.1.2.4.19	E-UTRAN FDD – WLAN measurements	218
8.1.2.4.20	E-UTRAN TDD – WLAN measurements.....	220
8.1.2.5	E-UTRAN OTDOA Intra-Frequency RSTD Measurements	220
8.1.2.5.1	E-UTRAN FDD Intra-Frequency OTDOA Measurements.....	220
8.1.2.5.2	E-UTRAN TDD Intra-Frequency OTDOA Measurements.....	221
8.1.2.6	E-UTRAN Inter-Frequency OTDOA Measurements.....	223
8.1.2.6.1	E-UTRAN FDD-FDD Inter-Frequency OTDOA Measurements.....	223
8.1.2.6.2	E-UTRAN TDD-FDD Inter-Frequency OTDOA Measurements	225
8.1.2.6.3	E-UTRAN TDD-TDD Inter-Frequency OTDOA Measurements	226
8.1.2.6.4	E-UTRAN FDD-TDD Inter-Frequency OTDOA Measurements	228
8.1.2.7	E-UTRAN E-CID Measurements	230
8.1.2.7.1	E-UTRAN FDD UE Rx-Tx Time Difference Measurements	230
8.1.2.7.2	E-UTRAN TDD UE Rx-Tx Time Difference Measurements	231
8.1.2.7.3	E-UTRAN FDD Intra-frequency E-CID RSRP and RSRQ Measurements	232
8.1.2.7.4	E-UTRAN TDD Intra-frequency E-CID RSRP and RSRQ Measurements	233
8.1.2.8	E-UTRAN intra-frequency measurements under time domain measurement resource restriction	233
8.1.2.8.1	E-UTRAN FDD intra-frequency measurements	233

8.1.2.8.2	E-UTRAN TDD intra-frequency measurements	236
8.1.2.8.3	E-UTRAN FDD intra-frequency measurements with CRS assistance information	239
8.1.2.8.4	E-UTRAN TDD intra-frequency measurements with CRS assistance information	243
8.1.2.9	E-UTRAN E-CID Measurements when Time Domain Measurement Resource Restriction Pattern is Configured.....	246
8.1.2.9.1	E-UTRAN FDD UE Rx-Tx Time Difference Measurements	246
8.1.2.9.2	E-UTRAN TDD UE Rx-Tx Time Difference Measurements	247
8.1.2.9.3	E-UTRAN FDD UE Rx-Tx Time Difference Measurements with CRS Assistance Information	247
8.1.2.9.4	E-UTRAN TDD UE Rx-Tx Time Difference Measurements with CRS Assistance Information	247
8.2	Capabilities for Support of Event Triggering and Reporting Criteria	248
8.2.1	Introduction.....	248
8.2.2	Requirements	248
8.3	Measurements for E-UTRA carrier aggregation	250
8.3.1	Introduction.....	250
8.3.2	Measurements of the primary component carrier	250
8.3.3	Measurements of a secondary component carrier	251
8.3.3.1	Measurements of a secondary component carrier with active SCell	251
8.3.3.2	Measurements of a secondary component carrier with deactivated SCell	251
8.3.3.2.1	E-UTRAN secondary component carrier measurements when no common DRX is used	251
8.3.3.2.2	E-UTRAN secondary component carrier measurements when common DRX is used	252
8.4	OTDOA RSTD Measurements for E-UTRAN carrier aggregation	254
8.4.1	Introduction.....	254
8.4.2	Measurements on the primary component carrier.....	254
8.4.3	Measurements on a secondary component carrier	255
8.4.4	Measurements on both primary component carrier and a secondary component carrier	255
8.4.5	Measurements on different secondary component carriers.....	256
8.5	Measurements for UE category 0	257
8.5.1	Introduction.....	257
8.5.2	Requirements	257
8.5.2.1	E-UTRAN intra frequency measurements	257
8.5.2.1.1	E-UTRAN FDD intra frequency measurements.....	258
8.5.2.1.2	E-UTRAN intra frequency measurements for HD-FDD	261
8.5.2.1.3	E-UTRAN TDD intra frequency measurements	263
8.5.2.1.4	E-UTRAN FDD intra frequency measurements with autonomous gaps for UE category 0	266
8.5.2.1.5	E-UTRAN intra frequency measurements with autonomous gaps for HD-FDD UE category 0	267
8.5.2.1.6	E-UTRAN TDD intra frequency measurements with autonomous gaps for UE category 0	267
8.6	Discovery signal measurements	268
8.6.1	Introduction.....	268
8.6.2	Requirements for CRS based discovery signal measurements	269
8.6.2.1	E-UTRAN intra frequency measurements	269
8.6.2.1.1	E-UTRAN FDD intra frequency measurements.....	269
8.6.2.1.2	E-UTRAN TDD intra frequency measurements	271
8.6.2.2	E-UTRAN inter frequency measurements	274
8.6.2.2.1	E-UTRAN FDD – FDD inter-frequency measurements	274
8.6.2.2.2	E-UTRAN TDD – TDD inter frequency measurements	277
8.6.2.2.3	E-UTRAN TDD – FDD inter frequency measurements.....	279
8.6.2.2.4	E-UTRAN FDD – TDD inter frequency measurements.....	279
8.6.3	Requirements for CSI-RS based discovery signal measurements.....	280
8.6.3.1	E-UTRAN intra frequency measurements	280
8.6.3.1.1	E-UTRAN FDD intra frequency measurements.....	280
8.6.3.1.2	E-UTRAN TDD intra frequency measurements	282
8.6.3.2	E-UTRAN inter frequency measurements	285
8.6.3.2.1	E-UTRAN FDD – FDD inter frequency measurements.....	285
8.6.3.2.2	E-UTRAN TDD – TDD inter frequency measurements	288
8.6.3.2.3	E-UTRAN TDD – FDD inter frequency measurements.....	290
8.6.3.2.4	E-UTRAN FDD – TDD inter frequency measurements.....	290
8.7	Discovery signal measurements for E-UTRA carrier aggregation	291
8.7.1	Introduction.....	291
8.7.2	Requirements for CRS based discovery signal measurements for E-UTRA carrier aggregation	291
8.7.2.1	Measurements of the primary component carrier.....	291

8.7.2.2	Measurements of a secondary component carrier	291
8.7.2.3	Measurements of a secondary component carrier with active SCell	291
8.7.2.4	Measurements of a secondary component carrier with deactivated SCell	291
8.7.2.4.1	E-UTRAN secondary component carrier measurements when no common DRX is used	291
8.7.2.4.2	E-UTRAN secondary component carrier measurements when common DRX is used	293
8.7.3	Requirements for CSI-RS based discovery signal measurements for E-UTRA carrier aggregation	294
8.7.3.1	Measurements of the primary component carrier	294
8.7.3.2	Measurements of a secondary component carrier	294
8.7.3.3	Measurements of a secondary component carrier with active SCell	294
8.7.3.4	Measurements of a secondary component carrier with deactivated SCell	294
8.7.3.4.1	E-UTRAN secondary component carrier measurements when no common DRX is used	294
8.7.3.4.2	E-UTRAN secondary component carrier measurements when common DRX is used	296
8.8	Measurements for E-UTRA dual connectivity	297
8.8.1	Introduction	297
8.8.2	Intra-frequency measurements requirements on PCell	297
8.8.3	Intra-frequency measurements requirements on PSCell	297
8.8.4	Inter-frequency and inter-RAT measurement requirements	298
8.8.5	Intra-frequency measurements with autonomous gaps	298
8.8.5.1	Identification of a new CGI of E-UTRA cell with autonomous gaps	298
8.8.5.2	ECGI reporting delay	299
8.8.6	Inter-frequency measurements with autonomous gaps	299
8.8.6.1	Identification of a new CGI of E-UTRA cell with autonomous gaps	299
8.8.6.2	ECGI reporting delay	300
8.8.7	SSTD Measurements	300
8.8.7.1	Introduction	300
8.8.7.2	SSTD Measurement requirements	300
8.8.7.3	SSTD Measurement Reporting Delay	301
8.8.8	Intra-frequency measurements requirements on SCell	301
8.9	MBSFN Measurements	301
8.9.1	Introduction	301
8.9.2	MBSFN RSRP Measurements	301
8.9.3	MBSFN RSRQ Measurements	302
8.9.4	MCH BLER Measurements	302
8.10	Proximity-based Services	302
8.10.1	Introduction	302
8.10.2	Requirements	302
8.10.2.1	Initiation/Cease of SLSS transmissions with ProSe Direct Discovery	302
8.10.2.2	Initiation/Cease of SLSS transmissions with ProSe Direct Communication	303
8.11	Discovery Signal Measurements under Operation with Frame Structure 3	303
8.11.1	Introduction	303
8.11.2	CRS based discovery signal measurements	304
8.11.2.1	E-UTRAN intra-frequency measurements	304
8.11.2.1.1	Requirements	304
8.11.2.1.1.1	Requirements when no DRX is used	304
8.11.2.1.1.1.1	Measurement Reporting Requirements	305
8.11.2.1.1.2	Requirements when DRX is used	306
8.11.2.1.1.2.1	Measurement Reporting Requirements	307
8.11.2.2	E-UTRAN inter-frequency measurements	308
8.11.2.2.1	E-UTRAN FDD-FS3 inter-frequency measurements	308
8.11.2.2.2	E-UTRAN TDD – FS3 inter-frequency measurements	312
8.11.3	CSI-RS based discovery signal measurements	312
8.11.3.1	E-UTRAN intra-frequency measurements	312
8.11.3.1.1	Requirements	313
8.11.3.1.1.1	Requirements when no DRX is used	313
8.11.3.1.1.1.1	Measurement Reporting Requirements	314
8.11.3.1.1.2	Requirements when DRX is used	314
8.11.3.1.1.2.1	Measurement Reporting Requirements	315
8.11.3.2	E-UTRAN inter-frequency measurements	316
8.11.3.2.1	E-UTRAN FDD – FS3 inter-frequency measurements	316
8.11.3.2.2	E-UTRAN TDD – FS3 inter-frequency measurements	320
8.11.4	RSSI measurements	320
8.11.4.1	E-UTRAN intra-frequency measurements	320

8.11.4.2	E-UTRAN inter-frequency measurements	320
8.11.5	Channel occupancy measurements	321
8.11.5.1	E-UTRAN intra-frequency channel occupancy measurements.....	321
8.11.5.2	E-UTRAN inter-frequency channel occupancy measurements.....	321
8.12	Discovery Signal Measurements for E-UTRA Carrier Aggregation under Operation with Frame Structure 3	321
8.12.1	Introduction.....	321
8.12.2	CRS based discovery signal measurements for E-UTRA carrier aggregation.....	321
8.12.2.1	Introduction.....	321
8.12.2.2	Measurements of a secondary component carrier	322
8.12.2.3	Measurements of a secondary component carrier with active SCell.....	322
8.12.2.4	Measurements of a secondary component carrier with deactivated SCell	322
8.12.2.4.1	E-UTRAN secondary component carrier measurements when no common DRX is used	322
8.12.2.4.2	E-UTRAN secondary component carrier measurements when common DRX is used	324
8.12.3	Requirements for CSI-RS based discovery signal measurements for E-UTRA carrier aggregation	326
8.12.3.1	Introduction.....	326
8.12.3.2	Measurements of a secondary component carrier	326
8.12.3.3	Measurements of a secondary component carrier with active SCell.....	326
8.12.3.4	Measurements of a secondary component carrier with deactivated SCell	326
8.12.3.4.1	E-UTRAN secondary component carrier measurements when no common DRX is used	326
8.12.3.4.2	E-UTRAN secondary component carrier measurements when common DRX is used.....	328
8.13	Measurements for UE Category M1.....	330
8.13.1	Introduction.....	330
8.13.2	Requirements for UE category M1 with CE mode A	330
8.13.2.1	E-UTRAN intra frequency measurements by UE category M1 with CE mode A	330
8.13.2.1.1	E-UTRAN FDD intra frequency measurements.....	330
8.13.2.1.2	E-UTRAN intra frequency measurements for HD-FDD	333
8.13.2.1.3	E-UTRAN TDD intra frequency measurements	336
8.13.2.2	E-UTRAN E-CID Measurements Requirements for UE category M1 with CE mode A	339
8.13.2.2.1	E-UTRAN FDD Intra-frequency E-CID RSRP Measurements	339
8.13.2.2.2	E-UTRAN HD-FDD Intra-frequency E-CID RSRP Measurements	339
8.13.2.2.3	E-UTRAN TDD Intra-frequency E-CID RSRP Measurements	340
8.13.3	Requirements for UE category M1 with CE mode B	340
8.13.3.1	E-UTRAN intra frequency measurements by UE category M1 with CE mode B	340
8.13.3.1.1	E-UTRAN FDD intra frequency measurements.....	340
8.13.3.1.2	E-UTRAN intra frequency measurements for HD-FDD	344
8.13.3.1.3	E-UTRAN TDD intra frequency measurements	346
8.13.3.1.4	E-UTRAN FDD intra frequency measurements with autonomous gaps for UE category M1 with CE mode B	349
8.13.3.1.5	E-UTRAN intra frequency measurements with autonomous gaps for HD-FDD UE category M1 with CE mode B	350
8.13.3.1.6	E-UTRAN TDD intra frequency measurements with autonomous gaps for UE category M1 with CE mode B	350
8.13.3.2	E-UTRAN E-CID Measurements Requirements for UE category M1 with CE mode B.....	351
8.13.3.2.1	E-UTRAN FDD Intra-frequency E-CID RSRP Measurements	351
8.13.3.2.2	E-UTRAN HD-FDD Intra-frequency E-CID RSRP Measurements	352
8.13.3.2.3	E-UTRAN TDD Intra-frequency E-CID RSRP Measurements	352
8.14	Measurements for UE category NB1.....	353
8.14.1	Introduction.....	353
8.14.2	NB-IoT intra frequency measurements under normal coverage	353
8.14.2.1	NB-IoT intra frequency measurements when no DRX is used	353
8.14.2.2	NB-IoT intra frequency measurements when DRX is used	353
8.14.3	NB-IoT intra frequency measurements under enhanced coverage	353
8.14.3.1	NB-IoT intra frequency measurements when no DRX is used	353
8.14.3.2	NB-IoT intra frequency measurements when DRX is used	354
9	Measurements performance requirements for UE.....	354
9.1	E-UTRAN measurements.....	354
9.1.1	Introduction.....	354
9.1.2	Intra-frequency RSRP Accuracy Requirements.....	354
9.1.2.1	Absolute RSRP Accuracy	354
9.1.2.2	Relative Accuracy of RSRP	355

9.1.2.3	Absolute RSRP Accuracy under Time Domain Measurement Resource Restriction	356
9.1.2.4	Relative Accuracy of RSRP under Time Domain Measurement Resource Restriction	357
9.1.2.5	Absolute RSRP Accuracy under Time Domain Measurement Resource Restriction with CRS assistance information.....	357
9.1.2.6	Relative Accuracy of RSRP under Time Domain Measurement Resource Restriction with CRS assistance information.....	358
9.1.2A	Intra-frequency RSRP Accuracy Requirements in High Doppler Conditions	359
9.1.2A.1	Absolute RSRP Accuracy in high Doppler conditions.....	359
9.1.2A.2	Relative Accuracy of RSRP in high Doppler conditions	360
9.1.3	Inter-frequency RSRP Accuracy Requirements.....	361
9.1.3.1	Absolute RSRP Accuracy	361
9.1.3.2	Relative Accuracy of RSRP	361
9.1.3A	Inter-frequency RSRP Accuracy Requirements in High Doppler Conditions	362
9.1.3A.1	Absolute RSRP Accuracy in high Doppler conditions.....	362
9.1.3A.2	Relative Accuracy of RSRP in high Doppler conditions	363
9.1.4	RSRP Measurement Report Mapping.....	363
9.1.5	Intra-frequency RSRQ Accuracy Requirements	364
9.1.5.1	Absolute RSRQ Accuracy.....	364
9.1.5.2	Absolute RSRQ Accuracy under Time Domain Measurement Resource Restriction.....	364
9.1.5.3	Absolute RSRQ Accuracy under Time Domain Measurement Resource Restriction with CRS assistance information.....	365
9.1.5.4	Absolute WB-RSRQ Accuracy.....	366
9.1.5A	Intra-frequency RSRQ Accuracy Requirements in High Doppler Conditions	367
9.1.5A.1	Absolute RSRQ Accuracy in high Doppler conditions	367
9.1.6	Inter-frequency RSRQ Accuracy Requirements.....	368
9.1.6.1	Absolute RSRQ Accuracy.....	368
9.1.6.2	Relative Accuracy of RSRQ	368
9.1.6.3	Absolute WB-RSRQ Accuracy.....	369
9.1.6.4	Relative WB-RSRQ Accuracy	370
9.1.6A	Inter-frequency RSRQ Accuracy Requirements in High Doppler Conditions	370
9.1.6A.1	Absolute RSRQ Accuracy in high Doppler conditions	370
9.1.6A.2	Relative Accuracy of RSRQ in high Doppler conditions.....	371
9.1.7	RSRQ Measurement Report Mapping.....	372
9.1.8	Power Headroom	372
9.1.8.1	Period.....	372
9.1.8.2	Reporting Delay	373
9.1.8.3	Void.....	373
9.1.8.4	Report Mapping	373
9.1.9	UE Rx – Tx time difference.....	373
9.1.9.1	Measurement Requirement	373
9.1.9.2	Measurement Report mapping	374
9.1.9.3	Measurement Requirement under Time Domain Measurement Resource Restriction	375
9.1.9.4	Measurement Requirement when Time Domain Measurement Resource Restriction Pattern is Configured with CRS Assistance Information	376
9.1.10	Reference Signal Time Difference (RSTD).....	377
9.1.10.1	Intra-Frequency Accuracy Requirement	377
9.1.10.2	Inter-Frequency Accuracy Requirement	378
9.1.10.3	RSTD Measurement Report Mapping.....	379
9.1.11	Carrier aggregation measurement accuracy	379
9.1.11.1	Primary component carrier accuracy requirement	380
9.1.11.2	Secondary component carrier accuracy requirement.....	380
9.1.11.3	Primary and secondary component carrier relative accuracy requirement.....	380
9.1.11.4	Secondary component carrier relative accuracy requirement.....	380
9.1.12	Reference Signal Time Difference (RSTD) Measurement Accuracy Requirements for Carrier Aggregation	380
9.1.13	Measurement accuracy for UE category 0.....	381
9.1.13.1	Intra-frequency Absolute RSRP Accuracy for UE category 0	381
9.1.13.2	Intra-frequency Relative Accuracy of RSRP for UE category 0.....	381
9.1.13.3	Intra-frequency Absolute RSRQ Accuracy for UE category 0	382
9.1.14	Accuracy requirements for Discovery Signal Measurements	383
9.1.14.1	Introduction.....	383
9.1.14.2	RSRP measurements in discovery signal occasions.....	383