TECHNICAL REPORT

ISO/TR 22639

First edition

Space systems – Design guidelines for multi-geo spacecraft collocation

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/PRF TR 22639 https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-783578d3d14d/iso-prf-tr-22639

PROOF/ÉPREUVE



Reference number ISO/TR 22639:2021(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/PRF TR 22639 https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-783578d3d14d/iso-prf-tr-22639



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents		Page
Fore	eword	iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	1
	3.1 Terms and definitions	
	3.2 Abbreviated terms	4
4	Collocation design process	4
5	Basic contents of collocation design process 5.1 Considerations 5.2 Initial collocation strategy design 5.2.1 Fundamental principle of separation strategy 5.2.2 The available separation strategy 5.2.3 Selection of collocation strategy 5.2.4 Simulation Evaluation of Collocation Strategy 5.3 Final collocation strategy 5.4 Collocation agreement	
Anne	ex A (informative) Fundamental principle of available separation strategy	10
Anne	ex B (informative) Characteristics of separation strategy	15
Anne	ex C (Informative) Fundamental principle of separation strategy	17
Anne	ex D (Informative) Sample of collocation evaluation strategy	19
Anne	ex E (Informative) Common collocation cases and strategies 4902-bc5c	20
Bibliography 783578d3d14d/iso-prf-tr-22639		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 20, Aircraft and space vehicles, Subcommittee SC 14, Space systems and operations/PRF TR 22639 https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

With the wide application of geostationary orbit in spacecraft navigation, spacecraft communication and remote sensing, there comes a dramatic increase in the number of geostationary spacecraft while the orbit position of geostationary spacecraft is limited. In order to solve this problem, it is often necessary for spacecraft operators to collocate their spacecraft with spacecraft operated by other agencies in order to deliver their services.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/PRF TR 22639 https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-783578d3d14d/iso-prf-tr-22639

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/PRF TR 22639 https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-783578d3d14d/iso-prf-tr-22639

Space systems - Design guidelines for multi-geo spacecraft collocation

1 Scope

This document addresses the design process of a collocation and the basic contents of collocation design process which include considerations, initial collocation strategy design, simulation evaluation of collocation strategy, optimal collocation strategy selection and collocation agreement.

This document gives guidelines for multi-geo spacecraft collocation, and it applies in particular to multi-geo constellation.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions TANDARD PREVIEW

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.rso.org/0bpc5c-
- IEC Electropedia: available at http://www.electropedia.org/

3.1.1

orbit maintenance

orbit control for maintaining the spacecraft's orbit in certain prediction error around the nominal orbit

3.1.2

inclination vector

vector which points to the ascending node and which is measured from the vernal equinox

Note 1 to entry: The x and y components of the vector can be expressed as Formulae (1) and (2).

$$i_{x} = \sin i \cos(\Omega) \tag{1}$$


$$i_{v} = \sin i \sin(\Omega) \tag{2}$$

where

- *i* is the magnitude of the inclination vector;
- Ω is the raan in [2000 geocentric equatorial coordinate system (3.1.5);
- i_x is the *x* component of the inclination vector coordinate;
- i_y is the y component of the inclination vector coordinate.

Note 2 to entry: Figure 1 shows the definition of the inclination vector.

ISO/TR 22639:2021(E)



Key

- *i* inclination vector which points to the ascending node
- X direction of vernal equinox

Figure 1 — Inclination vector

3.1.3

eccentricity vector

vector which points to the orbit perigee and which is measured from the vernal equinox

Note 1 to entry: The x and y components of the vector can be expressed as Formulae (3) and (4).

$$e_x = e\cos(\Omega + \omega)$$
 (standards.iteh.ai) (3)


$$\frac{\text{ISO/PRF TR 22639}}{\text{e}_y = e \sin(\Omega + \omega)} \text{ https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-}$$

$$783578d3d14d/\text{iso-prf-tr-22639}$$
(4)

where

- *e* is the magnitude of the eccentricity vector;
- e_x is the *x* component of the eccentricity vector coordinate;
- e_v is the y component of the eccentricity vector coordinate;
- ω is the argument of perigee.

Note 2 to entry: Figure 2 shows the definition of the eccentricity vector.



Key

- $oldsymbol{e}$ eccentricity vector which points to the orbit perigee
- X direction of the vernal equinox

Figure 2 — Eccentricity vector

3.1.4

mean longitude

1

sum of the right ascension of the ascending node, the augment of perigee and the mean anomaly

Note 1 to entry: It can further be interpreted as the approximate right ascension of the near-circular orbits with small inclination.


3.1.5 <u>ISO/PRF TR 22639</u>

J2000 geocentric equatorial coordinate system /sist/3f50f61b-9150-4902-bc5c-coordinate system with origin at the Earth's centre or f-tr-22639

Note 1 to entry: The positive x-axis points in the direction of the mean vernal equinox of Earth at J2000 epoch. The positive z-axis points in the direction of the normal direction of the mean equator at J2000 epoch. The y-axis is orthogonal to both the x-axis and the z-axis and completes a right-handed frame.

Note 2 to entry: J2000 epoch: JD=2451545,0, which is 1 Jan 2000 12:00:00 TDB.

Note 3 to entry: Figure 3 shows this coordinate system.



Key

E earth equator plane

Figure 3 — J2000 geocentric equatorial coordinate system

3.1.6 spacecraft coordinate system of geo spacecraft RTN

coordinate system with origin at the centre of the geo spacecraft's positioned point

Note 1 to entry: The R axis is outward along radial. The N axis points in the direction of the normal direction of J2000 mean equator. The T axis is constructed as $N\times R$.

Note 2 to entry: Figure 4 shows this coordinate system.




Figure 4 — Spacecraft coordinate system of geo spacecraft (RTN) (standards.iteh.ai)

3.2 Abbreviated terms

ISO/PRF TR 22639

E/W east/west https://standards.iteh.ai/catalog/standards/sist/3f50f61b-9150-4902-bc5c-783578d3d14d/iso-prf-tr-22639

geo geostationary earth orbit

raan right ascension of the ascending node (the angle between the vernal equinox and the orbit

ascending node)

OD orbit determination

4 Collocation design process

Design process of a collocation includes considerations, initial collocation strategy design, simulation evaluation of collocation strategy, initial selection of collocation strategy, optimal collocation strategy selection and collocation agreement.

The collocation design process is basically carried out according to the following steps, which are represented in the collocation working flow (see <u>Figure 5</u>).

- a) Delegations of different spacecraft operators with diversity needs hold an orbit safety consultation meeting. Commonly, the operator of spacecraft that has to collocate with other spacecraft that is already located at the position brings forward the consultation meeting, negotiates and organizes the meeting.
- b) In the consultation meeting, each operator presents the operation status, operational issue and then brings forward and confirms the considerations of collocation design.
- c) The initial collocation strategy is designed according to the considerations. Each collocation spacecraft operator selects and proposes the preferred collocation strategy. The collocation

- strategy includes the strategy during mission period and the initial phase strategy to move a spacecraft into position of collocation configuration and the deorbit strategy.
- d) Simulation is carried out to evaluate whether the collocation strategies meet the demanded requirements of all parties.
- e) If the selected initial collocation strategy can't meet the specified requirements, the collocation strategies are reviewed in order to identify what can be improved. If improvements are identified, the collocation strategies are revised and the simulation evaluation step d) is carried out again. Else, the initial design of collocation strategy step c) is carried out again.
- f) If the chosen strategy meets all the specified requirements then the strategy can be confirmed as the decided solution.
- g) Once the optimal strategy is selected then the collocation agreement formalized and signed in accordance with Clause 5.




Figure 5 — Collocation working flow