



SLOVENSKI STANDARD
SIST ETS 300 175-5 E1:2003
01-december-2003

Radijska oprema in sistemi (RES) – Digitalne evropske brezvrvične telekomunikacije (DECT) – Skupni vmesnik – 5. del: Omrežna plast

Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT) Common Interface Part 5: Network layer

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ETS 300 175-5 Edition 1**
SIST ETS 300 175-5 E1:2003
<https://standards.iteh.ai/catalog/standards/sist/60ca1b07-0d7c-4a59-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003>

ICS:

33.070.30	Digitalne izboljšane brezvrvične telekomunikacije (DECT)	Digital Enhanced Cordless Telecommunications (DECT)
35.100.30	Omrežni sloj	Network layer

SIST ETS 300 175-5 E1:2003 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 175-5 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 175-5

October 1992

Source: ETSI TC-RES

Reference: DE/RES 3001-5

ICS: 33.060

Key words: DECT

**Radio Equipment and Systems (RES);
Digital European Cordless Telecommunications (DECT)
Common Interface
Part 5: Network layer**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1992. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 175-5 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003>

Contents

Foreword	13
1 Scope	15
2 Normative references	15
3 Definitions, symbols and abbreviations	19
3.1 Network layer definitions.....	19
3.2 Network layer abbreviations.....	24
4 Overview of the network layer	27
5 Overview of procedures.....	29
5.1 General.....	29
5.2 Overview of Call Control (CC).....	29
5.2.1 General	29
5.2.2 Call establishment	30
5.2.2.1 Call set-up	30
5.2.3 Call connect.....	30
5.2.4 Call information	31
5.2.5 Service change	31
5.2.6 Call release	31
5.3 Overview of supplementary services.....	31
5.3.1 General	31
5.3.2 Keypad protocol.....	32
5.3.3 Feature key management protocol.....	32
5.3.4 Functional protocol.....	32
5.4 Overview of Connection Oriented Message Service (COMS).....	33
5.4.1 General	33
5.4.2 COMS establishment.....	33
5.4.3 Service negotiation	33
5.4.4 COMS connect	33
5.4.5 COMS data transfer.....	34
5.4.6 COMS suspend and resume	34
5.4.7 COMS release	34
5.5 Overview of ConnectionLess Message Service (CLMS).....	34
5.5.1 Fixed length message service.....	34
5.5.2 Variable length message service	35
5.6 Overview of Mobility Management (MM).....	35
5.6.1 General	35
5.6.2 Identity procedures.....	35
5.6.3 Authentication procedures.....	36
5.6.4 Location procedures	36
5.6.5 Access rights procedures.....	36
5.6.6 Key allocation procedure.....	37
5.6.7 Parameter retrieval procedure.....	37
5.6.8 Cipherring related procedure	37
5.7 Overview of Link Control Entity (LCE).....	37
5.7.1 General	37
5.7.2 Data Link Endpoint Identifier (DLEI).....	37
5.7.3 Data link establishment	38
5.7.4 Data link re-establishment.....	38
5.7.5 Data link release	39
5.7.6 Data link suspend and resume.....	39

	5.7.7	Queuing of messages	39
	5.7.8	Request paging	39
6		Message functional definitions	40
	6.1	Overview of message structures	40
	6.1.1	Messages.....	40
	6.1.2	Information elements	40
	6.2	Message summaries	41
	6.2.1	Summary of CC messages.....	41
	6.2.2	Summary of CISS messages.....	41
	6.2.3	Summary of COMS messages	42
	6.2.4	Summary of CLMS messages	42
	6.2.5	Summary of MM messages.....	43
	6.2.6	Summary of LCE messages.....	43
	6.3	S-FORMAT message functional contents	44
	6.3.1	S-FORMAT message overview	44
	6.3.2	CC-messages	45
	6.3.2.1	CC-SETUP	45
	6.3.2.2	CC-INFOrmation.....	47
	6.3.2.3	CC-SETUP-ACKnowledge.....	48
	6.3.2.4	CC-CALL-PROCeeding.....	49
	6.3.2.5	CC-ALERTING	50
	6.3.2.6	CC-CONNECT.....	51
	6.3.2.7	CC-CONNECT-ACKnowledge.....	51
	6.3.2.8	CC-RELEASE	52
	6.3.2.9	CC-RELEASE-COMplete	52
	6.3.2.10	CC-SERVICE-CHANGE	53
	6.3.2.11	CC-SERVICE-ACCEPT	53
	6.3.2.12	CC-SERVICE-REJECT	54
	6.3.2.13	CC-NOTIFY	54
	6.3.2.14	IWU-INFORMATION	54
	6.3.3	Supplementary services messages (call related and call independent).....	55
	6.3.3.1	FACILITY	55
	6.3.3.2	HOLD	55
	6.3.3.3	HOLD-ACKnowledge	56
	6.3.3.4	HOLD-REJECT	56
	6.3.3.5	RETRIEVE	56
	6.3.3.6	RETRIEVE-ACKnowledge	57
	6.3.3.7	RETRIEVE-REJECT	57
	6.3.3.8	CISS-REGISTER.....	57
	6.3.3.9	CISS-RELEASE-COMplete	58
	6.3.4	COMS-messages.....	58
	6.3.4.1	COMS-SETUP	58
	6.3.4.2	COMS-INFORMATION	59
	6.3.4.3	COMS-ACKnowledge	59
	6.3.4.4	COMS-CONNECT	59
	6.3.4.5	COMS-RELEASE	60
	6.3.4.6	COMS-RELEASE-COMplete.....	60
	6.3.5	CLMS-message	61
	6.3.5.1	CLMS-VARIABLE.....	61
	6.3.6	MM-messages	62
	6.3.6.1	ACCESS-RIGHTS-ACCEPT	62
	6.3.6.2	ACCESS-RIGHTS-REJECT.....	62
	6.3.6.3	ACCESS-RIGHTS-REQUEST.....	63
	6.3.6.4	ACCESS-RIGHTS-TERMINATE-ACCEPT	63
	6.3.6.5	ACCESS-RIGHTS-TERMINATE-REJECT.....	63
	6.3.6.6	ACCESS-RIGHTS-TERMINATE-REQUEST.....	64
	6.3.6.7	AUTHentication-REJECT	64
	6.3.6.8	AUTHentication-REPLY	65
	6.3.6.9	AUTHentication-REQUEST	66

	6.3.6.10	CIPHER-REJECT	66
	6.3.6.11	CIPHER-REQUEST	67
	6.3.6.12	CIPHER-SUGGEST	67
	6.3.6.13	DETACH	68
	6.3.6.14	IDENTITY-REPLY	68
	6.3.6.15	IDENTITY-REQUEST	69
	6.3.6.16	KEY-ALLOCATE	69
	6.3.6.17	LOCATE-ACCEPT	70
	6.3.6.18	LOCATE-REJECT	70
	6.3.6.19	LOCATE-REQUEST	71
	6.3.6.20	MM-INFO-ACCEPT	71
	6.3.6.21	MM-INFO-REJECT	72
	6.3.6.22	MM-INFO-REQUEST	72
	6.3.6.23	MM-INFO-SUGGEST	73
	6.3.6.24	TEMPORARY-IDENTITY-ASSIGN	73
	6.3.6.25	TEMPORARY-IDENTITY-ASSIGN-ACKnowledge	74
	6.3.6.26	TEMPORARY-IDENTITY-ASSIGN-REject	74
	6.3.7	LCE-messages	74
	6.3.7.1	LCE-PAGE-RESPONSE	74
	6.3.7.2	LCE-PAGE-REJECT	75
6.4	B-FORMAT	message functional contents	75
	6.4.1	B-FORMAT message overview	75
	6.4.2	LCE-REQUEST-PAGE	76
	6.4.3	CLMS-FIXED	76
7	S-FORMAT	message structures	77
	7.1	Overview	77
	7.2	Protocol Discrimination (PD) element	77
	7.3	Transaction Identifier (TI) element	78
	7.4	Message type element	79
	7.4.1	Messages for Call Control (CC)	79
	7.4.2	Messages for Supplementary Services (SS)	79
	7.4.3	Messages for Connection Oriented Message Service (COMS)	80
	7.4.4	Messages for ConnectionLess Message Service	80
	7.4.5	Messages for Mobility Management (MM)	80
	7.4.6	Messages for Link Control Entity	81
	7.5	Other information elements	81
	7.5.1	Coding rules	81
	7.5.2	Extensions of codesets	83
	7.5.3	Locking shift procedure	83
	7.5.4	Non-locking shift procedure	83
	7.5.5	Display and keypad elements	84
	7.5.6	Repeated elements	84
	7.6	Fixed length information elements	85
	7.6.1	Summary	85
	7.6.2	Sending complete and delimiter request	85
	7.6.3	Repeat indicator	85
	7.6.4	Basic service	86
	7.6.5	Single display	86
	7.6.6	Single keypad	87
	7.6.7	Release reason	87
	7.6.8	Signal	88
	7.6.9	Timer restart	89
	7.6.10	Test hook control	89
	7.7	Variable length information elements	89
	7.7.1	Summary	89
	7.7.2	Allocation type	91
	7.7.3	Alphanumeric	91
	7.7.4	Auth type	92
	7.7.5	Call attributes	94

7.7.6	Call identity	96
7.7.7	Called party number	96
7.7.8	Called party subaddress	97
7.7.9	Calling party number	98
7.7.10	Cipher info	99
7.7.11	Connection attributes	100
7.7.12	Connection identity	102
7.7.13	Duration.....	103
7.7.14	End-to-end compatibility.....	104
7.7.15	Facility.....	107
7.7.16	Feature activate	107
7.7.17	Feature indicate	109
7.7.18	Fixed identity.....	112
7.7.19	Identity type.....	113
7.7.20	Info type	114
7.7.21	InterWorking Unit (IWU) attributes	115
7.7.22	IWU packet.....	118
7.7.23	IWU to IWU	119
7.7.24	Key	121
7.7.25	Location area.....	121
7.7.26	Multi-display.....	122
7.7.27	Multi-keypad	123
7.7.28	NetWorK (NWK) assigned identity	123
7.7.29	Network parameter.....	124
7.7.30	Portable identity	125
7.7.31	Progress indicator	129
7.7.32	Rate parameters	129
7.7.33	Reject reason.....	130
7.7.34	RES	131
7.7.35	RS	132
7.7.36	Segmented info	132
7.7.37	Service change info	133
7.7.38	Service class.....	134
7.7.39	Set-up capability.....	134
7.7.40	Terminal capability.....	135
7.7.41	Transit delay	137
7.7.42	Window size.....	137
7.7.43	ZAP field.....	137
8	B-FORMAT message structures.....	138
8.1	General	138
8.2	LCE request paging messages.....	138
8.2.1	Short format message	139
8.2.2	Long format message	140
8.3	CLMS-FIXED messages.....	141
8.3.1	General message structure	141
8.3.2	Message elements	142
8.3.3	Standard message structures.....	143
8.3.3.1	General.....	143
8.3.3.3	Messages using 8-bit characters.....	144
9	Call Control (CC) procedures	144
9.1	General	144
9.2	Call Control (CC) states.....	147
9.2.1	States at PT	147
9.2.1.1	State T-00: "NULL"	147
9.2.1.2	State T-19: "RELEASE PENDING".....	147
9.2.1.3	State T-10: "ACTIVE"	147
9.2.1.4	State T-01: "CALL INITIATED"	147

	9.2.1.5	State T-02: "OVERLAP SENDING"	147
	9.2.1.6	State T-03: "CALL PROCEEDING"	147
	9.2.1.7	State T-04: "CALL DELIVERED"	147
	9.2.1.8	State T-06: "CALL PRESENT"	147
	9.2.1.9	State T-07: "CALL RECEIVED"	147
	9.2.1.10	State T-08: "CONNECT PENDING"	147
9.2.2	States at FT		147
	9.2.2.1	State F-00: "NULL"	147
	9.2.2.2	State F-19: "RELEASE PENDING"	148
	9.2.2.3	State F-10: "ACTIVE"	148
	9.2.2.4	State F-01: "CALL-INITIATED"	148
	9.2.2.5	State F-02: "OVERLAP SENDING"	148
	9.2.2.6	State F-03: "CALL PROCEEDING"	148
	9.2.2.7	State F-04: "CALL DELIVERED"	148
	9.2.2.8	State F-06: "CALL PRESENT"	148
	9.2.2.9	State F-07: "CALL RECEIVED"	148
9.2.3	Optional states (PT and FT)		148
	9.2.3.1	States T-22 and F-22: "OVERLAP RECEIVING"	148
	9.2.3.2	States T-23 and F-23: "INCOMING CALL PROCEEDING"	148
9.3	Call establishment procedures		149
9.3.1	PT initiated call establishment (outgoing call)		149
	9.3.1.1	Call request	149
	9.3.1.2	Call accept or reject	150
	9.3.1.3	Selection of lower layer resources	150
	9.3.1.4	Connection of U-plane	151
	9.3.1.5	Overlap sending	151
	9.3.1.6	Call proceeding	152
	9.3.1.7	Call confirmation	153
	9.3.1.8	Call connection	153
	9.3.1.9	Expiry of timer <CC.04>	153
9.3.2	FT initiated call establishment (incoming call)		153
	9.3.2.1	Call request	153
	9.3.2.2	Call accept or reject	154
	9.3.2.3	Selection of lower layer resources	155
	9.3.2.4	Connection of U-plane	155
	9.3.2.5	Overlap receiving	155
	9.3.2.6	Call proceeding	155
	9.3.2.7	Call confirmation	156
	9.3.2.8	Call connection	156
	9.3.2.9	Sending of <<TERMINAL-CAPABILITIES>>	156
	9.3.2.10	Expiry of timer <CC.04>	156
9.4	Call information procedures		156
9.5	Call release procedures		157
	9.5.1	Normal call release	157
	9.5.2	Abnormal call release	157
	9.5.3	Release collisions	158
9.6	Service change procedures		158
	9.6.1	General	158
	9.6.2	Bandwidth changes (including reversals)	159
	9.6.3	Service rerouting	159
	9.6.4	Service suspension and resumption	159
9.7	Packet mode procedures		159
	9.7.1	General	159
	9.7.2	PT initiated access	160
	9.7.3	FT initiated access	160
	9.7.4	Packet mode suspend and resume	160
	9.7.4.1	General	160
	9.7.4.2	C-plane suspend and resume	161
	9.7.4.3	U-plane suspend and resume	161

10	Supplementary Services procedures	161
10.1	General	161
10.2	Keypad protocol.....	162
10.3	Feature key management protocol.....	162
10.4	Functional protocol	163
10.4.1	Separate messages category.....	163
10.4.1.1	Hold procedures	163
10.4.1.2	Retrieve procedures.....	163
10.4.1.3	Auxiliary states for hold and retrieve.....	164
10.4.2	Common information element category.....	164
10.4.2.1	Call related procedures	164
10.4.2.2	Call independent procedures.....	164
10.5	Co-existence of multiple protocols	164
10.6	Application protocols	165
10.6.1	DECT standard functional supplementary services	165
10.6.2	DECT specific supplementary services.....	166
10.6.2.1	Queue management.....	166
10.6.2.2	Indication of subscriber number.....	166
10.6.2.3	Control of echo control functions	167
10.6.2.4	Cost information	167
11	Connection Oriented Message Service (COMS)	168
11.1	General	168
11.2	COMS states.....	168
11.2.1	States at PT	168
11.2.1.1	State TS-0: "NULL"	168
11.2.1.2	State TS-1: "CONNECT PENDING"	168
11.2.1.3	State TS-2: "RELEASE PENDING"	168
11.2.1.4	State TS-3: "ACTIVE"	168
11.2.2	States at FT.....	168
11.2.2.1	State FS-0: NULL	168
11.2.2.2	State FS-1: "CONNECT PENDING"	168
11.2.2.3	State FS-2: "RELEASE PENDING"	168
11.2.2.4	State FS-3: "ACTIVE"	169
11.3	COMS establishment procedures	169
11.3.1	PT initiated COMS establishment.....	169
11.3.1.1	COMS request	169
11.3.1.2	COMS connection.....	169
11.3.2	FT initiated COMS establishment.....	170
11.3.2.1	COMS request	170
11.3.2.2	COMS connection.....	170
11.4	COMS data transfer procedures	170
11.4.1	Procedure at the sending side	170
11.4.2	Procedure at the receiving side.....	171
11.5	COMS suspend and resume procedures.....	172
11.6	COMS release procedures	172
11.6.1	Normal COMS release.....	172
11.6.2	Release collisions.....	172
12	ConnectionLess Message Service (CLMS)	173
12.1	General	173
12.2	CLMS states.....	173
12.3	CLMS message transmission procedures.....	173
12.3.1	Fixed length messages	173
12.3.1.1	Procedure in the Fixed radio Termination (FT).....	173
12.3.1.2	Procedure in the Portable radio Termination (PT)	174
12.3.2	Variable length messages	174
12.3.2.1	Procedure at the sending side.....	174
12.3.2.2	Procedure at the receiving side.....	174
12.3.2.3	Restrictions for portable side initiated messages.....	175

13	Mobility Management (MM) procedures	175
13.1	General	175
13.2	Identity procedures	176
13.2.1	Procedure for identification of PT	176
13.2.2	Procedure for temporary identity assignment	176
13.3	Authentication procedures	178
13.3.1	Authentication of a PT	178
13.3.2	Authentication of the user	179
13.3.3	Authentication of a FT	180
13.4	Location procedures	181
13.4.1	Location registration	181
13.4.2	Detach	182
13.4.3	Location update	182
13.5	Access rights procedure	183
13.5.1	Obtaining the access rights	183
13.5.2	Termination of access rights	184
13.6	Key allocation procedure	185
13.7	Parameter retrieval procedure	186
13.8	Cipherring related procedure	188
14	Link Control Entity (LCE) procedures	190
14.1	General	190
14.2	Connection oriented link control procedures	191
14.2.1	Link establishment	191
14.2.2	Direct PT initiated link establishment	192
14.2.3	Indirect (paged) FT initiated link establishment	192
14.2.4	Direct FT initiated link establishment (optional)	194
14.2.5	Link maintenance	194
14.2.6	Link suspend and resume	194
14.2.6.1	Link suspend	195
14.2.6.2	Link resume	195
14.2.7	Link release	195
14.3	Connectionless link control procedures	196
14.3.1	Message routing	196
14.3.2	Broadcast announce procedure	197
15	Management procedures	197
15.1	Lower Layer Management Entity (LLME)	197
15.2	Service mapping and negotiation	198
15.2.1	General	198
15.2.2	Prioritised list negotiation	198
15.2.3	Exchanged attribute negotiation	198
15.2.4	Operating parameter negotiation	199
15.3	Service modification procedures	199
15.4	Resource management	199
15.5	Management of MM procedures	199
15.6	Call cipherring management	200
15.7	External handover management	201
15.7.1	General	201
15.7.2	External handover procedure	201
15.8	Test management procedures	202
15.8.1	Test call back procedure	202
15.8.2	Test hook control procedures	202
15.8.3	Upper tester procedure	203
16	Primitives	203
16.1	Primitive types	203
16.2	Primitives to lower layer (DLC layer)	204
16.3	Primitives to higher entity (IWU)	204
16.3.1	Parameter definitions	204

16.3.2	MNCC primitives.....	204
16.3.2.1	MNCC-SETUP primitive.....	205
16.3.2.2	MNCC-SETUP-ACK primitive.....	205
16.3.2.3	MNCC-REJECT primitive.....	206
16.3.2.4	MNCC-CALL-PROC primitive.....	206
16.3.2.5	MNCC-ALERT primitive.....	206
16.3.2.6	MNCC-CONNECT primitive.....	207
16.3.2.7	MNCC-RELEASE primitive.....	207
16.3.2.8	MNCC-FACILITY primitive.....	207
16.3.2.9	MNCC-INFO primitive.....	208
16.3.2.10	MNCC-MODIFY primitive.....	208
16.3.2.11	MNCC-HOLD primitive.....	208
16.3.2.12	MNCC-RETRIEVE primitive.....	209
16.3.2.13	MNCC-IWU-INFO primitive.....	209
16.3.3	MNSS primitives.....	209
16.3.3.1	MNSS-SETUP primitive.....	209
16.3.3.2	MNSS-FACILITY primitive.....	210
16.3.3.3	MNSS-RELEASE primitive.....	210
16.3.4	MNCO primitives.....	210
16.3.4.1	MNCO-SETUP primitive.....	210
16.3.4.2	MNCO-CONNECT primitive.....	211
16.3.4.3	MNCO-INFO primitive.....	211
16.3.4.4	MNCO-ACK primitive.....	211
16.3.4.5	MNCO-RELEASE primitive.....	211
16.3.5	MNCL primitives.....	211
16.3.5.1	MNCL-UNITDATA primitive.....	212
16.3.6	MM primitives.....	212
16.3.6.1	MM-IDENTITY primitive.....	212
16.3.6.2	MM-IDENTITY-ASSIGN primitive.....	213
16.3.6.3	MM-AUTHENTICATE primitive.....	213
16.3.6.4	MM-LOCATE primitive.....	213
16.3.6.5	MM-DETACH primitive.....	214
16.3.6.6	MM-ACCESS-RIGHTS primitive.....	214
16.3.6.7	MM-ACCESS-RIGHTS-TERMINATE primitive.....	214
16.3.6.8	MM-KEY-ALLOCATE primitive.....	215
16.3.6.9	MM-INFO primitive.....	215
16.3.6.10	MM-CIPHER primitive.....	215
17	Handling of error and exception conditions.....	215
17.1	Protocol discrimination error.....	216
17.2	Message too short.....	216
17.3	Transaction identifier error.....	216
17.3.1	Unsupported transaction identifier format.....	216
17.3.2	Transaction identifier procedural errors.....	216
17.3.2.1	Unknown active CC call.....	216
17.3.2.2	Unknown active CISS call.....	216
17.3.2.3	Unknown active COMS-call.....	217
17.3.2.4	Unknown active CLMS call.....	217
17.3.2.5	Unknown active MM transaction.....	217
17.4	Message type or message sequence errors.....	217
17.4.1	CC message error.....	217
17.4.2	CISS message error.....	217
17.4.3	COMS or CLMS message error.....	217
17.4.4	MM message error.....	217
17.5	General information element errors.....	217
17.5.1	Information element out of sequence.....	218
17.6	Mandatory information element errors.....	218
17.6.1	Mandatory information element missing in CC messages.....	218
17.6.2	Mandatory information element content error in CC messages.....	218
17.6.3	Mandatory information element error in COMS or CLMS messages.....	219

17.6.4	Mandatory information element error in MM messages	219
17.7	Non-mandatory information element errors	219
17.7.1	Unrecognised information element	219
17.7.2	Non-mandatory information element content error	219
17.8	Data link reset	220
17.9	Data link failure	220
Annex A (normative): System parameters		221
A.1	CC timers	221
A.2	SS timers	221
A.3	COMS timers	221
A.4	CLMS timer	222
A.5	MM timers	222
A.6	LCE timers	223
A.7	Network layer constants	223
Annex B (normative): CC state transition tables		224
B.1	CC state transitions at PT side	224
B.1.1	CC state table at PT side	224
B.1.2	CC transition procedures at PT side	225
B.2	CC state transitions at FT side	226
B.2.1	CC state table at FT side	226
B.2.2	CC transition procedures at FT side	227
Annex C (informative): DLC states as viewed by the LCE		229
Annex D (normative): DECT standard character sets		230
D.1	General	230
D.2	DECT standard 8-bit characters	230
D.2.1	General	230
D.2.2	Control codes	231
D.2.3	Standard IA5 codes	231
D.2.4	Extended codes	231
D.2.5	Escape to alternative character sets	231
D.3	DECT standard 4-bit characters	232
Annex E (normative): Default coding of <<IWU-ATTRIBUTES>> and <<CALL-ATTRIBUTES>> information elements		233
Annex F (normative): Broadcast attributes coding		234
Annex G (normative): Use of <<IWU-PACKET>> and <<IWU-TO-IWU>> information elements		235
G.1	General	235
G.2	Sending of <<IWU-PACKET>> elements	235
G.2.1	CC and MM use of <<IWU-PACKET>>	235
G.2.2	COMS and CLMS use of <<IWU-PACKET>>	235

G.2.3	Rejection of <<IWU-PACKET>> elements.....	235
G.3	Use of <<IWU-TO-IWU>> elements.....	235
G.3.1	Sending of <<IWU-TO-IWU>> elements	235
G.3.2	Rejection of <<IWU-TO-IWU>> elements.....	235
History	237

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 175-5 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI), and was adopted, having passed through the ETSI standards approval procedure (Public Enquiry 23: 1991-09-02 to 1991-12-27, Vote 22: 1992-05-25 to 1992-07-17).

Annex C to this ETS is informative, and Annexes A, B, D, E, and F are normative.

Further details of the DECT system may be found in the ETSI Technical Reports, ETR 015 [16], and ETR 043 [15], and also in the draft ETSI Technical Report: "Digital European Cordless Telecommunications system description document" [17].

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 175-5 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b0eafb07-0d7c-4a39-8eb2-10c17b1ba942/sist-ets-300-175-5-e1-2003>