

ICS:

## SLOVENSKI STANDARD SIST EN 61340-4-6:2015/oprA1:2022

01-marec-2022

## Elektrostatika - 4-6. del: Standardne preskusne metode za posebne aplikacije - Zapestni trakovi - Dopolnilo A1

Electrostatics - Part 4-6: Standard test methods for specific applications - Wrist straps

Elektrostatik - Teil 4-6: Standard-Prüfverfahren für spezielle Anwendungen -Handgelenkerdungsbänder

### PREVIEW

Électrostatique - Partie 4-6: Méthodes d'essai normalisées pour des applications spécifiques - Bracelets de conduction dissipative.iteh.ai

#### Ta slovenski standard je istoveten z:340-4EN261340-4-6:2015/prA1:2022

https://standards.iteh.ai/catalog/standards/sist/e5adf4cc-

37ad-40b4-8356-48bdf8c2d0dd/sist-en-61340-4-6-

2015-opra1-2022

17.220.99	Drugi standardi v zvezi z	Other standards related to
	elektriko in magnetizmom	electricity and magnetism

SIST EN 61340-4-6:2015/oprA1:2022 en

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61340-4-6:2015/oprA1:2022</u> https://standards.iteh.ai/catalog/standards/sist/e5adf4cc-37ad-40b4-8356-48bdf8c2d0dd/sist-en-61340-4-6-2015-opra1-2022



## 101/645/CDV

#### COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:	
IEC 61340-4-6/AMD1 ED2	
DATE OF CIRCULATION:	CLOSING DATE FOR VOTING:
2021-12-31	2022-03-25
SUPERSEDES DOCUMENTS:	
101/628/CD, 101/634A/CC	

IEC TC 101 : ELECTROSTATICS				
SECRETARIAT:	SECRETARY:			
Germany	Mr Hartmut Berndt			
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD:			
iTeh STA	Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.			
FUNCTIONS CONCERNED:				
	NOT SUBMITTED FOR CENELEC PARALLEL VOTING			
Attention IEC-CENELEC parallel voting				
The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. 37ad-40b4-8356-48bdf8c	og/standards/sist/e5adf4cc-			
The CENELEC members are invited to vote through the CENELEC online voting system.	a1-2022			

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Amendment 1 - Electrostatics - Part 4-6: Standard test methods for specific applications - Wrist straps

PROPOSED STABILITY DATE: 2027

NOTE FROM TC/SC OFFICERS:

**Copyright** © **2021 International Electrotechnical Commission**, **IEC**. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

1

### CONTENTS

2	FOREWO	)RD	. 4
3	INTRODU	JCTION	. 6
4	1 Scop	De	. 7
5	2 Term	ns and definitions	. 7
6		ing levels and performance limits	
7		methods	
, 8	4.1	Test method applications	
o 9	4.1	Wrist strap continuity and resistance test	
9 10	4.2.1		
10	4.2.2		
12	4.2.3		
13	4.2.4		
14	4.3	Band resistance test	
15	4.3.1		
16	4.3.2		
17	4.3.3		
18	4.3.4		
19	4.3.5		12
20	4.4	Band size requirements	12
20	4.4.1	Band size requirements	12
22	4.4.2		
23	4.4.3		12
23 24	4.4.4		
24 25	4.5	Breakaway force	
26	4.5.1		
20	4.5.2		
28	4.6	Connection integrity	
29	4.6.1	*	
30	4.6.2		
31	4.6.3		
32	4.6.4		
33	4.7	Ground cord extendibility	
34	4.7.1	-	
35	4.7.2		
36	4.8	Bending life test	
37	4.8.1		
38	4.8.2		
39	4.8.3		
40	4.8.4		
41	4.9	Manufacturer's identification	
42	4.10	Identification of non-standard resistance value	
43	4.11	Wrist strap resistance	
44	4.11	•	
45	4.11		
46	4.11		
47	4.11		
48	4.12	Wrist strap system continuity test	
			-

### SIST EN 61340-4-6:2015/oprA1:2022

49	4.12.1	Purpose of test	. 16
50	4.12.2	Equipment	. 17
51	4.12.3	Procedure with ohmmeter	. 18
52	4.12.4	Procedure with integrated checker	. 18
53	4.12.5	Reporting	. 18
54	Bibliography		. 19
55			
56	Figure 1 – Wri	ist strap resistance test apparatus	. 11
57	Figure 2 – Me	chanical ground cord flex tester (example)	. 15
58	Figure 3 – Wri	ist strap system resistance test	. 18
59			
60	Table 1 – Eva	luation testing	9
61	Table 2 – Acc	eptance testing	9
62	Table 3 – Peri	odic or verification testing	9
63			

64

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61340-4-6:2015/oprA1:2022</u> https://standards.iteh.ai/catalog/standards/sist/e5adf4cc-37ad-40b4-8356-48bdf8c2d0dd/sist-en-61340-4-6-2015-opra1-2022 SIST EN 61340-4-6:2015/oprA1:2022

65		INTERNATIONAL ELECTROTECHNICAL COMMISSION
66		
67		
68		ELECTROSTATICS –
69		Davit 4. C. Otan david to stand the day for an existin
70		Part 4-6: Standard test methods for specific applications – Wrist straps
71 72		applications – whist straps
73		AMENDMENT 1
74 75		FOREWORD
76 77 78 79 80 81 82 83 84	1)	The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co- operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
85 86 87	2)	The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
88 89 90	3)	IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
91 92 93	4)	In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
94 95 96	5)	IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity IEC is not responsible for any services carried out by independent certification bodies.
97	6)	All users should ensure that they have the latest edition of this publication.
98 99 100 101	7)	No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
102 103	8)	Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
104 105	9)	Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.
106	Ar	nendment 1 to IEC 61340-4-6 has been prepared by IEC technical committee 101: Electrostatics.
107 108		is second edition cancels and replaces the first edition published in 2010. This edition constitutes a chnical revision.
109	Tł	is edition includes the following significant technical changes with respect to the previous edition:
110 111	a)	editorial comments made during the review of the first edition were reviewed and incorporated where appropriate;
112 113	b)	several changes were made to update the Figures and improve the presentation of metric measurements (Imperial measurements have been removed);
114	c)	the option of using an integrated checker for wrist strap system continuity testing has been added;
115 116	d)	the evaluation and acceptance limit for wrist strap resistance has been changed so as to harmonize with IEC 61340-5-1.

117 The text of this Amendment is based on the following documents:

FDIS	Report on voting
101/xxx/FDIS	101/xxx/RVD

118

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

121 The language used for the development of this Amendment is English.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2 and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <u>www.iec.ch/members experts/refdocs</u>. The main document types developed by IEC are described in greater detail at <u>www.iec.ch/standardsdev/publications/</u>.

A list of all parts in the IEC 61340 series, under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under <u>webstore.iec.ch</u> in the data related to the specific publication. At this date, the publication will be

- 131 reconfirmed,
- 132 withdrawn,
- 133 replaced by a revised edition, or
- 134 amended.
- 135

136

(standards.iteh.ai)

iTeh STANDARD

PREVIEW

<u>SIST EN 61340-4-6:2015/oprA1:2022</u> https://standards.iteh.ai/catalog/standards/sist/e5adf4cc-37ad-40b4-8356-48bdf8c2d0dd/sist-en-61340-4-6-2015-opra1-2022 137

#### INTRODUCTION

This part of IEC 61340 has been developed to establish test methods for evaluating the electrical and mechanical attributes of wrist straps used in an electrostatic control program. Wrist straps are intended to connect the user to electrical ground, thus preventing electrostatic charge on a user's body from attaining a level that may damage ESD susceptible devices or assemblies.

142 Test methods and performance limits for evaluation, acceptance, and functional testing are provided.

143

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61340-4-6:2015/oprA1:2022 https://standards.iteh.ai/catalog/standards/sist/e5adf4cc-37ad-40b4-8356-48bdf8c2d0dd/sist-en-61340-4-6-2015-opra1-2022

144	ELECTROSTATICS –
145 146	Part 4-6: Standard test methods for specific
147	applications – Wrist straps
148	
149	
150	
151	1 Scope
152 153	This part of IEC 61340 provides electrical and mechanical test methods and performance limits for evaluation, acceptance and periodic verification testing of wrist straps.
154	NOTE All dimensions are nominal except where indicated.
155 156	This standard is intended for testing wrist straps and wrist strap systems used for the grounding of personnel engaged in working with ESD sensitive assemblies and devices.
157	It does not address constant monitoring systems.
158	2 Terms and definitions
159	For the purposes of this document, the following terms and definitions apply.
160	2.1 <b>PREVIEW</b>
161	wrist strap
162 163	assembled device consisting of a band and ground cord that is designed to provide electrical connection from a person's skin to ground
164	<b>2.2</b> SIST EN 61340-4-6:2015/oprA1:2022
165	
166 167	wrist strap system wrist strap when properly worn by a person, where the electrical path includes the person, the band and the ground cord 37ad-40b4-8356-48bdf8c2d0dd/sist-en-61340-4-6- 2015-opra1-2022
168	2.3
169	band
170	portion of the wrist strap worn on the wrist
171	Note 1 to entry: The band maintains electrical contact with a person's skin.
172	2.4
173 174	ground cord portion of the wrist strap that provides flexibility of movement while completing the electrical circuit
174	between the band and ground
176	2.5
177	evaluation testing
178	testing of a wrist strap to determine its electrical and mechanical performance abilities
179	Note 1 to entry: Data are in the form of values from laboratory testing.
180	2.6
181 182	acceptance testing incoming tests to confirm proper marking and electrical functionality
183	Note 1 to entry: Data are in the form of visual inspection records and values or pass/fail notation.
100	

#### 184 **2.7**

- 185 periodic verification testing
- 186 end-use testing to confirm electrical functionality
- 187 Note 1 to entry: Data are in the form of pass/fail notation or resistance values.

#### 188 **2.8**

#### 189 current-limiting resistance

resistance value incorporated in series with the wrist strap's electrical path to ground

191 Note 1 to entry: This resistance limits electrical current that could pass through the ground cord in the event of inadvertent 192 user contact with an electrical potential.

#### 193 **2.9**

#### 194 resistance range

user-specified upper and lower resistance values which define the user-acceptable resistance valuesof a wrist strap or wrist strap system

#### 197 **2.10**

#### 198 strain relief

199 construction feature designed to protect the connections and cord from premature failure

200 **2.11** 

- 201 breakaway force
- 202 force required to disconnect the ground cord from the band ARD

### **3 Testing levels and performance limits**

This standard specifies different types of testing for wrist straps, Tables 1, 2 and 3 detail the three 204 types of testing with the associated limits and subclause references to test methods. The methods 205 provide appropriate tests for the different levels of wrist strap examination. Evaluation tests are 206 laboratory tests for measuring the performance of a wrist strap or for the comparison of wrist straps. 207 Acceptance tests provide methods for incoming goods inspection. Finally, the periodic verification or 208 functional test is a simple check of electrical continuity. This test shall be used on a regular, user 209 defined basis, to ensure that the Wrist strap 4s electrically functional 3 Testing-shall be carried out under 210 ambient laboratory conditions. The temperature and humidity at the time of testing shall be recorded 211 and reported in the test report. In the case of any dispute regarding test values, conditioning and 212 213 testing shall be done at  $(23 \pm 2)$  °C and  $(12 \pm 3)$  % RH.

214 NOTE Testing has shown that environmental conditions do not significantly affect test results.

-9-

215

#### Table 1 – Evaluation testing

Electrical	Limit	Test reference	
Wrist strap continuity and resistance	$< 5~\text{M}\Omega$ , or user defined value	4.2	
Band resistance Interior:	$\leq$ 100 k $\Omega$ or user defined value	1.0	
Exterior:	> 10 MΩ	4.3	
Mechanical	Limit	Test reference	
Band size	As defined in 4.4	4.4	
Breakaway force	> 4,4 N and < 22,6 N	4.5	
Cord and connector integrity	> 22,6 N and > 66 % of cord strength	4.6	
Ground cord extendibility	Extension to manufacturer's specified length with no loss of electrical continuity	4.7	
Bending life	≥ 16 000 cycles	4.8	
Marking	Limit	Test reference	
Manufacturer's identification	Logo and/or name	4.9	
Identification of non-standard resistance value	Prominent feature or value marked	4.10	

216 217

# Table 2 – Acceptance testing

Electrical		Limit	Test reference
Wrist strap resistance	(stand	< 5 MΩ, or user defined value	4.11
Marking	SIST FN 6	1340-4-6:2015/oprA 12022	Test reference
Manufacturer's identification	//standards.ite	Logo and/or name	4.9
Identification of non-standard F	Resistance356-	48bd1Brominent feature or value marked	4.10
	2	:015-opra1-2022	

218 219

#### Table 3 – Periodic or verification testing

Electrical	Limit	Test reference	
Wrist strap system continuity (as worn)	$\leq$ 35 $M\Omega,$ or user defined value^ a	4.12	
<sup>a</sup> A user defined lower limit of resistance might be required for safety or other considerations.			

220 Note: Discrete current-limiting resistors should be located near the connection between the ground cord and the band

#### **4 Test methods**

#### **4.1 Test method applications**

Refer to Tables 1, 2 and 3 for test method applications.

WARNING: Test procedures described in this standard can expose personnel to potentially hazardous electrical conditions. Appropriate electrical hazard reduction practices should be exercised and proper earth grounding instructions for the equipment used should be followed when performing tests. Safety requirements for electrical equipment for measurements are given in IEC 61010-1 and IEC 61010-2-030.