



SLOVENSKI STANDARD
oSIST prEN IEC 60794-1-310:2021
01-december-2021

Optični kabli - Osnovni preskusni postopki za optične kable - 310. del: Preskusne metode za kabske elemente - Odstranljivost, metode G10

Optical fibre cables - Basic optical cable test procedures - Part 310: Cable element test methods - Strippability, Methods G10

iTeh STANDARD PREVIEW

Câbles à fibres optiques - Procédures fondamentales d'essai des câbles optiques - Partie 310: Méthodes d'essai des éléments de câbles - Dénudabilité, Méthodes G10

oSIST prEN IEC 60794-1-310:2021

Ta slovenski standard je istoveten z: prEN IEC 60794-1-310:2021

<https://standards.iteh.ai/catalog/standards/sist/5461e527-4527-4928-875e9fcae7f5/osist-pr-en-iec-60794-1-310-2021>

ICS:

33.180.10 (Optična) vlakna in kabli Fibres and cables

oSIST prEN IEC 60794-1-310:2021 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN IEC 60794-1-310:2021](#)

<https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pren-iec-60794-1-310-2021>



86A/2136/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:
IEC 60794-1-310 ED1

DATE OF CIRCULATION:
2021-10-22

CLOSING DATE FOR VOTING:
2022-01-14

SUPERSEDES DOCUMENTS:
86A/2095/CD, 86A/2133/CC

| | |
|--|---|
| IEC SC 86A : FIBRES AND CABLES | |
| SECRETARIAT: France | SECRETARY: Mr Laurent Gasca |
| OF INTEREST TO THE FOLLOWING COMMITTEES: | PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary. |
| FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY | |
| <input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING | <input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING |
| <p>Attention IEC-CENELEC parallel voting</p> <p>The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.</p> | |

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Optical fibre cables - Basic optical cable test procedures- Part 310: Cable element test methods- Strippability, Methods G10

PROPOSED STABILITY DATE: 2024

NOTE FROM TC/SC OFFICERS:

CONTENTS

| | | |
|----|---|----|
| 1 | | |
| 2 | | |
| 3 | FOREWORD..... | 3 |
| 4 | INTRODUCTION..... | 5 |
| 5 | 1 Scope..... | 6 |
| 6 | 2 Normative references | 6 |
| 7 | 3 Terms and definitions | 6 |
| 8 | 4 General requirements | 6 |
| 9 | 5 Method G10A: Stripping force stability of cabled optical fibres | 7 |
| 10 | 5.1 Object..... | 7 |
| 11 | 5.2 Sample | 7 |
| 12 | 5.2.1 Sample length..... | 7 |
| 13 | 5.2.2 Sample preparation..... | 7 |
| 14 | 5.3 Apparatus | 7 |
| 15 | 5.4 Procedure..... | 7 |
| 16 | 5.5 Requirements..... | 7 |
| 17 | 5.6 Details to be specified | 7 |
| 18 | 6 Method G10B: Strippability of optical fibre ribbons..... | 7 |
| 19 | 6.1 Object..... | 7 |
| 20 | 6.2 Sample | 8 |
| 21 | 6.3 Apparatus | 8 |
| 22 | 6.3.1 General | 8 |
| 23 | 6.3.2 Stripping tool | 8 |
| 24 | 6.3.3 Motor and slide (if used)..... | 8 |
| 25 | 6.4 Positioning and holding equipment | 8 |
| 26 | 6.5 Alcohol wipe | 8 |
| 27 | 6.6 Procedure | 9 |
| 28 | 6.7 Requirements..... | 9 |
| 29 | 6.8 Details to be specified | 9 |
| 30 | 7 Method G10C: Strippability of buffered optical fibres | 9 |
| 31 | 7.1 Object..... | 9 |
| 32 | 7.2 Sample | 10 |
| 33 | 7.3 Apparatus | 10 |
| 34 | 7.4 Procedure | 10 |
| 35 | 7.5 Requirements..... | 10 |
| 36 | 7.6 Details to be specified | 10 |
| 37 | Bibliography | 11 |
| 38 | | |
| 39 | Table 1 Condition of stripped samples..... | 9 |
| 40 | | |
| 41 | | |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

oSIST prEN IEC 60794-1-310:2021

[https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-](https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pr-en-iec-60794-1-310-2021)

[875e9fcae7f5/osist-pr-en-iec-60794-1-310-2021](https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pr-en-iec-60794-1-310-2021)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES-

Basic optical cable test procedures- Part 310: Cable element test methods- Strippability, Methods G10

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60794-1-310 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This first edition of IEC 60794-1-310 cancels and replaces Method G10A, G10B, and G10C of the second edition of IEC 60794-1-23:2019, which is withdrawn. It includes an editorial revision, based on the new structure and numbering system for optical fibre test methods. There are no specific technical changes with respect to the previous edition.

The optical cable element test methods contained in IEC 60794-1-23: 2019 will now be individually numbered in the IEC 60794-1-3xx series. Each test method is now considered to be an individual document rather than part of a multi-test method compendium. Full cross-reference details are given in IEC 60794-1-2.

The text of this is based on the following documents:

| | |
|------------|------------------|
| Draft | Report on voting |
| XX/XX/FDIS | XX/XX/RVD |

- 95
96 Full information on the voting for its approval can be found in the report on voting indicated in
97 the above table.
- 98 The language used for the development of this [...an International Standard, a Technical
99 Specification: specify document type...] is **English [change language if necessary]**.
- 100 This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in
101 accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available
102 at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are
103 described in greater detail at www.iec.ch/standardsdev/publications.
- 104 The committee has decided that the contents of this document will remain unchanged until the
105 stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to
106 the specific document. At this date, the document will be
- 107 • reconfirmed,
 - 108 • withdrawn,
 - 109 • replaced by a revised edition, or
 - 110 • amended.
- 111

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN IEC 60794-1-310:2021](https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pren-iec-60794-1-310-2021)

<https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pren-iec-60794-1-310-2021>

112

INTRODUCTION

113 The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed
114 that compliance with this document may involve the use of a patent. IEC takes no position
115 concerning the evidence, validity, and scope of this patent right.

116 The holder of this patent right has assured IEC that s/he is willing to negotiate licences under
117 reasonable and non-discriminatory terms and conditions with applicants throughout the world.
118 In this respect, the statement of the holder of this patent right is registered with IEC. Information
119 may be obtained from the patent database available at <http://patents.iec.ch>.

120 Attention is drawn to the possibility that some of the elements of this document may be the
121 subject of patent rights other than those in the patent database. IEC shall not be held
122 responsible for identifying any or all such patent rights.

123

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN IEC 60794-1-310:2021](https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pren-iec-60794-1-310-2021)

<https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e9fcae7f5/osist-pren-iec-60794-1-310-2021>

124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161

OPTICAL FIBRE CABLES-

Basic optical cable test procedures- Part 310: Cable element test methods- Strippability, Method G10

1 Scope

This part of IEC 60794 describes test procedures to be used in establishing uniform requirements of optical fibre cable elements for the mechanical property- strippability.

This document applies to optical fibre cables for use with telecommunication equipment and devices employing similar techniques, and to cables having a combination of both optical fibres and electrical conductors.

Throughout the document, the wording "optical cable" can also include optical fibre units, microduct fibre units, etc.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance* [oSIST prEN IEC 60794-1-310:2021](https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875691ca6715/osist-prEN-iec-60794-1-310-2021)

IEC 60793-1-32:2018, *Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability* <https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875691ca6715/osist-prEN-iec-60794-1-310-2021>

IEC 60794-1-22:2017, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 General requirements

IEC 60794-1-2 is the reference guide to test methods of all types. It shall be considered for general requirements and definitions.

162 5 Method G10A: Stripping force stability of cabled optical fibres

163 5.1 Object

164 This test determines the stability of the stripping force of the coating of cabled optical fibres by
165 measuring the change in fibre strippability after exposure to specified environmental conditions.

166 NOTE This method is known as method G10A in IEC 60794-1-23:2019.

167 5.2 Sample

168 5.2.1 Sample length

169 The length of the cable or fibre sample shall be sufficient to carry out the specified test.

170 5.2.2 Sample preparation

171 The cable from which the fibres shall be extracted is preconditioned, as specified in the relevant
172 detail specification, prior to withdrawal of the fibres.

173 The test shall be carried out on a fibre/fibres taken from the cable sample which is further
174 divided into two lengths (minimum 2 m). One length is for testing and the other, the reference
175 fibre, shall be used to compare the results.

176 Sufficient samples shall be provided to allow tests to be carried out on 10 test pieces of fibre,
177 conditioned as specified in the relevant detail specification, and compared with test results for
178 fibres taken from the reference cable length.

179 After withdrawal, any filling compound adhering to the fibres shall be carefully removed (e.g. by
180 wiping with a soft tissue).

181 5.3 Apparatus

182 The apparatus consists of conditioning equipment (if necessary) and a fibre strippability
183 apparatus (according to the strippability test method of IEC 60793-1-32:2018).

184 5.4 Procedure

185 The optical fibre strippability shall be measured on the environmentally conditioned samples
186 using the strippability method of IEC 60793-1-32:2018, after the recovery time and
187 reconditioning as given in the relevant detail specification. The same method shall be used to
188 measure the strippability of fibre samples taken from the reference cable length, and the change
189 in stripping force shall be determined from a comparison of the results.

190 Alternatively, samples may be taken from cable aged according to method F9 of
191 IEC 60794-1-22:2017.

192 5.5 Requirements

193 The change in stripping force shall meet the requirements specified in the relevant detail
194 specification.

195 5.6 Details to be specified

196 The relevant detail specification shall include the following:

- 197 a) cable preconditioning;
- 198 b) fibre conditioning;
- 199 c) recovery time and reconditioning;
- 200 d) permissible change in stripping force.

201 6 Method G10B: Strippability of optical fibre ribbons

202 6.1 Object

203 The purpose of this test is to evaluate the strippability of optical fibre ribbons and the effect of
204 stripping on the sample when checked for fibre cleanliness and possible fibre breakage."

205 NOTE This method is known as method G10B in IEC 60794-1-23:2019.

206 **6.2 Sample**

207 The test sample shall be representative of the type/design of ribbon under evaluation.

208 Samples may be taken sequentially along a length of ribbon, but sections of the ribbon
209 previously in the grips of the stripping tool shall be excluded.

210 The length of the sample shall be sufficient to allow the matrix and fibre coatings to be removed
211 over a minimum length of 25 mm with a maximum of ten and a minimum of five strips per
212 sample.

213 Sample environmental conditioning requirements shall be agreed between customer and
214 supplier.

215 **6.3 Apparatus**

216 **6.3.1 General**

217 A ribbon stripping apparatus and conditioning equipment (if necessary).

218 **6.3.2 Stripping tool**

219 The results of the test are strongly dependent upon the design of the stripping tool used, and
220 the following tool design guidelines shall be taken into account.

221 – The mechanical stripping tool shall provide a heated surface that operates at a temperature
222 in the range +70 °C to +140 °C. The heated surface, once set to the specified temperature,
223 shall maintain that temperature within ±5 °C during the stripping operation. The heated
224 surface(s) shall be located behind the stripping blades and positioned to heat the part of the
225 ribbon in which the coating is to be removed.

226 • Heat-up time and dwell time for the tool may be important and the tool manufacturer's
227 recommendations shall be followed. IEC 60794-1-310:2021

228 • Follow the ribbon manufacturer's recommendations for setting the tool temperature.
<https://standards.iteh.ai/catalog/standards/sist/e0e74cb1-7257-4597-9638-875e91cae75/osist-pr-en-iec-60794-1-310-2021>

229 – The stripping tool or loading fixture shall maintain a constant pressure sufficient for proper
230 stripping. Care shall be taken that the tool does not begin to open during stripping.

231 – The size of the gap between the blades shall be known. This dimension and its tolerance
232 shall ensure that the blades cut through the matrix material and fibre coatings without
233 damaging the fibre cladding.

234 – The condition of the blades can greatly influence the stripping action. The edges of the
235 blades shall be inspected for notches and burrs under normal vision before and after use.

236 – Replace the blades when they become damaged or blunt or whenever wear is sufficient to
237 affect the results.

238 **6.3.3 Motor and slide (if used)**

239 The motor and slide shall allow repeatable motion with low vibration and fast acceleration. They
240 shall be capable of imparting constant motion, without jerking, to the test ribbon or stripping
241 tool.

242 If a manual tool is used, the stripping action shall follow these same criteria.

243 **6.4 Positioning and holding equipment**

244 The test sample shall be firmly held in place so that no slippage occurs (a capstan is
245 recommended). The sample ribbon fibres shall be in line (vertically, horizontally and
246 rotationally) with the plane of the stripping motion.

247 **6.5 Alcohol wipe**

248 A non-abrasive cloth or paper material saturated with a suitable alcohol solution shall be used
249 to wipe the fibres after stripping.