### FINAL DRAFT

### INTERNATIONAL STANDARD

### ISO/FDIS 3055

ISO/TC **136** 

Secretariat: UNI

Voting begins on: **2021-08-09** 

Voting terminates on: 2021-10-04

# Kitchen equipment — Coordinating sizes

Équipement de cuisine — Dimensions de coordination

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 3055 https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-32ae5c91b8a4/iso-fdis-3055

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STAN-DARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 3055:2021(E)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 3055 https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-32ae5c91b8a4/iso-fdis-3055



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

### Contents

Page
------

Foreword				
Intr	ntroductionv			
1	Scop	e		
2	Normative references			
3	Terms and definitions			
	3.1	Worktop	1	
	3.2	Kitchen unit	2	
	3.3	Recess for appliances	3	
	3.4	Decorative panel	4	
	3.5	Appliance definitions	4	
4	Coordinating sizes			
	4.1	General	6	
	4.2	Height		
		4.2.1 Height of the worktop		
		4.2.2 Height of the recess for built-under appliances	8	
		4.2.3 Height of the opening of appliances	8	
		4.2.4 Vertical distance between worktop and wall hanging kitchen unit above it	9	
		4.2.5 Height of the feet/base		
	4.3	Depth	9	
		Depth 4.3.1 Depth of worktop DARD PREVIEW	9	
		432 Workton overhang	y	
		4.3.3 Depth of the working area when using protective wall panelling	9	
		4.3.4 Depth of the kitchen unit	9	
		4.3.5 Recess for kitchen units with built-under appliances	9	
		4.3.6 https Total depth of wall hanging kitchen units above a worktop	9	
	4.4	Width 32ae5c91b8a4/iso-fdis-3055	10	

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 136, Furniture.

This third edition cancels and replaces the second edition (ISO 3055:1985), 7which has been technically revised. 32ae5c91b8a4/iso-fdis-3055

The main changes compared to the previous edition are as follows:

- Specification of the scope;
- Terms and definitions of kitchen furniture and appliances added;
- Normative refences revised;
- Requirements for the coordinating sizes (height, width and depth) of kitchen units and appliances given in more detail;
- Annexes A and B deleted.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

### Introduction

The purpose of standardization of kitchen equipment is to allow components to be combined in arrangements, which are harmonious and rational, due to account being taken of ergonomic and economic considerations.

To this end, the following aspects are considered:

- the sizes of component parts;
- the specific areas of each item of equipment, taking into account the possibility of their complete or partial overlapping;
- the location of pipes (water, gas, drainage, electricity);
- the combinations of components.

This document has been prepared according to the principles of modular coordination in building.

Attention is drawn to the fact that there can be national or regional regulations concerning supply of services (e.g. gas, electricity, water).

Attention is also drawn to the fact that there can be national or regional regulations/guidelines to cater for people with special needs.

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 3055 https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-32ae5c91b8a4/iso-fdis-3055

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/FDIS 3055 https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-32ae5c91b8a4/iso-fdis-3055

### Kitchen equipment — Coordinating sizes

#### 1 Scope

This document specifies dimensions for the height, width and depth of kitchen units and worktops. Additionally, it defines the space for integrating appliances, such as sink units, ovens, refrigerators, in kitchens.

This document does not apply to customized kitchens.

This document does not apply to kitchens for commercial use (e.g. in hotels, restaurants, and hospitals).

#### 2 Normative references

There are no normative references in this document.

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at <u>https://www.electropedia.org/</u>

https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-

#### 3.1 Worktop

32ae5c91b8a4/iso-fdis-3055

#### 3.1.1

#### worktop

solid horizontal element attached to the top of a free standing or floor standing kitchen unit to provide a working surface

#### 3.1.2

height of worktop

vertical distance from the floor to the top of the worktop

Note 1 to entry: See Figure 1,  $h_{1.}$ 

#### 3.1.3

#### depth of worktop

horizontal distance from the front edge to the rear edge of the worktop

Note 1 to entry: See Figure 2,  $l_{1.}$ 

#### 3.1.4

#### depth of working area

horizontal distance from the front edge of the worktop to the wall or wall attachment

Note 1 to entry: See Figure 2,  $l_{5.}$ 

Note 2 to entry: A wall attachement is typically recess panelling or wall end profiles.

#### 3.1.5

#### overhang of the worktop

horizontal distance from the front edge of the worktop to the face of the front of the kitchen unit or the front of the appliance, measured at right angles to the front of the kitchen unit

Note 1 to entry: See Figure 2,  $l_2$ 

#### 3.1.6

#### distance between cooking hob and extractor hood

vertical distance from the upper surface of the pan base to the lower edge of the extractor hood

Note 1 to entry: See Figure 1,  $h_{10}$ 

Note 2 to entry: The required distance depends e.g. on the type of energy source for the cooking hob.

#### 3.2 Kitchen unit

3.2.1 unit item of storage furniture

3.2.2

#### free standing kitchen unit

kitchen island kitchen unit to be supported by a floor and not to be attached to a ceiling or wall Note 1 to entry: See Figure 2 b). iTeh STANDARD PREVIEW

#### 3.2.3

### (standards.iteh.ai)

32ae5c91b8a4/iso-fdis-3055

### floor standing kitchen unit

kitchen unit intended to be supported by a floor ISO/FDIS 3055 https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-

3.2.4

#### wall hanging kitchen unit

kitchen unit intended to be entirely supported by a vertical structure

#### 3.2.5

installation height of the floor standing kitchen unit vertical clear distance from the floor to the bottom of the worktop

Note 1 to entry: See Figure 1,  $h_2$ 

#### 3.2.6

#### height of the kitchen unit

distance from the top surface of the kitchen unit to the underside of the kitchen unit

Note 1 to entry: See Figure 1,  $h_3$ 

#### 3.2.7

#### total depth of the kitchen unit

horizontal distance from the front face to the rear edge of the kitchen unit excluding protruding parts

Note 1 to entry: See Figure 2,  $l_3$ 

Note 2 to entry: Protruding parts are e.g. handles, knobs or operating elements.

#### 3.2.8

#### depth of the kitchen unit

horizontal distance from the front edge of the kitchen unit to the rear edge of the kitchen unit

Note 1 to entry: See Figure 2,  $l_4$ .

#### 3.2.9

#### height of the feet or height of the base

vertical distance from the surface of the floor to the underside of the kitchen unit

Note 1 to entry: See Figure 1,  $h_{4}$ .

Note 2 to entry: The height of the feet/base is not identical to the height of the plinth (see Figure 1,  $h_{\rm B}$ ).

#### 3.2.10

#### height of the plinth

vertical distance from the surface of the floor to the top of the plinth

Note 1 to entry: See Figure 1,  $h_8$ 

#### 3.2.11

#### feet recess

horizontal distance from the kitchen unit front edge to the front of the feet

Note 1 to entry: See Figure 2,  $l_6$ 

#### 3.2.12

#### plinth recess

horizontal distance from the front edge of the kitchen unit front to the front edge of the plinth

Note 1 to entry: See Figure 2,  $l_7$ 

## 3.2.13 **iTeh STANDARD PREVIEW** front height for dishwashers

vertical distance from the underside of the worktop to the lower edge of the decorative panel

Note 1 to entry: See Figure 1,  $h_6$ .

ISO/FDIS 3055

Recess for appliances 22005001h8-4/ Standards/sist/930a11b5-814f-477e-80c4-3.3

#### 3.3.1

#### appliance and/or furniture space

open space formed by furniture and/or appliance into which appliance or furniture are intended to be inserted

#### 3.3.2

#### opening for appliance

opening or cut-out in a kitchen unit or a worktop which is intended for the installation of a built-in appliance or installation element

#### 3.3.3

#### protective wall panelling

element for the rear delimitation of the wall,

Note 1 to entry: See Figure 1, 1 and  $h_0$  and Figure 2, 1

Note 2 to entry: The protective wall panelling is generally placed between the top of the worktop and the bottom of the upper kitchen unit.

#### 3.3.4

#### depth of adjusting area

horizontal distance from the kitchen unit front edge to the rear edge of the rear appliance adjusting feet

Note 1 to entry: See Figure 2,  $l_8$ 

#### 3.4 Decorative panel

#### 3.4.1

#### decorative panel

component intended to adapt a built-in or built-under appliance to match the frontal design of the adjacent kitchen unit

Note 1 to entry: See Figure 1,  $h_5$ .

#### 3.5 Appliance definitions

#### 3.5.1

#### built-in appliance

appliance with width, depth and height corresponding to the nominal kitchen unit inner dimension

Note 1 to entry: See Figure 3,  $w_1$ . See Table 1.

#### 3.5.2

#### built-under appliance

appliance with width, depth and height corresponding to the nominal kitchen unit outer dimension

Note 1 to entry: See Figure 3,  $w_1$  and  $w_3$ . See Table 1.

#### 3.5.3

#### installation element

functional components of a kitchen, which require an installation opening  $\mathbb{R}$ 

EXAMPLE Fitted sink, cooking hob, waste separating systems.eh.ai)

ISO/FDIS 3055 https://standards.iteh.ai/catalog/standards/sist/930a11b5-814f-477e-80c4-32ae5c91b8a4/iso-fdis-3055