

ETSI TS 124 379 V14.16.0 (2025-01)



LTE;
Mission Critical Push To Talk (MCPTT) call control;
Protocol specification
(3GPP TS 24.379 version 14.16.0 Release 14)

[ETSI TS 124 379 V14.16.0 \(2025-01\)](https://standards.iteh.ai/catalog/standards/etsi/80dbae03-9bc9-4e01-b3fd-75bcd6427ef2/etsi-ts-124-379-v14-16-0-2025-01)

<https://standards.iteh.ai/catalog/standards/etsi/80dbae03-9bc9-4e01-b3fd-75bcd6427ef2/etsi-ts-124-379-v14-16-0-2025-01>



Reference

RTS/TSGC-0124379veg0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-01)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](https://standards.iteh.ai/catalog/standards/etsi/80dbae03-9bc9-4e01-b3fd-75bcd6427ef2/etsi-ts-124-379-v14-16-0-2025-01).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	22
1 Scope	23
2 References	23
3 Definitions, symbols and abbreviations	26
3.1 Definitions	26
3.2 Abbreviations	28
4 General	29
4.1 MCPTT overview.....	29
4.2 URI and address assignments.....	30
4.3 MCPTT speech.....	31
4.4 Warning Header Field	31
4.4.1 General.....	31
4.4.2 Warning texts.....	31
4.5 MCPTT session identity	35
4.6 MCPTT priority calls and alerts	35
4.6.1 MCPTT emergency group calls.....	35
4.6.2 MCPTT emergency private calls	37
4.6.3 MCPTT emergency alerts.....	38
4.6.4 MCPTT imminent peril group call	39
4.7 Communication security.....	40
4.7.1 Media security	40
4.7.2 Signalling security	40
4.8 Protection of sensitive application data	42
4.9 Pre-established session	45
4.10 MCPTT client ID	46
4.11 Off-network MCPTT.....	46
4.12 Broadcast Group Calls.....	46
5 Functional entities	46
5.1 Introduction	46
5.2 MCPTT client.....	46
5.3 MCPTT server.....	48
5.3.1 General.....	48
5.3.2 Functional connectivity models	49
5.3.3 Failure case	51
5.3.4 Management of MBMS bearers.....	51
5.4 MCPTT UE-to-network relay.....	51
6 Common procedures.....	51
6.1 Introduction	51
6.2 MCPTT client procedures	51
6.2.0 Distinction of requests at the MCPTT client	51
6.2.0.1 SIP MESSAGE request.....	51
6.2.1 SDP offer generation	52
6.2.2 SDP answer generation.....	53
6.2.3 Commencement modes.....	54
6.2.3.1 Automatic commencement mode.....	54
6.2.3.1.1 Automatic commencement mode for private calls	54
6.2.3.1.2 Automatic commencement mode for group calls	54
6.2.3.2 Manual commencement mode	54
6.2.3.2.1 Manual commencement mode for private calls	54

6.2.3.2.2	Manual commencement mode for group calls.....	55
6.2.4	Leaving an MCPTT session initiated by MCPTT client.....	55
6.2.4.1	On-demand session case	55
6.2.4.2	Pre-established session case	56
6.2.5	Releasing an MCPTT session initiated by MCPTT client	56
6.2.5.1	On-demand session case	56
6.2.5.2	Pre-established session case	56
6.2.6	Receiving an MCPTT session release request	57
6.2.7	Void	57
6.2.8	Priority call conditions.....	57
6.2.8.0	General	57
6.2.8.1	MCPTT emergency group call conditions	57
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCPTT emergency group calls	57
6.2.8.1.2	Resource-Priority header field for MCPTT emergency group calls	58
6.2.8.1.3	SIP re-INVITE request for cancelling MCPTT in-progress emergency group state	59
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority call	59
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group call	60
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCPTT emergency alert	60
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCPTT group.....	61
6.2.8.1.8	Determining authorisation for originating a priority group call	61
6.2.8.1.9	SIP request for originating MCPTT imminent peril group calls	62
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group call	62
6.2.8.1.11	SIP re-INVITE request for cancelling MCPTT in-progress imminent peril group state	63
6.2.8.1.12	Resource-Priority header field for MCPTT imminent peril group calls	63
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group call	63
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party	64
6.2.8.1.15	Retrieving Resource-Priority header field values	65
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group call origination status within a pre-established session.....	65
6.2.8.1.17	Priority group call conditions upon receiving call release	66
6.2.8.1.18	Emergency private call conditions upon receiving call release	66
6.2.8.2	Request for an originating broadcast group call	67
6.2.8.3	MCPTT emergency private call conditions.....	67
6.2.8.3.1	Authorisations	67
6.2.8.3.1.1	Determining authorisation for initiating an MCPTT emergency private call	67
6.2.8.3.1.2	Determining authorisation for cancelling an MCPTT emergency private call	67
6.2.8.3.1.3	Determining authorisation for initiating or cancelling an MCPTT emergency alert to a MCPTT user	68
6.2.8.3.2	SIP request for originating MCPTT emergency private calls.....	68
6.2.8.3.3	Resource-Priority header field for MCPTT emergency private calls	68
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCPTT emergency private call.....	69
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCPTT emergency private call.....	69
6.2.8.3.6	SIP re-INVITE request for cancelling MCPTT emergency private call state.....	69
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private call.....	70
6.2.8.3.8	SIP re-INVITE request for cancelling the MCPTT emergency private call state by a third- party	71
6.2.8.3.9	Retrieving a KMS URI associated with an MCPTT ID	71
6.2.9	Location information	72
6.2.9.1	Location information for location reporting.....	72
6.3	MCPTT server procedures	73
6.3.1	Distinction of requests sent to the MCPTT server	73
6.3.1.1	SIP INVITE request	73
6.3.1.2	SIP REFER request	74
6.3.1.3	SIP MESSAGE request.....	74
6.3.1.4	SIP SUBSCRIBE request.....	76
6.3.2	Participating MCPTT Function.....	76
6.3.2.1	Requests initiated by the served MCPTT user	76
6.3.2.1.1	SDP offer generation	76

6.3.2.1.1.1	On-demand session	76
6.3.2.1.1.2	Pre-established session.....	77
6.3.2.1.2	SDP answer generation.....	77
6.3.2.1.2.1	On-demand session	77
6.3.2.1.2.2	Pre-established session establishment.....	77
6.3.2.1.3	Sending an INVITE request on receipt of an INVITE request	78
6.3.2.1.4	Sending an INVITE request on receipt of a REFER request	78
6.3.2.1.5	Response to an INVITE request	79
6.3.2.1.5.1	Provisional responses.....	79
6.3.2.1.5.2	Final response	80
6.3.2.1.6	Sending a SIP BYE request on receipt of a SIP BYE request	80
6.3.2.1.7	Sending a SIP BYE request on receipt of a SIP REFER request.....	80
6.3.2.1.8	Priority call conditions	81
6.3.2.1.8.0	General.....	81
6.3.2.1.8.1	Determining authorisation for originating a priority group call.....	81
6.3.2.1.8.2	Determining authorisation for initiating or cancelling an MCPTT emergency alert.....	82
6.3.2.1.8.3	Validate priority request parameters	83
6.3.2.1.8.4	Retrieving Resource-Priority header field values	83
6.3.2.1.8.5	Generating a SIP re-INVITE request for priority group call origination within a pre-established session	83
6.3.2.1.8.6	Generating a SIP re-INVITE request for emergency private call origination within a pre-established session	84
6.3.2.1.8.7	Generating a SIP re-INVITE request for first-to-answer call origination within a pre-established session	85
6.3.2.1.9	Generating a SIP re-INVITE request on receipt of a SIP re-INVITE request	85
6.3.2.1.10	Sending a SIP INVITE request on receipt of SIP 3xx response	85
6.3.2.2	Requests terminated to the served MCPTT user	86
6.3.2.2.1	SDP offer generation	86
6.3.2.2.2	SDP answer generation.....	86
6.3.2.2.2.1	On-demand session	86
6.3.2.2.2.2	Pre-established session.....	86
6.3.2.2.3	SIP INVITE request towards the terminating MCPTT client	87
6.3.2.2.4	Response to a SIP INVITE request	88
6.3.2.2.4.1	Provisional response	88
6.3.2.2.4.2	Final response	88
6.3.2.2.5	Automatic Commencement Mode	88
6.3.2.2.5.1	General.....	88
6.3.2.2.5.2	Automatic commencement for On-Demand session.....	89
6.3.2.2.5.3	Automatic commencement for pre-established session	90
6.3.2.2.6	Manual Commencement Mode	91
6.3.2.2.6.1	General.....	91
6.3.2.2.6.2	Manual commencement for On-Demand session	92
6.3.2.2.6.3	Manual commencement for Pre-established session.....	93
6.3.2.2.7	Void.....	94
6.3.2.2.8	SIP BYE request towards the terminating MCPTT client.....	94
6.3.2.2.8.1	On-demand.....	94
6.3.2.2.8.2	Using pre-established session	95
6.3.2.2.9	Populate MIME bodies.....	95
6.3.2.2.10	Generating a SIP re-INVITE request towards the terminating MCPTT client	95
6.3.2.2.11	Generating a SIP MESSAGE request towards the terminating MCPTT client	96
6.3.2.3	Void.....	96
6.3.3	Controlling MCPTT function	96
6.3.3.1	Request initiated by the controlling MCPTT function	96
6.3.3.1.1	SDP offer generation	96
6.3.3.1.2	Sending an INVITE request	97
6.3.3.1.3	Receipt of a SIP response to a SIP INVITE request.....	97
6.3.3.1.3.1	Final response	97
6.3.3.1.4	Void.....	98
6.3.3.1.5	Sending a SIP BYE request.....	98
6.3.3.1.6	Sending a SIP re-INVITE request for MCPTT emergency group call	98
6.3.3.1.7	Sending a SIP INVITE request for MCPTT emergency group call	99
6.3.3.1.8	Sending a SIP UPDATE request for Resource-Priority header field correction.....	100

6.3.3.1.9	Generating a SIP re-INVITE request.....	100
6.3.3.1.10	Generating a SIP re-INVITE request to cancel an in-progress emergency	101
6.3.3.1.11	Generating a SIP MESSAGE request for notification of in-progress emergency or imminent peril status change	101
6.3.3.1.12	Populate mcptt-info and location-info MIME bodies for emergency alert.....	102
6.3.3.1.13	Authorisations	102
6.3.3.1.13.1	Determining authorisation for initiating an MCPTT emergency alert	102
6.3.3.1.13.2	Determining authorisation for initiating an MCPTT emergency group or private call.....	103
6.3.3.1.13.3	Determining authorisation for cancelling an MCPTT emergency alert	104
6.3.3.1.13.4	Determining authorisation for cancelling an MCPTT emergency call	104
6.3.3.1.13.5	Determining authorisation for initiating an MCPTT imminent peril call	105
6.3.3.1.13.6	Determining authorisation for cancelling an MCPTT imminent peril call	105
6.3.3.1.13.7	Sending a SIP OPTIONS request to authorise an MCPTT user at a non-controlling MCPTT function of a MCPTT group	105
6.3.3.1.14	Generating a SIP 403 response for priority call request rejection	107
6.3.3.1.15	Sending a SIP re-INVITE request for MCPTT imminent peril group call.....	107
6.3.3.1.16	Handling the expiry of timer TNG2 (in-progress emergency group call timer)	108
6.3.3.1.17	Validate priority request parameters.....	108
6.3.3.1.18	Sending a SIP INFO request in the dialog of a SIP request for a priority call.....	109
6.3.3.1.19	Retrieving Resource-Priority header field values.....	109
6.3.3.1.20	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation	110
6.3.3.2	Requests terminated by the controlling MCPTT function.....	111
6.3.3.2.1	SDP answer generation.....	111
6.3.3.2.2	Receipt of a SIP INVITE request	111
6.3.3.2.3	Sending a SIP response to a SIP INVITE request	111
6.3.3.2.3.1	Provisional response	111
6.3.3.2.3.2	Final response	111
6.3.3.2.4	Receiving a SIP BYE request.....	112
6.3.3.3	Handling of the acknowledged call setup timer (TNG1)	112
6.3.3.4	Generating a SIP NOTIFY request	114
6.3.3.5	Handling of the group call timer (TNG3)	115
6.3.3.5.1	General	115
6.3.3.5.2	Interaction with the in-progress emergency group call timer (TNG2)	116
6.3.3.6	Void.....	116
6.3.4	Non-controlling MCPTT function of an MCPTT group.....	116
6.3.4.1	Request initiated by the non-controlling MCPTT function of an MCPTT group	116
6.3.4.1.1	SDP offer generation	116
6.3.4.1.2	Sending an INVITE request towards the MCPTT client	117
6.3.4.1.3	Sending a SIP INFO request.....	118
6.3.4.1.4	Sending an INVITE request towards the controlling MCPTT function	118
6.3.4.2	Requests terminated by the non-controlling MCPTT function of an MCPTT group.....	119
6.3.4.2.1	SDP answer generation.....	119
6.3.4.2.2	Sending a SIP response to the SIP INVITE request	119
6.3.4.2.2.1	Sending a SIP 183 (Session Progress) response.....	119
6.3.4.2.2.2	Sending a SIP 200 (OK) response.....	119
6.3.4.3	Generating a SIP NOTIFY request	120
6.3.4.4	Void.....	121
6.3.5	Retrieving and processing a group document	121
6.3.5.1	General	121
6.3.5.2	Rules for retrieving Group Document(s).....	121
6.3.5.3	Rules for joining a group session	124
6.3.5.4	Rules for initiating a prearranged group session	125
6.3.5.5	Determining the group members to invite.....	125
6.3.6	Affiliation check	126
6.3.7	Error handling.....	126
6.3.7.1	Public service identity does not exist	126
6.3.8	Session release policy	126
6.3.8.1	Session release policy for group call.....	126
6.3.8.2	Session release policy for private call	127
6.4	Implicit floor request.....	127
6.5	Handling of MIME bodies in a SIP message.....	128

6.6	Confidentiality and Integrity Protection	129
6.6.1	General.....	129
6.6.1.1	Applicability and exclusions	129
6.6.1.2	Performing XML content encryption	129
6.6.1.3	Performing integrity protection on an XML body	129
6.6.1.4	Verifying integrity of an XML body and decrypting XML elements	129
6.6.2	Confidentiality Protection.....	130
6.6.2.1	General	130
6.6.2.2	Keys used in confidentiality protection procedures	130
6.6.2.3	Procedures for sending confidentiality protected content	130
6.6.2.3.1	MCPTT client.....	130
6.6.2.3.2	MCPTT server.....	131
6.6.2.3.3	Content Encryption in XML elements.....	131
6.6.2.3.4	Attribute URI Encryption	131
6.6.2.4	Procedures for receiving confidentiality protected content	132
6.6.2.4.1	Determination of confidentiality protected content	132
6.6.2.4.2	Decrypting confidentiality protected content in XML elements	132
6.6.2.4.3	Decrypting confidentiality protected URIs in XML attributes	132
6.6.2.5	MCPTT server copying received XML content	132
6.6.3	Integrity Protection of XML documents.....	133
6.6.3.1	General	133
6.6.3.2	Keys used in integrity protection procedures	135
6.6.3.3	Sending integrity protected content.....	136
6.6.3.3.1	MCPTT client.....	136
6.6.3.3.2	MCPTT server.....	136
6.6.3.3.3	Integrity protection procedure	136
6.6.3.4	Receiving integrity protected content.....	137
6.6.3.4.1	Determination of integrity protected content.....	137
6.6.3.4.2	Verification of integrity protected content.....	137
6.7	Priority sharing.....	137
7	Registration and service authorisation	137
7.1	General	137
7.2	MCPTT client procedures	138
7.2.1	SIP REGISTER request for service authorisation	138
7.2.1AA	SIP REGISTER request without service authorisation	139
7.2.1A	Common SIP PUBLISH procedure	139
7.2.2	SIP PUBLISH request for service authorisation and MCPTT service settings.....	140
7.2.3	Sending SIP PUBLISH for MCPTT service settings only.....	141
7.2.4	Determination of MCPTT service settings	141
7.2.5	Receiving a CSK key download message.....	142
7.3	MCPTT server procedures	143
7.3.1	General.....	143
7.3.1A	Confidentiality and Integrity Protection	143
7.3.2	SIP REGISTER request for service authorisation	145
7.3.3	SIP PUBLISH request for service authorisation and service settings.....	145
7.3.4	Receiving SIP PUBLISH request for MCPTT service settings only	146
7.3.5	Receiving SIP PUBLISH request with "Expires=0"	147
7.3.6	Subscription to and notification of MCPTT service settings	148
7.3.6.1	Receiving subscription to MCPTT service settings	148
7.3.6.2	Sending notification of change of MCPTT service settings	148
7.3.7	Sending a CSK key download message.....	149
7.4	Coding	149
7.4.1	Extension of MIME types.....	149
7.4.1.1	General	149
7.4.1.2	Extension of application/poc-settings+xml MIME type	149
7.4.1.2.1	Introduction	149
7.4.1.2.2	Syntax.....	149
8	Pre-established session.....	150
8.1	General	150
8.1A	Participating MCPTT function use of resource sharing	151

8.2	Session establishment.....	151
8.2.1	MCPTT client procedures.....	151
8.2.2	Participating MCPTT function procedures.....	152
8.3	Session modification.....	153
8.3.1	MCPTT client procedures.....	153
8.3.1.1	MCPTT client initiated.....	153
8.3.1.2	Participating MCPTT function initiated.....	154
8.3.2	Participating MCPTT function procedures.....	154
8.3.2.1	MCPTT client initiated.....	154
8.3.2.2	Participating MCPTT function initiated.....	154
8.4	Session release.....	155
8.4.1	MCPTT client procedures.....	155
8.4.1.1	MCPTT client initiated.....	155
8.4.1.2	Participating MCPTT function initiated.....	155
8.4.2	Participating MCPTT function procedures.....	155
8.4.2.1	MCPTT client initiated.....	155
8.4.2.2	Participating MCPTT function initiated.....	156
9	Affiliation.....	156
9.1	General.....	156
9.2	Procedures.....	157
9.2.1	MCPTT client procedures.....	157
9.2.1.1	General.....	157
9.2.1.2	Affiliation status change procedure.....	157
9.2.1.3	Affiliation status determination procedure.....	158
9.2.1.4	Procedure for sending affiliation status change request in negotiated mode to target MCPTT user... 159	
9.2.1.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCPTT user.....	160
9.2.2	MCPTT server procedures.....	160
9.2.2.1	General.....	160
9.2.2.2	Procedures of MCPTT server serving the MCPTT user.....	160
9.2.2.2.1	General.....	160
9.2.2.2.2	Stored information.....	161
9.2.2.2.3	Receiving affiliation status change from MCPTT client procedure.....	161
9.2.2.2.4	Receiving subscription to affiliation status procedure.....	164
9.2.2.2.5	Sending notification of change of affiliation status procedure.....	165
9.2.2.2.6	Sending affiliation status change towards MCPTT server owning MCPTT group procedure.....	165
9.2.2.2.7	Affiliation status determination from MCPTT server owning MCPTT group procedure.....	167
9.2.2.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCPTT user.....	169
9.2.2.2.9	Forwarding affiliation status change towards another MCPTT user procedure.....	170
9.2.2.2.10	Forwarding subscription to affiliation status towards another MCPTT user procedure.....	171
9.2.2.2.11	Affiliation status determination.....	171
9.2.2.2.12	Affiliation status change by implicit affiliation.....	172
9.2.2.2.13	Implicit affiliation status change completion.....	173
9.2.2.2.14	Implicit affiliation status change cancellation.....	173
9.2.2.2.15	Implicit affiliation to configured groups procedure.....	174
9.2.2.3	Procedures of MCPTT server owning the MCPTT group.....	175
9.2.2.3.1	General.....	175
9.2.2.3.2	Stored information.....	176
9.2.2.3.3	Receiving group affiliation status change procedure.....	176
9.2.2.3.4	Receiving subscription to affiliation status procedure.....	178
9.2.2.3.5	Sending notification of change of affiliation status procedure.....	178
9.2.2.3.6	Implicit affiliation eligibility check procedure.....	179
9.2.2.3.7	Affiliation status change by implicit affiliation procedure.....	179
9.2.2.3.8	Affiliation eligibility check procedure.....	180
9.3	Coding.....	180
9.3.1	Extension of application/pidf+xml MIME type.....	180
9.3.1.1	Introduction.....	180
9.3.1.2	Syntax.....	181
9.3.2	Extension of application/simple-filter+xml MIME type.....	182
9.3.2.1	Introduction.....	182

9.3.2.2	Syntax	182
10	Group call	184
10.0	General	184
10.1	On-network group call	184
10.1.1	Prearranged group call	184
10.1.1.1	General	184
10.1.1.2	MCPTT client procedures	184
10.1.1.2.1	On-demand prearranged group call	184
10.1.1.2.1.1	Client originating procedures	184
10.1.1.2.1.2	Client terminating procedures	186
10.1.1.2.1.3	MCPTT upgrade to in-progress emergency or imminent peril	187
10.1.1.2.1.4	MCPTT in-progress emergency cancel	188
10.1.1.2.1.5	MCPTT in-progress imminent peril cancel	189
10.1.1.2.1.6	MCPTT client receives SIP re-INVITE request	191
10.1.1.2.2	Prearranged group call using pre-established session	192
10.1.1.2.2.1	Client originating procedures	192
10.1.1.2.2.2	Client terminating procedures	192
10.1.1.2.3	End group call	193
10.1.1.2.3.1	Client originating procedures on-demand	193
10.1.1.2.3.2	Client originating procedures using pre-established session	193
10.1.1.2.3.3	Client terminating procedures	193
10.1.1.2.4	Re-join procedure	193
10.1.1.2.4.1	On demand session establishment	193
10.1.1.2.4.2	Pre-established session	193
10.1.1.3	Participating MCPTT function procedures	193
10.1.1.3.1	Originating procedures	193
10.1.1.3.1.1	On demand prearranged group call	193
10.1.1.3.1.2	Prearranged group call using pre-established session	196
10.1.1.3.1.3	Reception of a SIP re-INVITE request from served MCPTT client	199
10.1.1.3.2	Terminating Procedures	200
10.1.1.3.3	End group call at the originating participating MCPTT function	201
10.1.1.3.3.1	Receipt of SIP BYE request for ending group call on-demand	201
10.1.1.3.3.2	Receipt of SIP REFER "BYE" request for ending group call using pre-established session	201
10.1.1.3.4	End group call at the terminating participating MCPTT function	201
10.1.1.3.4.1	Receipt of SIP BYE request for private call on-demand	201
10.1.1.3.4.2	Receipt of SIP BYE request when ongoing pre-established session	202
10.1.1.3.5	Re-join procedures	202
10.1.1.3.5.1	Originating procedures - on demand prearranged group call	202
10.1.1.3.5.2	Originating procedures - prearranged group call using pre-established session	202
10.1.1.3.6	Reception of a SIP re-INVITE request for terminating MCPTT client for priority call	202
10.1.1.4	Controlling MCPTT function procedures	203
10.1.1.4.1	Originating Procedures	203
10.1.1.4.1.1	INVITE targeted to an MCPTT client	203
10.1.1.4.1.2	INVITE targeted to the non-controlling MCPTT function of an MCPTT group	204
10.1.1.4.2	Terminating Procedures	205
10.1.1.4.3	End group call at the terminating controlling MCPTT function	213
10.1.1.4.4	End group call initiated by the controlling MCPTT function	213
10.1.1.4.4.1	General	213
10.1.1.4.4.2	SIP BYE request for releasing MCPTT session for a group call	213
10.1.1.4.4.3	SIP BYE request toward a MCPTT client	213
10.1.1.4.5	Re-join procedures	214
10.1.1.4.5.1	Terminating procedures	214
10.1.1.4.6	Late call entry initiated by controlling MCPTT function	215
10.1.1.4.7	Receipt of a SIP re-INVITE request	215
10.1.1.4.8	Handling of a SIP re-INVITE request for imminent peril session	218
10.1.1.5	Non-controlling function of an MCPTT group procedures	220
10.1.1.5.1	Originating procedures	220
10.1.1.5.2	Terminating procedures	221
10.1.1.5.2.1	General	221
10.1.1.5.2.2	Initiating a prearranged group call	221
10.1.1.5.2.3	Joining an ongoing prearranged group call	223

10.1.1.5.2.4	Splitting an ongoing prearranged group call.....	224
10.1.1.5.3	Rejoin procedures.....	224
10.1.1.5.3.1	Terminating procedures.....	224
10.1.1.5.3.2	Late call entry initiated by non-controlling MCPTT function.....	225
10.1.1.5.4	SIP OPTIONS request authorization procedure.....	225
10.1.1.5.5	Initiating a temporary group session.....	226
10.1.2	Chat group (restricted) call.....	227
10.1.2.1	General.....	227
10.1.2.2	MCPTT client procedures.....	227
10.1.2.2.1	On-demand chat group call.....	227
10.1.2.2.1.1	Procedure for initiating a chat MCPTT group session and procedure for joining a chat MCPTT group session.....	227
10.1.2.2.1.2	MCPTT client receives SIP re-INVITE request.....	229
10.1.2.2.1.3	MCPTT in-progress emergency cancel.....	230
10.1.2.2.1.4	MCPTT upgrade to in-progress emergency or imminent peril.....	231
10.1.2.2.1.5	MCPTT in-progress imminent peril cancel.....	232
10.1.2.2.1.6	MCPTT client receives a SIP INVITE request for an MCPTT group call.....	233
10.1.2.2.2	Chat group call within a pre-established session.....	235
10.1.2.2.2.1	Procedure for initiating a chat MCPTT group session and procedure for joining a chat MCPTT group session.....	235
10.1.2.2.3	End group call.....	237
10.1.2.2.3.1	Client originating procedures on-demand.....	237
10.1.2.2.3.2	Client originating procedures using pre-established session.....	237
10.1.2.2.3.3	Client terminating procedures.....	237
10.1.2.3	Participating MCPTT function procedures.....	237
10.1.2.3.1	On-demand chat group call.....	237
10.1.2.3.1.1	MCPTT chat session establishment.....	237
10.1.2.3.1.2	Reception of a SIP re-INVITE request from served MCPTT client.....	239
10.1.2.3.1.3	Reception of a SIP INVITE request for terminating MCPTT client.....	240
10.1.2.3.1.4	Reception of a SIP re-INVITE request for terminating MCPTT client.....	242
10.1.2.3.2	Chat group call within a pre-established session.....	242
10.1.2.3.2.1	MCPTT chat session establishment.....	242
10.1.2.3.2.2	MCPTT chat session establishment for terminating user within a pre-established session.....	245
10.1.2.3.3	End group call at the originating participating MCPTT function.....	246
10.1.2.3.3.1	Receipt of SIP BYE request for ending on-demand chat session.....	246
10.1.2.3.3.2	Receipt of SIP REFER "BYE" request for ending chat session using pre-established session.....	246
10.1.2.3.4	End group call at the terminating participating MCPTT function.....	246
10.1.2.3.4.1	Receipt of SIP BYE request for on-demand chat session.....	246
10.1.2.3.4.2	Receipt of SIP BYE request for ongoing pre-established session.....	246
10.1.2.4	Controlling MCPTT function procedures.....	246
10.1.2.4.1	On-demand chat group call.....	246
10.1.2.4.1.1	Procedure for establishing an MCPTT chat session and procedure for joining an established MCPTT chat session.....	246
10.1.2.4.1.2	Receipt of a SIP re-INVITE request.....	250
10.1.2.4.1.3	Handling of a SIP re-INVITE request for imminent peril session.....	254
10.1.2.4.2	End group call at the terminating controlling MCPTT function.....	256
10.1.2.4.3	End group call initiated by the controlling MCPTT function.....	256
10.1.2.4.3.1	General.....	256
10.1.2.4.3.2	SIP BYE request for releasing MCPTT session for a group call.....	256
10.1.2.4.3.3	SIP BYE request toward a MCPTT client.....	256
10.1.2.5	Non-controlling function of an MCPTT group procedures.....	257
10.1.2.5.1	Terminating procedures.....	257
10.1.2.5.1.1	General.....	257
10.1.2.5.1.2	Initiating a chat group session.....	257
10.1.2.5.1.3	Joining an ongoing chat group call.....	258
10.1.2.5.1.4	Splitting an ongoing chat group call.....	258
10.1.2.5.1.5	MCPTT client joining the temporary group chat session.....	259
10.1.2.5.1.6	Receipt of a SIP re-INVITE request from an MCPTT client.....	259
10.1.2.5.1.7	SIP OPTIONS request authorization procedure.....	259
10.1.2.5.1.8	Initiating a temporary group session.....	259
10.1.3	Subscription to the conference event package.....	260

10.1.3.1	General	260
10.1.3.2	MCPTT client	261
10.1.3.3	Participating MCPTT function	262
10.1.3.4	Controlling MCPTT function	263
10.1.3.4.1	Receiving a subscription to the conference event package	263
10.1.3.4.2	Sending notifications to the conference event package	263
10.1.3.4.3	Sending subscriptions to the conference event package	264
10.1.3.4.4	Terminating a subscription	265
10.1.3.5	Non-controlling MCPTT function	265
10.1.3.5.1	Receiving subscriptions to the conference event package	265
10.1.3.5.2	Sending notifications to the conference event package	266
10.1.3.5.3	Sending a subscription to the conference event package	266
10.1.3.5.4	Terminating a subscription	267
10.1.4	Remote change of an MCPTT user's selected group	267
10.1.4.1	General	267
10.1.4.2	Client procedures	267
10.1.4.2.1	Remote selected group change initiation	267
10.1.4.2.2	Target client procedures for handling remote selected group change request	268
10.1.4.3	Participating MCPTT function procedures	270
10.1.4.3.1	Originating procedures	270
10.1.4.3.2	Terminating procedures	271
10.1.4.4	Controlling MCPTT function procedures	271
10.2	Off-network group call	273
10.2.1	General	273
10.2.1.1	Common Procedures	273
10.2.1.1.1	MONP message transport	273
10.2.1.1.2	Session description	273
10.2.2	Basic call control	274
10.2.2.1	General	274
10.2.2.2	Basic call control state machine	274
10.2.2.3	Call Control states	275
10.2.2.3.1	S1: start-stop	275
10.2.2.3.2	S2: waiting for call announcement	275
10.2.2.3.3	S3: part of ongoing call	275
10.2.2.3.4	S4: pending user action without confirm indication	275
10.2.2.3.5	S5: pending user action with confirm indication	275
10.2.2.3.6	S6: ignoring incoming call announcements	275
10.2.2.3.7	S7: waiting for call announcement after call release	275
10.2.2.4	Procedures	276
10.2.2.4.1	General	276
10.2.2.4.1.1	Call announcement timer calculation	276
10.2.2.4.1.1.1	Periodic call announcement timer calculation	276
10.2.2.4.1.1.2	Call announcement timer calculation after CALL PROBE	276
10.2.2.4.1.2	Max duration timer calculation	276
10.2.2.4.2	Call Probe	276
10.2.2.4.2.1	Call probe initiation	276
10.2.2.4.2.2	Call probe retransmission	277
10.2.2.4.2.3	Receiving GROUP CALL PROBE message when participating in the ongoing call	277
10.2.2.4.3	Call setup	277
10.2.2.4.3.1	Not receiving any response to GROUP CALL PROBE message	277
10.2.2.4.3.2	Receiving a GROUP CALL ANNOUNCEMENT message	278
10.2.2.4.3.3	Receiving a GROUP CALL ANNOUNCEMENT message when not participating in the ongoing call	278
10.2.2.4.3.4	MCPTT user accepts the terminating call with confirm indication	279
10.2.2.4.3.5	MCPTT user accepts the terminating call without confirm indication	280
10.2.2.4.3.6	Receiving GROUP CALL ACCEPT message	280
10.2.2.4.3.7	MCPTT user rejects the terminating call	280
10.2.2.4.3.8	MCPTT user does not act on terminating call	280
10.2.2.4.4	Periodic group call announcement	281
10.2.2.4.4.1	Sending periodic call announcement	281
10.2.2.4.4.2	Receiving periodic call announcement	281
10.2.2.4.5	Call release	282

10.2.2.4.5.1	MCPTT user leaves the call when GROUP CALL ANNOUNCEMENT was sent or received.....	282
10.2.2.4.5.2	Receiving GROUP CALL ANNOUNCEMENT message for rejected or released call	282
10.2.2.4.5.3	MCPTT user initiates originating call for rejected or released call.....	282
10.2.2.4.5.4	No GROUP CALL ANNOUNCEMENT messages for rejected or released call	283
10.2.2.4.5.5	MCPTT user leaves the call when GROUP CALL PROBE was sent	283
10.2.2.4.5.6	MCPTT user initiates originating call for released call	283
10.2.2.4.5.7	Receiving GROUP CALL ANNOUNCEMENT message for released call	283
10.2.2.4.5.8	No GROUP CALL ANNOUNCEMENT messages for released call.....	284
10.2.2.4.5.9	Max duration reached	284
10.2.2.4.6	Merge of calls.....	284
10.2.2.4.6.1	Merge of two calls	284
10.2.2.4.7	Error handling.....	285
10.2.2.4.7.1	Unexpected MONP message received	285
10.2.2.4.7.2	Unexpected indication from MCPTT user.....	285
10.2.2.4.7.3	Unexpected expiration of a timer.....	285
10.2.3.	Call type control	285
10.2.3.1	General.....	285
10.2.3.2	Call type control state machine	285
10.2.3.3	Call type control states.....	286
10.2.3.3.1	T0: waiting for call to establish	286
10.2.3.3.2	T1: in-progress emergency group call	287
10.2.3.3.3	T2: in-progress basic group call	287
10.2.3.3.4	T3: in-progress imminent peril group call	287
10.2.3.4	Procedures.....	287
10.2.3.4.1	General	287
10.2.3.4.1.1	Implicit downgrade (emergency) timer calculation	287
10.2.3.4.1.2	Implicit downgrade (imminent peril) timer calculation	287
10.2.3.4.2	User initiated the call probe.....	287
10.2.3.4.3	Received GROUP CALL ANNOUNCEMENT message as a response to GROUP CALL PROBE message.....	288
10.2.3.4.4	Received GROUP CALL ANNOUNCEMENT with MCPTT user acknowledgement required..	289
10.2.3.4.5	Received GROUP CALL ANNOUNCEMENT without MCPTT user acknowledgement required.....	289
10.2.3.4.6	Call started.....	290
10.2.3.4.7	Upgrade call	291
10.2.3.4.7.1	Originating user upgrading the call.....	291
10.2.3.4.7.2	Terminating UE receiving a GROUP CALL ANNOUNCEMENT message when participating in the ongoing call.....	292
10.2.3.4.8	Downgrade call.....	294
10.2.3.4.8.1	Originating user downgrading emergency group call	294
10.2.3.4.8.2	Retransmitting GROUP CALL EMERGENCY END	294
10.2.3.4.8.3	Terminating user downgrading emergency group call.....	295
10.2.3.4.8.4	Originating user downgrading imminent peril group call	295
10.2.3.4.8.5	Retransmitting GROUP CALL IMMINENT PERIL END	296
10.2.3.4.8.6	Terminating user downgrading imminent peril group call.....	296
10.2.3.4.8.7	Void	297
10.2.3.4.8.8	Implicit emergency priority end.....	297
10.2.3.4.8.9	Implicit imminent peril priority end.....	297
10.2.3.4.9	Merge of two calls.....	297
10.2.3.4.10	Call release after call establishment	298
10.2.3.4.11	Call release or reject before call establishment	298
10.2.3.4.12	Error handling.....	299
10.2.3.4.12.1	Unexpected MONP message received	299
10.2.3.4.12.2	Unexpected indication from MCPTT user.....	299
10.2.3.4.12.3	Unexpected expiration of a timer.....	299
10.3	Off-network Broadcast group call	299
10.3.1	General.....	299
10.3.2	Basic call control	299
10.3.2.1	General.....	299
10.3.2.2	Broadcast group call control state machine.....	299
10.3.2.3	Broadcast group call Control states.....	300

10.3.2.3.1	B1: start-stop	300
10.3.2.3.2	B2: in-progress broadcast group call	300
10.3.2.3.3	B3: pending user action	300
10.3.2.3.4	B4: ignoring same call ID	300
10.3.2.4	Procedures	301
10.3.2.4.1	User initiating a broadcast group call	301
10.3.2.4.2	Terminating UE receiving a GROUP CALL BROADCAST message when not participating in the in-progress broadcast group call	301
10.3.2.4.3	MCPTT user accepts the terminating call	302
10.3.2.4.4	MCPTT user rejects the terminating call	302
10.3.2.4.5	MCPTT user does not act on terminating call	302
10.3.2.4.6	Terminating user releasing the call	302
10.3.2.4.7	Originating user releasing the call	303
10.3.2.4.8	Receiving GROUP CALL BROADCAST END message	303
10.3.2.4.9	Originating UE retransmitting GROUP CALL BROADCAST message	303
10.3.2.4.10	Ignoring same call ID	304
10.3.2.4.11	Releasing the call	304
10.3.2.4.12	Restarting TFB1	304
10.3.2.4.13	Receiving GROUP CALL BROADCAST END message	304
10.3.2.4.14	Error handling	305
10.3.2.4.14.1	Unexpected MONP message received	305
10.3.2.4.14.2	Unexpected indication from MCPTT user	305
10.3.2.4.14.3	Unexpected expiration of a timer	305
11	Private call	305
11.0	General	305
11.1	On-network private call and first-to-answer call	305
11.1.1	Private call with floor control and first-to-answer call with floor control	305
11.1.1.1	General	305
11.1.1.2	MCPTT client procedures	306
11.1.1.2.1	On-demand private call and first-to-answer call	306
11.1.1.2.1.1	Client originating procedures	306
11.1.1.2.1.2	Client terminating procedures	308
11.1.1.2.1.3	Client terminating procedures for reception of SIP re-INVITE request	311
11.1.1.2.1.4	MCPTT in-progress emergency cancel	312
11.1.1.2.1.5	Upgrade to MCPTT emergency private call	314
11.1.1.2.2	Private call and first-to-answer call using pre-established session	314
11.1.1.2.2.1	Client originating procedures	314
11.1.1.2.2.2	Client terminating procedures	318
11.1.1.3	Participating MCPTT function procedures	318
11.1.1.3.1	Originating procedures	318
11.1.1.3.1.1	On-demand private call and first-to-answer call	318
11.1.1.3.1.2	Private call and first-to-answer call initiation using pre-established session	321
11.1.1.3.1.3	Receipt of SIP re-INVITE for MCPTT private call from the served user	326
11.1.1.3.2	Terminating procedures	327
11.1.1.3.3	Receipt of SIP re-INVITE request by terminating participating function	328
11.1.1.4	Controlling MCPTT function procedures	329
11.1.1.4.1	Originating procedures	329
11.1.1.4.2	Terminating procedures	330
11.1.1.4.3	Receiving a SIP re-INVITE for upgrade to emergency private call	333
11.1.1.4.4	Receiving a SIP re-INVITE for cancellation of emergency private call	334
11.1.1.4.5	Sending a SIP re-INVITE for upgrade to emergency private call	336
11.1.1.4.6	Sending a SIP re-INVITE for cancellation of emergency private call	336
11.1.2	Private call without floor control and first-to-answer call without floor control	337
11.1.2.1	General	337
11.1.2.2	MCPTT client procedures	337
11.1.2.3	Participating MCPTT function procedures	338
11.1.2.3.1	Originating procedures	338
11.1.2.3.2	Terminating procedures	338
11.1.2.4	Controlling MCPTT function procedures	338
11.1.2.4.1	Originating procedures	338
11.1.2.4.2	Terminating procedures	338