

ETSI TS 124 379 V15.16.0 (2025-01)



**LTE;
Mission Critical Push To Talk (MCPTT) call control;
Protocol specification
(3GPP TS 24.379 version 15.16.0 Release 15)**

[ETSI TS 124 379 V15.16.0 \(2025-01\)](https://standards.iteh.ai/catalog/standards/etsi/ef0aa1d8-f638-45fe-bbb0-8192b48a38fc/etsi-ts-124-379-v15-16-0-2025-01)

<https://standards.iteh.ai/catalog/standards/etsi/ef0aa1d8-f638-45fe-bbb0-8192b48a38fc/etsi-ts-124-379-v15-16-0-2025-01>



Reference

RTS/TSGC-0124379vfg0

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-01)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	19
1 Scope	20
2 References	20
3 Definitions, symbols and abbreviations	23
3.1 Definitions	23
3.2 Abbreviations	26
4 General	27
4.1 MCPTT overview.....	27
4.2 URI and address assignments.....	28
4.3 MCPTT speech.....	28
4.4 Warning Header Field	28
4.4.1 General.....	28
4.4.2 Warning texts.....	28
4.5 MCPTT session identity	33
4.6 MCPTT priority calls and alerts	34
4.6.1 MCPTT emergency group calls.....	34
4.6.2 MCPTT emergency private calls	35
4.6.3 MCPTT emergency alerts.....	36
4.6.4 MCPTT imminent peril group call	37
4.7 Communication security.....	38
4.7.1 Media security	38
4.7.2 Signalling security	39
4.8 Protection of sensitive application data	40
4.9 Pre-established session	43
4.10 MCPTT client ID	44
4.11 Off-network MCPTT.....	44
4.12 Broadcast Group Calls.....	44
5 Functional entities	45
5.1 Introduction	45
5.2 MCPTT client.....	45
5.3 MCPTT server.....	46
5.3.1 General.....	46
5.3.2 Functional connectivity models	47
5.3.3 Failure case	49
5.3.4 Management of MBMS bearers.....	49
5.4 MCPTT UE-to-network relay.....	49
6 Common procedures.....	50
6.1 Introduction	50
6.2 MCPTT client procedures	50
6.2.0 Distinction of requests at the MCPTT client	50
6.2.0.1 SIP MESSAGE request.....	50
6.2.1 SDP offer generation	51
6.2.2 SDP answer generation.....	52
6.2.3 Commencement modes.....	53
6.2.3.1 Automatic commencement mode.....	53
6.2.3.1.1 Automatic commencement mode for private calls	53
6.2.3.1.2 Automatic commencement mode for group calls	53
6.2.3.2 Manual commencement mode	53
6.2.3.2.1 Manual commencement mode for private calls	53

6.2.3.2.2	Manual commencement mode for group calls.....	54
6.2.4	Leaving an MCPTT session initiated by MCPTT client.....	54
6.2.4.1	On-demand session case	54
6.2.4.2	Pre-established session case	55
6.2.5	Releasing an MCPTT session initiated by MCPTT client	55
6.2.5.1	On-demand session case	55
6.2.5.2	Pre-established session case	55
6.2.6	Receiving an MCPTT session release request	56
6.2.7	Void	56
6.2.8	Priority call conditions.....	56
6.2.8.0	General	56
6.2.8.1	MCPTT emergency group call conditions	56
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCPTT emergency group calls	56
6.2.8.1.2	Resource-Priority header field for MCPTT emergency group calls	57
6.2.8.1.3	SIP re-INVITE request for cancelling MCPTT in-progress emergency group state	58
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority call	58
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group call	59
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCPTT emergency alert	59
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCPTT group.....	60
6.2.8.1.8	Determining authorisation for originating a priority group call	60
6.2.8.1.9	SIP request for originating MCPTT imminent peril group calls	61
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group call	61
6.2.8.1.11	SIP re-INVITE request for cancelling MCPTT in-progress imminent peril group state	62
6.2.8.1.12	Resource-Priority header field for MCPTT imminent peril group calls	62
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group call	62
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party	63
6.2.8.1.15	Retrieving Resource-Priority header field values	64
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group call origination status within a pre-established session.....	64
6.2.8.1.17	Priority group call conditions upon receiving call release	65
6.2.8.1.18	Emergency private call conditions upon receiving call release	65
6.2.8.2	Request for an originating broadcast group call	66
6.2.8.3	MCPTT emergency private call conditions.....	66
6.2.8.3.1	Authorisations	66
6.2.8.3.2	SIP request for originating MCPTT emergency private calls.....	67
6.2.8.3.3	Resource-Priority header field for MCPTT emergency private calls	67
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCPTT emergency private call.....	68
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCPTT emergency private call.....	68
6.2.8.3.6	SIP re-INVITE request for cancelling MCPTT emergency private call state.....	68
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private call.....	69
6.2.8.3.8	SIP re-INVITE request for cancelling the MCPTT emergency private call state by a third- party	70
6.2.8.3.9	Retrieving a KMS URI associated with an MCPTT ID	70
6.2.9	Location information	71
6.2.9.1	Location information for location reporting.....	71
6.3	MCPTT server procedures	72
6.3.1	Distinction of requests sent to the MCPTT server	72
6.3.1.1	SIP INVITE request	72
6.3.1.2	SIP REFER request	73
6.3.1.3	SIP MESSAGE request.....	73
6.3.1.4	SIP SUBSCRIBE request.....	76
6.3.2	Participating MCPTT Function.....	76
6.3.2.1	Requests initiated by the served MCPTT user	76
6.3.2.1.1	SDP offer generation	76
6.3.2.1.2	SDP answer generation.....	77
6.3.2.1.3	Sending an INVITE request on receipt of an INVITE request	77
6.3.2.1.4	Sending an INVITE request on receipt of a REFER request.....	78
6.3.2.1.5	Response to an INVITE request	80

6.3.2.1.6	Sending a SIP BYE request on receipt of a SIP BYE request	81
6.3.2.1.7	Sending a SIP BYE request on receipt of a SIP REFER request.....	81
6.3.2.1.8	Priority call conditions	82
6.3.2.1.9	Generating a SIP re-INVITE request on receipt of a SIP re-INVITE request	86
6.3.2.1.10	Sending a SIP INVITE request on receipt of SIP 3xx response	86
6.3.2.2	Requests terminated to the served MCPTT user	87
6.3.2.2.1	SDP offer generation	87
6.3.2.2.2	SDP answer generation.....	87
6.3.2.2.3	SIP INVITE request towards the terminating MCPTT client.....	87
6.3.2.2.4	Response to a SIP INVITE request	88
6.3.2.2.5	Automatic Commencement Mode.....	89
6.3.2.2.6	Manual Commencement Mode	92
6.3.2.2.7	Void.....	95
6.3.2.2.8	SIP BYE request towards the terminating MCPTT client.....	95
6.3.2.2.9	Populate MIME bodies.....	96
6.3.2.2.10	Generating a SIP re-INVITE request towards the terminating MCPTT client.....	96
6.3.2.2.11	Generating a SIP MESSAGE request towards the terminating MCPTT client.....	96
6.3.2.3	Void.....	97
6.3.2.4	Request initiated by the participating MCPTT function	97
6.3.2.4.1	Generating a SIP MESSAGE request for notification of entry into or exit from an emergency alert area	97
6.3.2.4.2	Generating a SIP MESSAGE request for notification of entry into or exit from a group geographic area.....	97
6.3.3	Controlling MCPTT function	98
6.3.3.1	Request initiated by the controlling MCPTT function	98
6.3.3.1.1	SDP offer generation	98
6.3.3.1.2	Sending an INVITE request	99
6.3.3.1.3	Receipt of a SIP response to a SIP INVITE request.....	100
6.3.3.1.4	Void	100
6.3.3.1.5	Sending a SIP BYE request.....	100
6.3.3.1.6	Sending a SIP re-INVITE request for MCPTT emergency group call.....	100
6.3.3.1.7	Sending a SIP INVITE request for MCPTT emergency group call	101
6.3.3.1.8	Sending a SIP UPDATE request for Resource-Priority header field correction.....	102
6.3.3.1.9	Generating a SIP re-INVITE request.....	103
6.3.3.1.10	Generating a SIP re-INVITE request to cancel an in-progress emergency	103
6.3.3.1.11	Generating a SIP MESSAGE request for notification of in-progress emergency or imminent peril status change	103
6.3.3.1.12	Populate mcptt-info and location-info MIME bodies for emergency alert.....	104
6.3.3.1.13	Authorisations	104
6.3.3.1.14	Generating a SIP 403 response for priority call request rejection	109
6.3.3.1.15	Sending a SIP re-INVITE request for MCPTT imminent peril group call.....	110
6.3.3.1.16	Handling the expiry of timer TNG2 (in-progress emergency group call timer)	110
6.3.3.1.17	Validate priority request parameters.....	111
6.3.3.1.18	Sending a SIP INFO request in the dialog of a SIP request for a priority call.....	111
6.3.3.1.19	Retrieving Resource-Priority header field values.....	111
6.3.3.1.20	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation	112
6.3.3.1.21	void.....	113
6.3.3.1.22	void.....	113
6.3.3.2	Requests terminated by the controlling MCPTT function.....	113
6.3.3.2.1	SDP answer generation.....	113
6.3.3.2.2	Receipt of a SIP INVITE request	113
6.3.3.2.3	Sending a SIP response to a SIP INVITE request	113
6.3.3.2.4	Receiving a SIP BYE request.....	114
6.3.3.3	Handling of the acknowledged call setup timer (TNG1)	115
6.3.3.4	Generating a SIP NOTIFY request	117
6.3.3.5	Handling of the group call timer (TNG3)	117
6.3.3.5.1	General	117
6.3.3.5.2	Interaction with the in-progress emergency group call timer (TNG2)	118
6.3.3.6	Void.....	118
6.3.4	Non-controlling MCPTT function of an MCPTT group.....	118
6.3.4.1	Request initiated by the non-controlling MCPTT function of an MCPTT group	118

6.3.4.1.1	SDP offer generation	118
6.3.4.1.2	Sending an INVITE request towards the MCPTT client	119
6.3.4.1.3	Sending a SIP INFO request	120
6.3.4.1.4	Sending an INVITE request towards the controlling MCPTT function	120
6.3.4.2	Requests terminated by the non-controlling MCPTT function of an MCPTT group	121
6.3.4.2.1	SDP answer generation	121
6.3.4.2.2	Sending a SIP response to the SIP INVITE request	122
6.3.4.3	Generating a SIP NOTIFY request	122
6.3.4.4	Void	123
6.3.5	Retrieving and processing a group document	123
6.3.5.1	General	123
6.3.5.2	Rules for retrieving Group Document(s)	124
6.3.5.3	Rules for joining a group session	127
6.3.5.4	Rules for initiating a prearranged group session	127
6.3.5.5	Determining the group members to invite	128
6.3.6	Affiliation check	128
6.3.7	Error handling	129
6.3.7.1	Public service identity does not exist	129
6.3.8	Session release policy	129
6.3.8.1	Session release policy for group call	129
6.3.8.2	Session release policy for private call	129
6.4	Implicit floor request	129
6.5	Handling of MIME bodies in a SIP message	130
6.6	Confidentiality and Integrity Protection	131
6.6.1	General	131
6.6.1.1	Applicability and exclusions	131
6.6.1.2	Performing XML content encryption	131
6.6.1.3	Performing integrity protection on an XML body	131
6.6.1.4	Verifying integrity of an XML body and decrypting XML elements	131
6.6.2	Confidentiality Protection	132
6.6.2.1	General	132
6.6.2.2	Keys used in confidentiality protection procedures	132
6.6.2.3	Procedures for sending confidentiality protected content	133
6.6.2.3.1	MCPTT client	133
6.6.2.3.2	MCPTT server	133
6.6.2.3.3	Content Encryption in XML elements	133
6.6.2.3.4	Attribute URI Encryption	134
6.6.2.4	Procedures for receiving confidentiality protected content	134
6.6.2.4.1	Determination of confidentiality protected content	134
6.6.2.4.2	Decrypting confidentiality protected content in XML elements	134
6.6.2.4.3	Decrypting confidentiality protected URIs in XML attributes	135
6.6.2.5	MCPTT server copying received XML content	135
6.6.3	Integrity Protection of XML documents	136
6.6.3.1	General	136
6.6.3.2	Keys used in integrity protection procedures	138
6.6.3.3	Sending integrity protected content	139
6.6.3.3.1	MCPTT client	139
6.6.3.3.2	MCPTT server	139
6.6.3.3.3	Integrity protection procedure	139
6.6.3.4	Receiving integrity protected content	140
6.6.3.4.1	Determination of integrity protected content	140
6.6.3.4.2	Verification of integrity protected content	140
6.7	Priority sharing	140
7	Registration and service authorisation	140
7.1	General	140
7.2	MCPTT client procedures	141
7.2.1	SIP REGISTER request for service authorisation	141
7.2.1AA	SIP REGISTER request without service authorisation	142
7.2.1A	Common SIP PUBLISH procedure	142
7.2.2	SIP PUBLISH request for service authorisation and MCPTT service settings	143
7.2.3	Sending SIP PUBLISH for MCPTT service settings only	144

7.2.4	Determination of MCPTT service settings	144
7.2.5	Receiving a CSK key download message.....	145
7.3	MCPTT server procedures	146
7.3.1	General.....	146
7.3.1A	Confidentiality and Integrity Protection	146
7.3.2	SIP REGISTER request for service authorisation	148
7.3.3	SIP PUBLISH request for service authorisation and service settings.....	148
7.3.4	Receiving SIP PUBLISH request for MCPTT service settings only	149
7.3.5	Receiving SIP PUBLISH request with "Expires=0"	150
7.3.6	Subscription to and notification of MCPTT service settings	151
7.3.6.1	Receiving subscription to MCPTT service settings	151
7.3.6.2	Sending notification of change of MCPTT service settings.....	151
7.3.7	Sending a CSK key download message.....	152
7.4	Coding	152
7.4.1	Extension of MIME types.....	152
7.4.1.1	General	152
7.4.1.2	Extension of application/poc-settings+xml MIME type	152
7.4.1.2.1	Introduction	152
7.4.1.2.2	Syntax.....	152
8	Pre-established session.....	153
8.1	General	153
8.1A	Participating MCPTT function use of resource sharing	154
8.2	Session establishment.....	154
8.2.1	MCPTT client procedures.....	154
8.2.2	Participating MCPTT function procedures	155
8.3	Session modification	156
8.3.1	MCPTT client procedures.....	156
8.3.1.1	MCPTT client initiated	156
8.3.1.2	Participating MCPTT function initiated.....	157
8.3.2	Participating MCPTT function procedures.....	157
8.3.2.1	MCPTT client initiated	157
8.3.2.2	Participating MCPTT function initiated.....	157
8.4	Session release.....	158
8.4.1	MCPTT client procedures.....	158
8.4.1.1	MCPTT client initiated	158
8.4.1.2	Participating MCPTT function initiated.....	158
8.4.2	Participating MCPTT function procedures	158
8.4.2.1	MCPTT client initiated	158
8.4.2.2	Participating MCPTT function initiated.....	159
9	Affiliation	159
9.1	General	159
9.2	Procedures	160
9.2.1	MCPTT client procedures.....	160
9.2.1.1	General	160
9.2.1.2	Affiliation status change procedure.....	160
9.2.1.3	Affiliation status determination procedure.....	161
9.2.1.4	Procedure for sending affiliation status change request in negotiated mode to target MCPTT user... 162	
9.2.1.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCPTT user.....	163
9.2.1.6	Subscription to group dynamic data.....	163
9.2.2	MCPTT server procedures.....	164
9.2.2.1	General	164
9.2.2.2	Procedures of MCPTT server serving the MCPTT user	164
9.2.2.2.1	General	164
9.2.2.2.2	Stored information.....	164
9.2.2.2.3	Receiving affiliation status change from MCPTT client procedure	165
9.2.2.2.4	Receiving subscription to affiliation status procedure.....	168
9.2.2.2.5	Sending notification of change of affiliation status procedure	169
9.2.2.2.6	Sending affiliation status change towards MCPTT server owning MCPTT group procedure	169
9.2.2.2.7	Affiliation status determination from MCPTT server owning MCPTT group procedure	171

9.2.2.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCPTT user	173
9.2.2.2.9	Forwarding affiliation status change towards another MCPTT user procedure	174
9.2.2.2.10	Forwarding subscription to affiliation status towards another MCPTT user procedure	174
9.2.2.2.11	Affiliation status determination	175
9.2.2.2.12	Affiliation status change by implicit affiliation	176
9.2.2.2.13	Implicit affiliation status change completion.....	177
9.2.2.2.14	Implicit affiliation status change cancellation	177
9.2.2.2.15	Implicit affiliation to configured groups procedure.....	177
9.2.2.2.16	Forwarding subscription to group dynamic data towards the controlling MCPTT server procedure.....	179
9.2.2.3	Procedures of MCPTT server owning the MCPTT group	180
9.2.2.3.1	General	180
9.2.2.3.2	Stored information.....	180
9.2.2.3.3	Receiving group affiliation status change procedure.....	181
9.2.2.3.4	Receiving subscription to affiliation status procedure.....	182
9.2.2.3.5	Sending notification of change of affiliation status procedure	183
9.2.2.3.6	Implicit affiliation eligibility check procedure	183
9.2.2.3.7	Affiliation status change by implicit affiliation procedure	184
9.2.2.3.8	Affiliation eligibility check procedure.....	184
9.2.2.3.9	Receiving subscription to group dynamic data procedure.....	185
9.2.2.3.9	Sending notification of change of group dynamic data procedure	186
9.3	Coding	186
9.3.1	Extension of application/pidf+xml MIME type.....	186
9.3.1.1	Introduction.....	186
9.3.1.2	Syntax	186
9.3.2	Extension of application/simple-filter+xml MIME type.....	189
9.3.2.1	Introduction.....	189
9.3.2.2	Syntax	189
9A	Functional Alias	191
9A.1	General	191
9A.2	Procedures	191
9A.2.1	MCPTT client procedures.....	191
9A.2.1.1	General	191
9A.2.1.2	Functional alias status change procedure	191
9A.2.1.3	Functional alias status determination procedure	192
9A.2.2	MCPTT server procedures.....	193
9A.2.2.1	General	193
9A.2.2.2	Procedures of MCPTT server serving the MCPTT user	193
9A.2.2.2.1	General	193
9A.2.2.2.3	Receiving functional alias status change from MCPTT client procedure.....	194
9A.2.2.2.4	Receiving subscription to functional alias status procedure	196
9A.2.2.2.5	Sending notification of change of functional alias status procedure.....	197
9A.2.2.2.6	Sending functional alias status change towards MCPTT server owning the functional alias procedure.....	198
9A.2.2.2.7	Functional alias status determination from MCPTT server owning functional alias procedure	199
9A.2.2.2.8	Void.....	201
9A.2.2.2.9	Forwarding subscription to functional alias status towards another MCPTT server procedure	201
9A.2.2.3	Procedures of MCPTT server owning the Functional alias.....	202
9A.2.2.3.1	General	202
9A.2.2.3.2	Stored information.....	202
9A.2.2.3.3	Receiving functional alias status change procedure	202
9A.2.2.3.4	Receiving subscription to functional alias status procedure	204
9A.2.2.3.5	Sending notification of change of functional alias status procedure.....	205
9A.3	Coding	206
9A.3.1	Extension of application/pidf+xml MIME type.....	206
9A.3.1.1	Introduction.....	206
9A.3.1.2	Syntax	206
9A.3.2	Extension of application/simple-filter+xml MIME type.....	207
9A.3.2.1	Introduction.....	207
9A.3.2.2	Syntax	207

10	Group call.....	208
10.0	General.....	208
10.1	On-network group call.....	209
10.1.1	Prearranged group call.....	209
10.1.1.1	General.....	209
10.1.1.2	MCPTT client procedures.....	209
10.1.1.2.1	On-demand prearranged group call.....	209
10.1.1.2.2	Prearranged group call using pre-established session.....	217
10.1.1.2.3	End group call.....	218
10.1.1.2.4	Re-join procedure.....	218
10.1.1.3	Participating MCPTT function procedures.....	218
10.1.1.3.1	Originating procedures.....	218
10.1.1.3.2	Terminating Procedures.....	226
10.1.1.3.3	End group call at the originating participating MCPTT function.....	227
10.1.1.3.4	End group call at the terminating participating MCPTT function.....	227
10.1.1.3.5	Re-join procedures.....	227
10.1.1.3.6	Reception of a SIP re-INVITE request for terminating MCPTT client for priority call.....	227
10.1.1.4	Controlling MCPTT function procedures.....	228
10.1.1.4.1	Originating Procedures.....	228
10.1.1.4.2	Terminating Procedures.....	231
10.1.1.4.3	End group call at the terminating controlling MCPTT function.....	239
10.1.1.4.4	End group call initiated by the controlling MCPTT function.....	239
10.1.1.4.5	Re-join procedures.....	239
10.1.1.4.6	Late call entry initiated by controlling MCPTT function.....	240
10.1.1.4.7	Receipt of a SIP re-INVITE request.....	240
10.1.1.4.8	Handling of a SIP re-INVITE request for imminent peril session.....	244
10.1.1.5	Non-controlling function of an MCPTT group procedures.....	245
10.1.1.5.1	Originating procedures.....	245
10.1.1.5.2	Terminating procedures.....	246
10.1.1.5.3	Rejoin procedures.....	250
10.1.1.5.4	SIP OPTIONS request authorization procedure.....	250
10.1.1.5.5	Initiating a temporary group session.....	251
10.1.2	Chat group (restricted) call.....	252
10.1.2.1	General.....	252
10.1.2.2	MCPTT client procedures.....	252
10.1.2.2.1	On-demand chat group call.....	252
10.1.2.2.2	Chat group call within a pre-established session.....	260
10.1.2.2.3	End group call.....	262
10.1.2.3	Participating MCPTT function procedures.....	263
10.1.2.3.1	On-demand chat group call.....	263
10.1.2.3.2	Chat group call within a pre-established session.....	268
10.1.2.3.3	End group call at the originating participating MCPTT function.....	272
10.1.2.3.4	End group call at the terminating participating MCPTT function.....	272
10.1.2.4	Controlling MCPTT function procedures.....	273
10.1.2.4.1	On-demand chat group call.....	273
10.1.2.4.2	End group call at the terminating controlling MCPTT function.....	283
10.1.2.4.3	End group call initiated by the controlling MCPTT function.....	283
10.1.2.5	Non-controlling function of an MCPTT group procedures.....	283
10.1.2.5.1	Terminating procedures.....	283
10.1.3	Subscription to the conference event package.....	287
10.1.3.1	General.....	287
10.1.3.2	MCPTT client.....	287
10.1.3.3	Participating MCPTT function.....	288
10.1.3.4	Controlling MCPTT function.....	289
10.1.3.4.1	Receiving a subscription to the conference event package.....	289
10.1.3.4.2	Sending notifications to the conference event package.....	290
10.1.3.4.3	Sending subscriptions to the conference event package.....	290
10.1.3.4.4	Terminating a subscription.....	291
10.1.3.5	Non-controlling MCPTT function.....	291
10.1.3.5.1	Receiving subscriptions to the conference event package.....	291
10.1.3.5.2	Sending notifications to the conference event package.....	292
10.1.3.5.3	Sending a subscription to the conference event package.....	293

10.1.3.5.4	Terminating a subscription	293
10.1.4	Remote change of an MCPTT user's selected group	294
10.1.4.1	General	294
10.1.4.2	Client procedures	294
10.1.4.2.1	Remote selected group change initiation	294
10.1.4.2.2	Target client procedures for handling remote selected group change request	295
10.1.4.3	Participating MCPTT function procedures	296
10.1.4.3.1	Originating procedures	296
10.1.4.3.2	Terminating procedures	297
10.1.4.4	Controlling MCPTT function procedures	298
10.1.5	Remotely initiated group call	299
10.1.5.1	General	299
10.1.5.2	Client procedures	299
10.1.5.2.1	Remotely initiated group call initiation request procedures	299
10.1.5.2.2	Remote client procedures for handling remotely initiated group call request	301
10.1.5.3	Participating MCPTT function procedures	302
10.1.5.3.1	Originating procedures	302
10.1.5.3.2	Terminating procedures	303
10.1.5.4	Controlling MCPTT function procedures	304
10.2	Off-network group call	305
10.2.1	General	305
10.2.1.1	Common Procedures	305
10.2.1.1.1	MONP message transport	305
10.2.1.1.2	Session description	305
10.2.2	Basic call control	306
10.2.2.1	General	306
10.2.2.2	Basic call control state machine	306
10.2.2.3	Call Control states	307
10.2.2.3.1	S1: start-stop	307
10.2.2.3.2	S2: waiting for call announcement	308
10.2.2.3.3	S3: part of ongoing call	308
10.2.2.3.4	S4: pending user action without confirm indication	308
10.2.2.3.5	S5: pending user action with confirm indication	308
10.2.2.3.6	S6: ignoring incoming call announcements	308
10.2.2.3.7	S7: waiting for call announcement after call release	308
10.2.2.4	Procedures	308
10.2.2.4.1	General	308
10.2.2.4.2	Call Probe	309
10.2.2.4.3	Call setup	310
10.2.2.4.4	Periodic group call announcement	313
10.2.2.4.5	Call release	314
10.2.2.4.6	Merge of calls	317
10.2.2.4.7	Error handling	318
10.2.3	Call type control	318
10.2.3.1	General	318
10.2.3.2	Call type control state machine	318
10.2.3.3	Call type control states	319
10.2.3.3.1	T0: waiting for call to establish	319
10.2.3.3.2	T1: in-progress emergency group call	320
10.2.3.3.3	T2: in-progress basic group call	320
10.2.3.3.4	T3: in-progress imminent peril group call	320
10.2.3.4	Procedures	320
10.2.3.4.1	General	320
10.2.3.4.2	User initiated the call probe	320
10.2.3.4.3	Received GROUP CALL ANNOUNCEMENT message as a response to GROUP CALL PROBE message	321
10.2.3.4.4	Received GROUP CALL ANNOUNCEMENT with MCPTT user acknowledgement required	322
10.2.3.4.5	Received GROUP CALL ANNOUNCEMENT without MCPTT user acknowledgement required	322
10.2.3.4.6	Call started	323
10.2.3.4.7	Upgrade call	324
10.2.3.4.8	Downgrade call	327

10.2.3.4.9	Merge of two calls	330
10.2.3.4.10	Call release after call establishment	331
10.2.3.4.11	Call release or reject before call establishment	331
10.2.3.4.12	Error handling.....	332
10.3	Off-network Broadcast group call	332
10.3.1	General.....	332
10.3.2	Basic call control	332
10.3.2.1	General	332
10.3.2.2	Broadcast group call control state machine.....	332
10.3.2.3	Broadcast group call Control states.....	333
10.3.2.3.1	B1: start-stop	333
10.3.2.3.2	B2: in-progress broadcast group call	333
10.3.2.3.3	B3: pending user action.....	333
10.3.2.3.4	B4: ignoring same call ID.....	333
10.3.2.4	Procedures.....	334
10.3.2.4.1	User initiating a broadcast group call	334
10.3.2.4.2	Terminating UE receiving a GROUP CALL BROADCAST message when not participating in the in-progress broadcast group call.....	334
10.3.2.4.3	MCPTT user accepts the terminating call.....	335
10.3.2.4.4	MCPTT user rejects the terminating call.....	335
10.3.2.4.5	MCPTT user does not act on terminating call	335
10.3.2.4.6	Terminating user releasing the call.....	335
10.3.2.4.7	Originating user releasing the call	336
10.3.2.4.8	Receiving GROUP CALL BROADCAST END message	336
10.3.2.4.9	Originating UE retransmitting GROUP CALL BROADCAST message.....	336
10.3.2.4.10	Ignoring same call ID	337
10.3.2.4.11	Releasing the call.....	337
10.3.2.4.12	Restarting TFB1	337
10.3.2.4.13	Receiving GROUP CALL BROADCAST END message	337
10.3.2.4.14	Error handling.....	338
11	Private call.....	338
11.0	General	338
11.1	On-network private call and first-to-answer call	338
11.1.1	Private call with floor control and first-to-answer call with floor control	338
11.1.1.1	General	338
11.1.1.2	MCPTT client procedures	339
11.1.1.2.1	On-demand private call and first-to-answer call.....	339
11.1.1.2.2	Private call and first-to-answer call using pre-established session	348
11.1.1.3	Participating MCPTT function procedures	351
11.1.1.3.1	Originating procedures	351
11.1.1.3.2	Terminating procedures.....	361
11.1.1.3.3	Receipt of SIP re-INVITE request by terminating participating function	362
11.1.1.4	Controlling MCPTT function procedures	363
11.1.1.4.1	Originating procedures	363
11.1.1.4.2	Terminating procedures.....	364
11.1.1.4.3	Receiving a SIP re-INVITE for upgrade to emergency private call	367
11.1.1.4.4	Receiving a SIP re-INVITE for cancellation of emergency private call	368
11.1.1.4.5	Sending a SIP re-INVITE for upgrade to emergency private call	370
11.1.1.4.6	Sending a SIP re-INVITE for cancellation of emergency private call.....	370
11.1.2	Private call without floor control and first-to-answer call without floor control	371
11.1.2.1	General	371
11.1.2.2	MCPTT client procedures	371
11.1.2.3	Participating MCPTT function procedures	372
11.1.2.3.1	Originating procedures	372
11.1.2.3.2	Terminating procedures.....	372
11.1.2.4	Controlling MCPTT function procedures	372
11.1.2.4.1	Originating procedures	372
11.1.2.4.2	Terminating procedures.....	372
11.1.3	Ending the private call initiated by MCPTT client	373
11.1.3.1	MCPTT client procedures	373
11.1.3.1.1	On-demand private call	373

11.1.3.1.2	Private call using pre-established session	373
11.1.3.2	Participating MCPTT function procedures	373
11.1.3.2.1	Originating procedures	373
11.1.3.2.2	Terminating procedures	373
11.1.3.3	Controlling MCPTT function procedures	374
11.1.3.3.1	Terminating procedures	374
11.1.4	Ending the private call initiated by the MCPTT server	374
11.1.4.1	General	374
11.1.4.2	MCPTT client procedures	374
11.1.4.3	Participating MCPTT function procedures	374
11.1.4.3.1	Originating procedures	374
11.1.4.3.2	Terminating procedures	374
11.1.4.4	Controlling MCPTT function procedures	374
11.1.5	Private call call-back	375
11.1.5.1	General	375
11.1.5.2	MCPTT client procedures	375
11.1.5.2.1	Requesting client procedures for call-back requests	375
11.1.5.2.2	Target client procedures for handling call-back requests	376
11.1.5.2.3	Private call call-back fulfilment	377
11.1.5.3	Participating MCPTT function procedures	378
11.1.5.3.1	Originating procedures	378
11.1.5.3.2	Terminating procedures	379
11.1.5.4	Controlling MCPTT function procedures	379
11.1.6	Ambient listening call	380
11.1.6.1	General	380
11.1.6.2	MCPTT client procedures	381
11.1.6.2.1	On-demand ambient listening call	381
11.1.6.2.2	Ambient listening call using pre-established session	385
11.1.6.3	Participating MCPTT function procedures	388
11.1.6.3.1	Originating procedures	388
11.1.6.3.2	Terminating procedures	393
11.1.6.4	Controlling MCPTT function procedures	394
11.1.6.4.1	Originating procedures	394
11.1.6.4.2	Terminating procedures	395
11.1.6.4.3	Server initiated ambient call release	397
11.1.6.4.4	Reception of a SIP BYE request	398
11.1.7	Remotely initiated private call	398
11.1.7.1	General	398
11.1.7.2	Client procedures	399
11.1.7.2.1	Remotely initiated private call initiation request procedures	399
11.1.7.2.2	Remote client procedures for handling remotely initiated private call request	400
11.1.7.3	Participating MCPTT function procedures	401
11.1.7.3.1	Originating procedures	401
11.1.7.3.2	Terminating procedures	402
11.1.7.4	Controlling MCPTT function procedures	403
11.2	Off-network private call	404
11.2.1	General	404
11.2.1.1	Common procedures	404
11.2.1.1.1	Sending/Receiving a message	404
11.2.1.1.2	Session description	404
11.2.2	Basic call control	405
11.2.2.1	General	405
11.2.2.2	Private call control state machine	405
11.2.2.3	Private call control states	406
11.2.2.3.1	P0: start-stop	406
11.2.2.3.2	P1: ignoring same call id	406
11.2.2.3.3	P2: waiting for call response	406
11.2.2.3.4	P3: waiting for release response	406
11.2.2.3.5	P4: part of ongoing call	406
11.2.2.3.6	P5: pending	406
11.2.2.4	Procedures	407
11.2.2.4.1	General	407

11.2.2.4.2	Private call setup.....	407
11.2.2.4.3	Private call setup in automatic commencement mode.....	410
11.2.2.4.4	Private call setup in manual commencement mode.....	413
11.2.2.4.5	Private call release.....	417
11.2.2.4.6	Error handling.....	419
11.2.3	Call type control.....	420
11.2.3.1	General.....	420
11.2.3.2	Call type control state machine.....	420
11.2.3.3	Call type control states.....	420
11.2.3.3.1	Q0: waiting for the call to be established.....	420
11.2.3.3.2	Q1: in-progress private call.....	421
11.2.3.3.3	Q2: in-progress emergency private call.....	421
11.2.3.4	Procedures.....	421
11.2.3.4.1	General.....	421
11.2.3.4.2	Outgoing call initiated.....	421
11.2.3.4.3	Received incoming call.....	421
11.2.3.4.4	Establishing the private call.....	422
11.2.3.4.5	Upgrade call.....	422
11.2.3.4.6	Downgrade call.....	425
11.2.3.4.6A	Implicit downgrade.....	427
11.2.3.4.7	Call Release.....	427
11.2.3.4.7A	Private call setup request accepted.....	427
11.2.3.4.8	Error handling.....	428
12	Emergency alert.....	428
12.0	General.....	428
12.1	On-network emergency alert.....	428
12.1.1	Client procedures.....	428
12.1.1.1	Emergency alert origination.....	428
12.1.1.2	Emergency alert cancellation.....	429
12.1.1.3	MCPTT client receives an MCPTT emergency alert or call notification.....	430
12.1.1.4	MCPTT client receives notification of entry into or exit from a group geographic area.....	432
12.1.1.5	MCPTT client receives notification of entry into or exit from an emergency alert area.....	433
12.1.2	Participating MCPTT function procedures.....	433
12.1.2.1	Receipt of a SIP MESSAGE request for emergency notification from the served MCPTT client.....	433
12.1.2.2	Receipt of a SIP MESSAGE request for emergency notification for terminating MCPTT client.....	435
12.1.2.3	Receipt of a SIP MESSAGE request indicating successful delivery of emergency notification.....	435
12.1.3	Controlling MCPTT function procedures.....	436
12.1.3.1	Handling of a SIP MESSAGE request for emergency notification.....	436
12.1.3.2	Handling of a SIP MESSAGE request for emergency alert cancellation.....	437
12.2	Off-network emergency alert.....	440
12.2.1	General.....	440
12.2.2	Basic state machine.....	440
12.2.2.1	General.....	440
12.2.2.2	Emergency alert state machine.....	440
12.2.2.3	Emergency alert states.....	441
12.2.2.3.1	E1: Not in emergency state.....	441
12.2.2.3.2	E2: Emergency state.....	441
12.2.3	Procedures.....	441
12.2.3.1	Originating user sending emergency alert.....	441
12.2.3.2	Emergency alert retransmission.....	442
12.2.3.3	Terminating user receiving emergency alert.....	442
12.2.3.4	Terminating user receiving retransmitted emergency alert.....	442
12.2.3.5	Originating user cancels emergency alert.....	443
12.2.3.6	Terminating user receives GROUP EMERGENCY ALERT CANCEL message.....	443
12.2.3.7	Implicit emergency alert cancel.....	443
13	Location procedures.....	444
13.1	General.....	444
13.2	Participating MCPTT function location procedures.....	444
13.2.1	General.....	444
13.2.2	Location reporting configuration.....	444