



SLOVENSKI STANDARD
kSIST-TP FprCEN/TR 17603-32-04:2021
01-oktober-2021

Vesoljska tehnika - Priročnik o strukturnih materialih - 4. del: Nadzor integritete, smernice za preverjanje in proizvodnja

Space engineering - Structural materials handbook - Part 4: Integrity control, verification guidelines and manufacturing

Raumfahrttechnik - Handbuch der Strukturwerkstoffe - Teil 4: Integritätskontrolle, Verifizierungsrichtlinien und Herstellung

Ingénierie spatiale - Manuel des matériaux structuraux - Partie 4 : Contrôle de l'intégrité, directives de vérification et fabrication

<https://standards.iteh.ai/catalog/standards/sist/e7be097a-b72d-407a-a026-82630199a15c/kSIST-TP-FprCEN-TR-17603-32-04-2021>

Ta slovenski standard je istoveten z: FprCEN/TR 17603-32-04

ICS:

49.140 Vesoljski sistemi in operacije Space systems and operations

kSIST-TP FprCEN/TR 17603-32-04:2021 en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[kSIST-TP FprCEN/TR 17603-32-04:2021](https://standards.iteh.ai/catalog/standards/sist/e7be097a-b72d-407a-a026-82630199a15c/ksist-tp-fprcen-tr-17603-32-04-2021)

<https://standards.iteh.ai/catalog/standards/sist/e7be097a-b72d-407a-a026-82630199a15c/ksist-tp-fprcen-tr-17603-32-04-2021>

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

FINAL DRAFT
FprCEN/TR 17603-32-04

July 2021

ICS 49.140

English version

Space engineering - Structural materials handbook - Part
4: Integrity control, verification guidelines and
manufacturing

Ingénierie spatiale - Manuel des matériaux structuraux
- Partie 4 : Contrôle de l'intégrité, directives de
vérification et fabrication

Raumfahrttechnik - Handbuch der Strukturwerkstoffe -
Teil 4: Integritätskontrolle, Verifizierungsrichtlinien
und Herstellung

This draft Technical Report is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a Technical Report. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Report.



CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels

Table of contents

33.1.1	Damage tolerance.....	24
33.1.2	Damage events.....	24
33.1.3	Damage tolerance criteria	24
33.2.1	Fracture control.....	25
33.2.2	Durability.....	25
33.2.3	Damage	25
33.2.4	Defects in composites	25
33.2.5	Impact damage	28
33.3.1	General.....	29
33.3.2	Load paths.....	30
33.3.3	Environment.....	30
33.3.4	Damage	30
33.3.5	Residual strength.....	31
33.3.6	Safe-life.....	31
33.3.7	Fail-safe.....	31
33.3.8	Stiffness.....	31
33.3.9	Loads.....	31
33.3.10	Environmental factors	31
33.3.11	Inspection	31
33.3.12	Summary	32
33.4.1	General.....	32
33.4.2	Types of defects.....	33
33.5.1	Composite failure	35
33.5.2	Use of fracture mechanics.....	35
33.5.3	Multi-angle laminates	35
33.6.1	General.....	36
33.6.2	Constituent tests	38
33.6.3	Lamina tests.....	39
33.6.4	Laminate tests.....	39
33.6.5	Structural element and component tests	39
33.6.6	Structural sub-component or full-scale tests.....	39

33.6.7	Delamination	39
33.7.1	Acoustic fatigue.....	41
33.7.2	Proof testing.....	41
33.7.3	Metallic parts.....	41
33.7.4	Thermal and meteoroid protection system	41
33.7.5	Impact dynamics – crashworthiness.....	41
33.7.6	Flammability, toxicity and off-gassing	41
33.7.7	Lightning protection.....	42
33.8.1	General.....	42
33.8.2	Material-related aspects.....	42
33.8.3	Lay-up aspects.....	43
33.9.1	General.....	43
33.9.2	ECSS documents.....	44
33.9.3	MIL standards	44
34.2.1	Quality assurance	45
34.3.1	Inspection and maintenance	46
34.3.2	Repairs	47
34.4.1	Basic considerations	47
34.5.1	Procedures	48
34.5.2	Thin composite laminates.....	49
34.5.3	Thick composite laminates	49
34.6.1	Introduction	50
34.6.2	Damage tolerant designs	50
34.6.3	Advances in NDT	50
34.6.4	Techniques	51
34.6.5	Smart technologies for condition monitoring.....	52
34.7.1	General.....	52
34.7.2	Emphasis of NDT development.....	53
34.8.1	Selection of NDT technique.....	53
34.8.2	Detection of defects	54
34.9.1	General.....	60
34.9.2	Visual inspection	60
34.9.3	Dye penetrant	60
34.9.4	Magnetic particle.....	60
34.9.5	Mechanical resonance or impedance	60
34.10.1	Introduction	61
34.10.2	Modes of examination	62

FprCEN/TR 17603-32-04:2021 (E)

34.10.3	Ultrasonic signal presentation	62
34.10.4	Data and image processing	62
34.10.5	Equipment calibration	63
34.10.6	Large area scanning	63
34.10.7	Acousto-ultrasonics	64
34.10.8	Lamb wave (guided wave)	65
34.10.9	Rayleigh wave techniques	66
34.10.10	Backscattering techniques	66
34.10.11	Transducer technology	67
34.10.12	Air-coupled techniques (non-contact)	70
34.12.1	General	74
34.12.2	Basic principles	75
34.13.1	Introduction	76
34.13.2	Laser interferometric techniques	77
34.13.3	Vibration, pressure and thermal loading	78
34.13.4	Electronic imaging	78
34.13.5	Examination of space structures	79
34.14.1	Introduction	80
34.14.2	Basic technique	80
34.14.3	Characteristics of shearography	81
34.15.1	Introduction	82
34.15.2	Techniques	83
34.15.3	Heat sources and pulse duration	87
34.15.4	Detection capabilities	87
34.15.5	Limitations of thermography	88
34.16.1	Introduction	89
34.16.2	X-ray techniques	90
34.16.3	Digital radiographic system developments	91
34.16.4	Defect resolution	94
34.17.1	Introduction	94
34.17.2	Basic technique	94
34.17.3	Attributes of CT scanning	95
34.17.4	Micro-tomography	96
34.18.1	Introduction	96
34.18.2	Developments in eddy current techniques	97
34.19.1	General	98
34.19.2	Microwave	99

34.19.3	Heat and photosensitive agents	99
34.19.4	Electrical impedance	99
34.19.5	Acoustic microscopy	99
34.19.6	Nuclear magnetic resonance (NMR)	100
34.19.7	Neutron radiography	100
34.19.8	Gamma radiography	100
34.19.9	D sight - Diffracto sight.....	100
34.20.1	General.....	101
34.20.2	Disbonds, voids and porosity	101
34.20.3	Cohesion and adhesion	102
34.21.1	Introduction	102
34.21.2	Developments in inspection	103
34.21.3	Summary of NDT techniques	103
34.22.1	Application	105
34.23.1	General.....	106
34.23.2	Major items	106
34.23.3	Qualification tests.....	107
34.26.1	General.....	121
34.26.2	ECSS documents.....	133
35.1.1	General.....	134
35.1.2	Composite structures.....	134
35.1.3	Composite materials	134
36.1.1	Guidelines.....	136
36.2.1	Fiche sheet principle	136
36.2.2	Specific material specification	137
36.3.1	Scope.....	137
36.3.2	Basic information to be provided by the supplier	138
36.4.1	Scope.....	142
36.4.2	Description and classification of prepreg	142
36.4.3	Prepreg characteristics for qualification and batch testing	143
36.4.4	Laminate Characteristics.....	146
36.4.5	Test methods	147
36.5.1	ECSS documents.....	148
36.5.2	ESA publications	148
37.2.1	Design values	149
37.3.1	'A' basis allowable	150
37.3.2	'B' basis allowable	150

FprCEN/TR 17603-32-04:2021 (E)

37.5.1	Material	150
37.5.2	Data	151
37.6.1	General	155
38.1.1	Processing techniques	156
38.1.2	Process selection	156
38.3.1	General	157
38.3.2	Wet lamination	158
38.3.3	Prepreg lay-up	161
38.4.1	Use	165
38.4.2	Basic process.....	165
38.4.3	Bag moulding methods	166
38.4.4	Features of bag moulding.....	169
38.4.5	Bagging techniques.....	170
38.4.6	Tool materials	171
38.4.7	Cure schedules	173
38.5.1	Basic process.....	174
38.5.2	Applications.....	174
38.5.3	Winding process.....	175
38.5.4	Mandrels	176
38.5.5	Sandwich constructions.....	176
38.5.6	Tape winding.....	177
38.6.1	General	177
38.6.2	Polar winding	177
38.6.3	Helical winding	179
38.7.1	General	180
38.7.2	Basic process.....	180
38.7.3	Applications.....	181
38.7.4	Fibre preforms.....	181
38.7.5	Resin injection.....	182
38.7.6	Process variables.....	183
38.7.7	Process advantages.....	183
38.8.1	Use	184
38.8.2	Basic process.....	184
38.8.3	Pull-forming.....	185
38.9.1	Tubular sections.....	185
38.10.1	General	186
38.10.2	Fibre metal laminates.....	186

38.10.3	Thermoplastic composites.....	186
38.11.1	General.....	187
38.11.2	Short fibre composites.....	187
38.12.1	Process developments.....	188
38.12.2	EB electron beam curing.....	189
38.12.3	Microwave.....	193
38.12.4	UV curing.....	194
38.13.1	General.....	194
38.13.2	Braids.....	195
38.13.3	Commingled fibre performs.....	195
38.14.1	Introduction.....	196
38.14.2	Advantages.....	199
38.14.3	Repeatability in lay-up and properties.....	200
38.14.4	Mixed materials in the same lay-up.....	201
38.14.5	Major advantages of fibre placement compared with other technologies.....	202
38.14.6	Examples of European launcher and satellite structures made by fibre placement.....	203
38.15.1	Introduction.....	204
38.15.2	Aerospace structural parts.....	204
38.15.3	Composite materials.....	205
38.15.4	Tooling.....	205
38.16.1	General.....	206
38.16.2	ECSS standards.....	212
39.2.1	General.....	213
39.2.2	Equipment.....	213
39.3.1	Carbon/epoxy composites.....	214
39.3.2	Aramid/epoxy composites.....	214
39.3.3	Trimming and bevelling.....	215
39.4.1	General.....	216
39.4.2	Fit or trim.....	216
39.4.3	Bonding.....	217
39.4.4	Aramid/epoxy composites.....	218
39.5.1	Basic rules.....	218
39.5.2	Bandsawing.....	218
39.5.3	Circular sawing.....	219
39.5.4	Sabre sawing.....	220
39.6.1	General.....	221

FprCEN/TR 17603-32-04:2021 (E)

39.6.2	Carbon and glass reinforced epoxy	221
39.6.3	Aramid/epoxy composites	221
39.8.1	Basic Rules	223
39.8.2	Plunge-cut milling	223
39.9.1	Basic problems	224
39.9.2	Drill bits for composites	225
39.10.1	Introduction	227
39.10.2	Advantages	228
39.10.3	Drilling parameters	228
39.10.4	Equipment	228
39.10.5	Application examples	229
39.11.1	General	230
39.11.2	ECSS standards	230
40.2.1	General	232
40.2.2	Project cost drivers	232
40.2.3	Mass for cost budgets	232
40.2.4	Materials selection	232
40.2.5	Design for manufacturing	233
40.2.6	Manufacturing expertise	233
40.2.7	Tooling and consumables	233
40.2.8	Processing times	233
40.2.9	Labour costs	234
40.2.10	Part count	234
40.2.11	Unit numbers	234
40.2.12	Product life and sourcing	235
40.3.1	Load-carrying structures	235
40.4.1	Material costs	240
40.4.2	Manufacturing costs	240
40.6.1	General	241
40.6.2	Potential fairing designs	241
40.6.3	Selection of designs	245
40.6.4	Process and material trade-off	246
40.7.1	General	248
40.7.2	Recurring spacecraft components	249
40.7.3	Thermoplastic composites in aircraft	254
40.7.4	Conclusions	256
40.10.1	General	257

41.2.1	Life-histories of composite structures	259
41.2.2	Inspection and criticality of damage	259
41.2.3	Repair zones	260
41.3.1	Impact energy levels	260
41.3.2	Damage types	261
41.4.1	General	264
41.4.2	Basic types of repairs	264
41.4.3	Repair selection	264
41.5.1	Applications	266
41.5.2	Post-repair properties	266
41.5.3	Design	266
41.5.4	Manufacture	266
41.6.1	Applications	267
41.6.2	Post-repair properties	267
41.6.3	Design	267
41.6.4	Manufacture	268
41.7.1	Applications	268
41.7.2	Post-repair properties	269
41.7.3	Design	269
41.7.4	Manufacture	269
41.8.1	No core damage	270
41.8.2	Core damage	270
41.8.3	Manufacture	270
41.9.1	General	271
42.2.1	Metallic materials	273
42.2.2	Ceramic materials	274
42.2.3	Material classification	274
42.3.1	Structural alloys	276
42.3.2	Properties	277
42.3.3	Material developments	277
42.3.4	Effects of reinforcements	278
42.3.5	Processing	278
42.4.1	Features	279
42.4.2	Properties	280
42.4.3	High-temperature use	280
42.5.1	Effects of processing temperature	281
42.5.2	High-temperature applications	282

ITEN STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/e7be097a-b72d-407a-a026-82630199a15c/ksist-tp-fprcen-tr-17603-32-04-2021>

<https://standards.iteh.ai/catalog/standards/sist/e7be097a-b72d-407a-a026-82630199a15c/ksist-tp-fprcen-tr-17603-32-04-2021>

FprCEN/TR 17603-32-04:2021 (E)

42.6.1	Introduction	283
42.6.2	Types of refractory and ceramic fibre	283
42.6.3	Use in composites.....	284
42.6.4	Thermal stability	285
42.7.1	General	298
43.1.1	General	300
43.1.2	Technical ceramics for space structures	301
43.2.1	Composition	302
43.2.2	Oxides.....	302
43.2.3	Carbides	304
43.2.4	Nitrides.....	304
43.2.5	Elemental.....	306
43.2.6	Glass-ceramics	308
43.2.7	Sources.....	308
43.3.1	Guidelines.....	310
43.3.2	Property and performance evaluation.....	311
43.4.1	Manufacturing processes.....	314
43.4.2	Health and safety	315
43.4.3	Green shapes	315
43.4.4	Densification.....	318
43.4.5	Combined shaping and densification.....	318
43.4.6	Vapour-phase techniques	319
43.4.7	Machining	319
43.4.8	Joining	319
43.5.1	Industrial	320
43.5.2	Aerospace.....	321
43.5.3	Materials	322
43.6.1	Typical characteristics.....	326
43.6.2	Typical properties.....	327
43.7.1	Typical characteristics.....	330
43.7.2	Typical properties.....	331
43.8.1	Typical characteristics.....	333
43.8.2	Typical properties.....	333
43.9.1	Typical characteristics.....	335
43.9.2	Typical properties.....	336
43.9.3	Space application examples.....	337
43.10.1	Typical characteristics.....	339

43.10.2	Typical properties.....	342
43.11.1	Typical characteristics.....	346
43.11.2	Typical properties.....	346
43.12.1	Typical characteristics.....	348
43.12.2	Typical properties.....	349
43.12.3	Materials for space applications	351
43.12.4	Cesic®	352
43.12.5	SiC 54S®	358
43.12.6	SiC-100®	361
43.13.1	Typical characteristics.....	373
43.13.2	Typical properties.....	374
43.14.1	Typical characteristics.....	375
43.14.2	Typical properties.....	375
43.15.1	Introduction	377
43.15.2	Commercially-available glass and glass ceramics.....	377
43.15.3	Glass ceramics for space applications	382
43.15.4	ZERODUR®	383
43.15.5	ZERODUR®: Properties	385
43.15.6	ZERODUR®: Design.....	389
43.15.7	ZERODUR®: Application examples	396
43.15.8	ULE® Ultra low expansion titanium-silicate glass.....	396
43.15.9	ULE®: Properties	397
43.15.10	ULE®: Design.....	399
43.15.11	ULE®: Application examples	399
43.16.1	Introduction	400
43.16.2	Beryllia	400
43.16.3	Sapphire	401
43.16.4	Synthetic diamond.....	401
43.17.1	Introduction	402
43.17.2	Typical characteristics.....	403
43.17.3	Typical properties.....	403
43.17.4	Application examples	405
43.18.1	Introduction	409
43.18.2	Material characteristics	409
43.18.3	Development of optical bench	410
43.18.4	Conclusions	417
43.19.1	Introduction	417

FprCEN/TR 17603-32-04:2021 (E)

43.19.2	Terrestrial mirrors.....	418
43.19.3	Optical bench.....	418
43.20.1	General.....	419
43.20.2	Sources.....	427
43.20.3	ECSS documents.....	427
43.20.4	Other standards.....	427
44.1.1	General.....	428
44.1.2	Features.....	428
44.1.3	Alloy classification.....	428
44.1.4	Environmental aspects.....	430
44.1.5	Machining.....	430
44.1.6	MMC - metal matrix composites.....	431
44.1.7	Material availability.....	431
44.1.8	Future developments.....	432
44.2.1	Chemical composition.....	432
44.2.2	Mechanical properties.....	435
44.3.1	Types of discontinuous reinforcement.....	441
44.3.2	Effect of particulate additions.....	442
44.3.3	Processing.....	442
44.3.4	Properties.....	442
44.4.1	Types of composite.....	443
44.4.2	Features.....	444
44.4.3	Processing.....	444
44.4.4	Properties.....	444
44.4.5	Environmental resistance.....	445
44.5.1	Alloys.....	446
44.5.2	Composites.....	446
44.5.3	Space.....	446
44.6.1	General.....	448
44.6.2	Sources.....	450
44.6.3	Organisations.....	450
44.6.4	ECSS standards.....	450
44.6.5	ASTM standards.....	451
45.2.1	Precipitation hardening.....	452
45.3.1	Types and effects of dispersions.....	453
45.3.2	Properties.....	453
45.4.1	General.....	455

45.4.2	Problems.....	455
45.5.1	General.....	456
45.5.2	Types and effects of reinforcements	456
45.5.3	Properties	456
45.7.1	General.....	457

Figures

Figure 33.2-1	– Summary: Defects in composite materials.....	27
Figure 33.4-1	- Metal structures: Idealisation of a volumetric defect	33
Figure 33.4-2	- Composite structures: Idealisation of defects by standard circular defect.....	34
Figure 33.6-1	- Building block approach: Test programme development	37
Figure 33.6-2	- Building block approach: Composite materials	38
Figure 34.10-1	- Leaky-Lamb-wave technique for composites.....	66
Figure 34.10-2	- Detection of fibre orientation by backscattering measurement.....	66
Figure 34.10-3	– Phased-array transducers: Element configurations.....	68
Figure 34.10-4	– Phased-array transducers: Functionality.....	69
Figure 34.10-5	- Non-contact ultrasonics: Air-coupled sensor configurations.....	71
Figure 34.10-6	- Non-contact ultrasonics: Capacitive sensors in plate wave configuration set-up.....	72
Figure 34.10-7	– Airscan™ (air-coupled ultrasonics) system: Non-contact NDI of Fokker solar panel substrates.....	73
Figure 34.12-1	- Laser ultrasonic test system: Diagrammatic representation.....	75
Figure 34.13-1	- Holography by electronic imaging with random vibration excitation	79
Figure 34.14-1	- Electronic shearographic system: Schematic diagram.....	80
Figure 34.15-1	- Basic thermographic technique	83
Figure 34.15-2	- Thermal-wave imaging: Photo-optical detection	85
Figure 34.15-3	- Thermal-wave imaging: Photothermal and piezoelectric detection	86
Figure 34.15-4	- Thermal-wave imaging: Photoacoustic gas cell.....	86
Figure 34.16-1	- Typical digital radiography systems.....	92
Figure 34.17-1	- Computer tomography facility	95
Figure 34.19-1	- D sight - Diffracto sight schematic	101
Figure 37.5-1	- Probability of exceedance: Tensile strength 0°.....	152
Figure 37.5-2	- Probability of exceedance: Tensile strength 90°	153
Figure 37.5-3	- Probability of exceedance: Compressive strength 90°	154
Figure 37.5-4	- Probability of exceedance: Interlaminar shear strength	155
Figure 38.3-1	- Hand lay-up process for mat or cloth.....	158
Figure 38.3-2	- Prepreg: Direct lay-up	162