
Premične toaletne kabine brez odvajanja v kanalizacijo, ki niso priključene na kanalizacijski sistem - Zahteve za storitve in proizvode v zvezi z uporabo kabin in sanitarnih proizvodov

Mobile non-sewer-connected toilet cabins - Requirements of services and products relating to the deployment of cabins and sanitary products

Mobile anschlussfreie Toilettenkabinen - Anforderungen an Dienstleistungen und Produkte für den Einsatz von Kabinen und Sanitärprodukten

Cabines sanitaires mobiles autonomes - Exigences relatives aux services et produits, liées à la mise en place des cabines et des produits sanitaires

[oSIST prEN 16194:2022](https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022)

Ta slovenski standard je istoveten z: prEN 16194

ICS:

03.080.30	Storitve za potrošnike	Services for consumers
91.140.70	Sanitarne naprave	Sanitary installations

oSIST prEN 16194:2022**en,fr,de**

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

[oSIST prEN 16194:2022](https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022)

<https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 16194

April 2022

ICS 03.080.30; 91.040.99

Will supersede EN 16194:2012

English Version

Mobile non-sewer-connected toilet cabins - Requirements of services and products relating to the deployment of cabins and sanitary products

Cabines sanitaires mobiles autonomes - Exigences
relatives aux services et produits, liées à la mise en
place des cabines et des produits sanitaires

Mobile anschlussfreie Toilettenkabinen -
Anforderungen an Dienstleistungen und Produkte für
den Einsatz von Kabinen und Sanitärprodukten

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 183.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Frequency of use and Service intervals.....	9
4.1 General conditions.....	9
4.2 Frequency of use and service intervals on construction sites, agriculture and industry	9
4.3 Frequency of use and service intervals at public or private events, recreational activities, music festivals and concerts	10
4.4 Frequency of use, and service intervals at tourist, urban, natural and inland beaches.....	10
5 Type of supply of mobile non-sewer-connected toilet cabin	10
5.1 Supply on Construction sites (public or private), civil engineering and infrastructures	10
5.1.1 General conditions.....	10
5.1.2 Construction sites, supply and number of toilet cabins	11
5.1.3 Ratios (number of worker/toilet cabins).....	12
5.2 Supply at public events and recreational activities, festivals and concerts	12
5.2.1 Public events and recreational activities, festivals and concerts.....	12
5.2.2 General conditions.....	13
5.2.3 Provision at events	15
5.2.4 Ratios (toilet cabins / number of users).....	16
5.2.5 Provision of toilet cabins during the assembly, execution and/or development and dismantling of the event, festival or concert.....	16
5.2.6 Self-contained hand washing stations. Festivals and Events	16
5.3 Supply in Agricultural plantations and Fruit and Vegetable farms, horticulture and forestry	16
5.3.1 Introduction	16
5.3.2 General conditions.....	17
5.3.3 Supply and number of mobile toilet cabins in agricultural plantations and horticultural farms	18
5.3.4 Farms with camps or shelters for seasonal workers	18
5.4 Supply on tourist, urban, natural and inland beaches.....	18
5.4.1 Introduction	18
5.4.2 General conditions.....	19
5.4.3 Supply and number of mobile toilet cabins at tourist, urban, natural and inland beaches	20
5.4.4 Ratio: Number of users/mobile toilet cabins.....	20
5.5 Emergency and disaster supply	20
5.5.1 Introduction	20
5.5.2 General conditions.....	21

5.5.3	Frequency of use and service intervals in emergency and disaster situations.....	22
5.5.4	Supply and number of mobile toilet cabins in emergencies and disasters	22
5.5.5	Ratios (number of users / mobile toilet cabins)	23
5.6	Supply on military manoeuvres, tactical training, fire drills and military camping or hosting.....	23
5.6.1	General conditions	23
5.6.2	Frequency of use and service intervals in manoeuvres and military camps.....	23
5.6.3	Supply and number of mobile toilet cabins in training camps and/or military camps and shelters	24
5.6.4	Ratios (Number of users/mobile toilet cabins)	25
6	Self-contained hand washing stations	25
7	Product requirements	26
7.1	Mobile non sewer connected toilet cabins	26
7.1.1	General	26
7.1.2	Mobile toilet cabin.....	26
7.1.3	Wheelchair accessible toilet cabin	28
7.2	Sanitary products	28
7.2.1	Sanitary concentrates	28
7.2.2	Scented oils	28
7.2.3	Hygienic paper.....	28
8	Service requirements.....	29
8.1	Preconditions.....	29
8.2	Planning and advice.....	29
8.3	Delivery of the mobile toilet cabin	29
8.4	On-site service	29
8.5	Sewage treatment management.....	30
8.6	Mobile toilet cabin pick-up	31
9	Documentation and records.....	31
10	Name of the service.....	31
Annex A (informative) Legal requirements		32
Annex B (normative) Construction and Agricultural, Labour camps and temporary work camps – Minimum number of toilet cabins facilities		33
Table B.1 — Mobile toilet cabins.....		33
Annex C (normative) Festivals and Events		35
C.1	Minimum number of mobile toilet cabins facilities	35
C.2	Provision of mobile toilet cabins during the assembly/disassembly of the event	38
Annex D (normative) Farms with camps or shelters for seasonal workers– Minimum number of toilet cabins facilities		39
Annex E (normative) Supply on tourist, urban, natural and inland beaches – Minimum number of toilet cabins facilities		40
Annex F (normative) Emergency and disaster supply – Minimum number of toilet cabins facilities.....		42
Annex G (normative) Supply on military manoeuvres, tactical training, fire drills and military camping or hosting – Minimum number of toilet cabins facilities		46

prEN 16194:2022 (E)

European foreword

This document (prEN 16194:2022) has been prepared by Technical Committee CEN/TC 183 “Waste management”, the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 16194:2012.

The significant changes made in EN 16194:2021 compared to EN 16194:2012 are:

- daily frequency of use by workers and users of mobile portable toilets increased;
- maximum number of uses per mobile portable toilet decreased in all sectors of application ;
- introduced the total capacity and/or waste capacity in the waste tank;
- introduced the minimum frequency of cleaning and emptying of the tank for each application sector.

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

[oSIST prEN 16194:2022](https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022)
<https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022>

Introduction

For more than 60 years, mobile sanitation facilities have been used in many sectors of activity, public or private. At the beginning, they were mainly used on various temporary or mobile construction sites; over the years, they have become a practical facility in the following sectors: industry, agriculture, commerce, training services, cultural events, leisure, concerts and outdoors festivals, beaches and parks, military camps, refugee's camps, public events etc.

Whenever large numbers of people congregate for a long period of time in places where sanitation facilities lack or are insufficient, the use of mobile toilet cabins not connected to the sewer has become a common practice providing security, hygiene, healthiness, dignity and privacy.

Adequate provision of toilet cabins allows hygiene, healthiness, comfort, dignity and privacy.

This document complies with the three fundamental pillars of the Sustainable Development Goals, promoting the best environmental management practices in a broad sense and constituting a large-scale transversal commitment.

This document contributes to the following Sustainable Development Goals of the United Nations:

- SDG 3 Health and Well-being.
- SDG 5 Gender Equality.
- SDG 6 Clean Water and Sanitation.
- SDG 11 Sustainable Cities. (Waste management).
- SDG 12 Responsible Consumption and Production.
- SDG 13 Climate action.

[oSIST prEN 16194:2022](https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022)

<https://standards.iteh.ai/catalog/standards/sist/fd60d435-258f-4392-abfa-8cd5772d4649/osist-pren-16194-2022>

iTeh STANDARD
PREVIEW
(standards.iteh.ai)

prEN 16194:2022 (E)**1 Scope**

This document applies to mobile non-sewer- connected toilet cabins system.

It specifies the requirements for services related to the provision of toilet cabins and the relevant requirements for toilet cabins and sanitary products, taking into account comfort, hygiene, health and safety.

It specifies the minimum quality requirements for toilet cabins and sanitary products, as well as the extent of on-site service and the required disinfection and the number of toilet cabins to be provided. It also determines the frequency of use, the maximum number of uses per toilet cabins, the locations and the intervals for on-site service or disposal of fecal water.

This document applies in the framework of activities carried out in the following sectors:

- construction and extractive industries, opencast or underground;
- public events and recreational activities, festivals and concerts;
- agriculture. Labour camps and temporary work camps;
- beaches;
- emergencies;
- military tactical and training exercises.

There are other types of mobile toilet cabins which are not connected to a sewage system (e.g. dry toilets, composting toilets, incineration toilets, vacuum toilets, or other technologies and processes) and which are not covered by this European Standard.

This document establishes a system to ensure that mobile sanitation facilities for waste disposal are available not only in the workplaces but wherever there are no waste disposal systems connected to a sewerage network.

This document is directed at manufacturers, services providers' companies and publics or private cabin hirers of toilet cabins not connected to a sewage network.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 mobile toilet cabins not connected to the sewer
self-contained mobile toilet cabin intended for use by a single person, resealable from the inside, with a sewage tank not connected to a waste water network

3.2

mobile male and/or female urinal unit not connected to the sewerage system

portable urinal unit, for use by either men or women, either freestanding or multiple, provided with a wastewater tank not connected to a sewerage system

3.3

wheelchair accessible toilet cabins

units located on an accessible level that are part of the general core of mobile toilet cabins

Note 1 to entry: Toilet cabins' arrangement of appliances (toilet roll holders, gel, soap and paper towel dispensers), door opening and technical aids (folding bars or grab bars) are suitable for users with different disabilities. In any case, toilet cabins' arrangement has an interior free space that allows a wheelchair user to turn around and transfer onto the toilet cabin tank from one side of the tank only.

3.4

sanitary products

concentrate with sanitary effect (liquid or solid), antifreeze for sewage tank, aromatic oils, toilet paper, paper towel, soap and hydro alcoholic gel, bactericide, disinfectant and virucide

3.5

service

planning and advice, delivery of the toilet cabin, on-site service, transport of non-domestic urban waste water to the discharge point authorized in each case by the operator of the public sewerage system and collection of the toilet cabin

3.6

on-site service

specified process for on-site service with a service truck (pumping of the toilet cabin tank, cleaning of the inside of the tank with high pressure water, refilling with 20 liters of water and deodorizers, washing with high pressure water the inside and outside of the toilet cabin, drying of the inside of the toilet cabin), disinfection with bactericide, refurnishing hygienic paper, soap or hydro alcoholic gel

3.7

standard or regular cleaning

routine maintenance carried out by the employer at the workplace according to the legal provisions in force in your country

Note 1 to entry: Standard or regular cleaning is intended to be carried out by the customer at the workplace, as described in your national workplace legislation.

3.8

mobile

readily relocatable

3.9

non-sewage waste disposal system

sanitary waste disposal system not connected to a toilet sewage, septic tank or on-site waste disposal system

3.10

amount of workers

maximum number of workers present in a shift in the ordinary working week, in force in each EU member

prEN 16194:2022 (E)**3.11****frequency of use**

number of uses of the cabin per hour by the user

3.12**frequency of on-site service**

number of on-site service performed on each toilet cabin

3.13**maximum number of uses**

maximum number of uses per toilet cabin between two on-site service operations

3.14**ratio**

quantified relationship between two magnitudes reflecting their proportion

3.15**no food or beverage service**

event or function where no food or beverages are served

3.16**with food or beverage service**

event, festival or concert where food and beverages are served

3.17**capacity**

maximum capacity that a given venue can hold

3.18**beach management body**

organization or authorities having the power to manage and inspect aspects related to a beach, including its public management, as well as its sphere of influence

3.19**carrying capacity**

maximum number of users that can access and fit on a beach, in a given period

3.20**installation**

supplies of toilet cabins or set of equipment, infrastructure and other physical elements, like hand wash and urinals, necessary to carry out the portable sanitation activity

3.21**service providers company**

company providing planning, advice, supply and installation of toilet cabins, on-site service, waste water extraction and delivery to the waste treatment plant, and toilets cabins collection

3.22**renter/owner**

companies, organizations, public bodies, municipalities or individuals using the service for planning and advice toilet cabin delivery, *on-site* service, sewage treatment management and toilet cabin collection

3.23**initial waste producer**

public or private person whose activity produces waste

3.24**waste management**

collection and transport to the public sewerage system or to sewerage network or to collectors or sewage treatment plants in accordance with national and local legislation of each country, or waste treatment plants

3.25**collection**

collection of waste for the purpose of transport to a waste treatment facility

3.26**external hand washing station**

hand washing station where, using the foot pump to dispense water from the fresh water tank, the water is dispensed through a tap for hand washing and grey water drains into the waste tank inside the sink body

Note 1 to entry: Most of the hand washing units offer space for one or two users at the same time.

3.27**internal hand washing station**

hand washing station where a foot pump dispenses the fresh water from the hand wash tank through a tap and the grey water drains into the toilets cabins waste tank

Note 1 to entry: This hand wash unit is always inside of the portable toilets cabins.

4 Frequency of use and Service intervals**4.1 General conditions**

The following guidelines should be taken into account when determining the number of mobile toilet cabins required:

- in any case, the amount of waste within the toilet cabin tank should never exceed 87 l including the sanitary product with the initial load of 20 litres and the grey water from the self-contained hand washing stations approximately 10 litres;
- separate facilities for each sex need to be provided or separate use shall be provided in accordance with the legal provisions in force in each country, with hand washing facilities or disinfection facilities;
- if the toilet cabin contains a urinal in addition to the tank, then appropriate toilet cabins for men and women shall be calculated.

4.2 Frequency of use and service intervals on construction sites, agriculture and industry

The frequency of use per person shall be three times during a standard working day.

The maximum number of uses per toilet cabin between two on-site services should be no more than 105 uses. This is based on 7 workers using the toilet cabin 3 times per day for 5 days/week.

prEN 16194:2022 (E)

The minimum on-site service frequency shall be once a week, after five standard working days of eight hours each. This on-site service is mandatory.

4.3 Frequency of use and service intervals at public or private events, recreational activities, music festivals and concerts

The frequency of use per person for events without food and beverage service is as follows:

- 1,5 times during an event up to 6 h;
- 3 times during an event up to 12 h.

The frequency of use per person for events with food and beverage service is as follows:

- 2 times during an event up to 6 h;
- 4 times during an event up to 12 h.

The maximum number of uses per toilet cabin between two on-site services shall in no case exceed 100 for 6 hours and 125 for 12 hours.

If the events last more than six hours or twelve hours, the mobile toilet cabins shall be on-site serviced at intervals of six hours or twelve hours or after each event on a mandatory basis. As a general rule, they shall always receive 1 on-site service per 6 h interval or 12 hours interval.

4.4 Frequency of use, and service intervals at tourist, urban, natural and inland beaches

The estimated frequency of use per person shall be three times during a 12-h day.

The maximum number of uses per toilet cabin between two on-site services shall not exceed 156 uses.

The minimum on-site service frequency shall be once a day, on working days, Saturdays, Sundays and public holidays. If the beach has a high or very high turnover of people, these on-site services shall be minimum 2 per day, spaced between the 12 opening hours of the beach

Separate facilities for each sex shall be provided with hand-washing facilities or disinfection facilities.

5 Type of supply of mobile non-sewer-connected toilet cabin**5.1 Supply on Construction sites (public or private), civil engineering and infrastructures****5.1.1 General conditions**

Temporary or mobile construction sites, hereinafter referred to as “sites”, means any public or private construction site on which construction or civil engineering works are carried out. A non-exhaustive list of which is given in the European Directive 92/104/CEE, Directive 92/91/CEE and Directive 92/57/CEE.

Construction sites shall be equipped with fixed toilet services, or mobile or temporary toilet cabins, depending on the number of workers who are going to use them.

These facilities shall be progressively adapted as workers, including those of subcontracting undertakings and self-employed workers, join the site, always in relation to the number of workers simultaneously carrying out tasks on the site.

Where the number of workers in a workplace fluctuates greatly, the number of portable toilet-cabins required shall be determined by the maximum number of workers present during a regular ordinary working week, in force in each EU member country.

Crews of workers, whether contracted or subcontracted, involved in the construction of dwellings should be calculated on the basis of Ratio 1 (see Annex B), and are not considered “mobile”.

The contractor shall be responsible for providing sufficient toilet cabins facilities for the total number of his own workers and for preventing the declared capacity of such facilities from being exceeded and thus causing unsanitary conditions.

Standard/regular cleaning of workplaces, including mobile toilet cabins and their respective equipment and facilities, shall be maintained in a proper hygienic condition; to this end, the client contractor/developer shall be responsible for cleaning them periodically and whenever necessary to maintain them at all times in a proper hygienic condition, and in a satisfactory state of sanitation.

In those works that have a basic health and safety study, these installations of mobile toilet cabins shall be defined in the health and safety plan of each contractor in accordance with the provisions of the corresponding study. Their quantity and location shall be set out in the technical document.

Mobile toilet cabins should be highly recommended in those temporary or mobile works which:

- arise conditioned by the need for rapid and urgent intervention, planned and unplanned;
- are of little technological and economic importance, require little time for their execution (such as, among others: breakage of pipes, service connections, undermining or sinking of roads, potholes or repairs to public roads, demolition, urgent shoring or reinforcement of structures, repairs to roofs, etc.) and for which alternative solutions cannot be adopted.

NOTE: The definitions of temporary and mobile works only lasting a short period can be found in the national and regional standards.

In difficult conditions, or due to lack of space in the aforementioned works sites, these facilities may not be dispensed. Fewer mobile toilet cabins can be used by increasing the frequency of on-site services, as described by the following ratios:

- Ratio 2 (see Annex B and in particular Table B.2);
- Ratio 3 (see Annex B and in particular Table B.3).

In case of underground extracting minerals industries, toilet cabins provided for in this standard may be installed above ground.

The use of trailers as toilet facilities, consisting of mobile toilet(s), washing facilities and sufficient tables and seats, is permitted on sanitation network sites, on roads of considerable length and for short working times in individual stalls away from each other, in addition to the ordinary toilet facilities located in the site areas or base camps.

Works may not begin without having previously solved, by means of portable, fixed or provisional sanitation installations, the aforementioned health and safety and hygiene conditions at work, in accordance with their specific regulations.

In no case mobile toilet cabins shall be fewer than those specified in 5.1.3.

5.1.2 Construction sites, supply and number of toilet cabins

The minimum installation of mobile toilet cabins, with a weekly on-site service frequency, shall be one toilet cabin for every 7 workers or fraction thereof, carrying out activities on the construction site.

On construction sites at ground level, the maximum distance between the workplace and the toilet cabin shall not exceed 80 meters and shall be easily accessible to users.

On multi-level construction sites, toilet cabins shall be provided on every second floor. They shall have lifting hooks for the crane, approved and homologate by the manufacturer of the hooks themselves.

prEN 16194:2022 (E)

This approval is understood for the lifting of the toilet cabin with the initial load and full hand wash and at the moment of the lowering of the toilet cabin with the full load of waste water.

All toilet cabins should be equipped with a method of hand washing, as an extra product, either with a disinfectant solution dispenser or with extras such as stand-alone hand washing facilities outside and/or in combination with hand washing units inside, to facilitate a total hygiene, disinfection and comfort.

Mobile toilet cabins shall be placed throughout the construction site, depending on the characteristics and peculiarities of each construction site, in such a way as to facilitate the pumping service of the cleaning vehicles.

The construction site managers shall provide a correct location and an access for the mobile toilet cabins in order to be sure to grant access for its on-site service and the distance from the service vehicle to the mobile toilet cabin shall not exceed 10 meters when possible.

5.1.3 Ratios (number of worker/toilet cabins)

The number of toilet cabins shall be calculated on the basis of the following ratios:

- Ratio 1, i.e. 1 toilet cabin/ 7 workers with 1 on-site service per week (see Table 1 and Table B.1);
- Ratio 2, i.e. 1 toilet cabin/ 14 workers with 2 on-site service per week (see Table 1 and Table B.2);
- Ratio 3, i.e. 1 toilet cabin/ 22 workers with 3 on-site service per week (see Table 1 and Table B.3).
- Ratio 4, i.e. 1 toilet cabin/ 7 workers with 3 on-site service per week with 3 shift per day (see Table 2 and Table B.4).

Table 1 — Number of toilet cabins for workers (Ratio 1, Ratio 2 and Ratio 3)

Toilet cabins	workers	Weekly Services
1	7	1
1	14	2
1	22	3

Table 2 — Number of toilet cabins for workers (Ratio 4)

Workers	8 h per shift		
	1 shift	2 shift	3 shift
	Toilet cabins		
1 to 7	1	2	3

5.2 Supply at public events and recreational activities, festivals and concerts**5.2.1 Public events and recreational activities, festivals and concerts**

The concept of event and public spectacle in this document refers to those events, of public or private organization, with or without profit motive, that congregate people to witness them, that take place in the open air (private or public) and that require the assembly and disassembly of temporary installations for their development (see Table 3).

A music festival / concert is a social event that usually brings together a large number of music concerts over several days and usually of the same musical genre, so that festival-goers can spend several days enjoying live music, in a predominantly open-air venue with a temporary infrastructure.

Metropolitan festivals / concerts, which are city-based and take place in two or more or a combination of venues and locations, in both cases using temporary infrastructure, are also recognized.

At music festivals / concerts, other alternative music-related activities are often held for the enjoyment of visitors and involve a general theme in line with the style of the festival, such as, but not limited to those indicated in Table 3.

Table 3 — Events and Festivals

(1) Public and Private Event	(2) Music Festivals and Concerts
<ul style="list-style-type: none"> — Public and private events. — Social events. — Recreational events. — Cultural events. — Commemorative events. — Sport events. — Patron saint festivals. — Trade Fairs and Fairs. — Festivals. — Processions. — Parades. — Wedding and other private events involving people. 	<ul style="list-style-type: none"> a) Fast food such as food trucks, catering, etc. b) Camping area. c) Fairs and attractions. d) Backstage and stages. e) Rest areas. f) Parking.

5.2.2 General conditions

This standard sets out key areas of consideration for organizers of public or private events, recreational activities, music festivals and concerts. It aims to help them and the public and private sector stakeholders to adopt an approach tailored to the true dimension of these events.

Poor management of mobile toilet cabins can be a source of complaint among attendees and can cause a negative experience for the audience. This impression on the part of the audience is mainly due to long queues or the dirt and odors that are generated.

Mobile toilet cabins are highly recommended whenever these events are held in an open-air space (private or public) and require the assembly and dismantling of temporary facilities for the development and holding of the event.

They are also recommended in enclosed areas where existing sanitary facilities are considered inadequate, as an addition to fixed toilet cabin facilities.

Events may not begin without having previously solved, by means of portable, fixed or temporary sanitation facilities, the aforementioned conditions of sanitation, safety, health and hygiene and comfort at the events, in accordance with their specific regulations. In any case, the installation of mobile sanitation facilities shall be documented, their quantity and location shall be established in the technical document of the event.

If the toilet cabins contain a urinal in addition to the toilet's waste tank, these toilets cabins cannot be made available to 50 % of the audience, because it is female.