

SLOVENSKI STANDARD oSIST prEN ISO 12813:2022

01-julij-2022

Elektronsko pobiranje pristojbin - Komunikacija za potrditev skladnosti avtonomnih sistemov (ISO/DIS 12813:2022)

Electronic fee collection — Compliance check communication for autonomous systems (ISO/DIS 12813:2022)

Elektronische Gebührenerhebung - Kommunikation zur Übereinstimmungsprüfung für autonome Systeme (ISO/DIS 12813:2022)

Perception de télépéage - Communication de contrôle de conformité pour systèmes autonomes (ISO/DIS 12813:2022)

Ta slovenski standard je istoveten z: prEN ISO 12813

<u>ICS:</u>

03.220.20 Cestni transport 35.240.60 Uporabniške rešitve IT v prometu

Road transport IT applications in transport

oSIST prEN ISO 12813:2022

en,fr,de

oSIST prEN ISO 12813:2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 12813:2022 https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-3f0d6d1c0c37/osist-pren-iso-12813-2022

DRAFT INTERNATIONAL STANDARD ISO/DIS 12813

ISO/TC 204

Voting begins on: **2022-04-26**

Secretariat: ANSI

Voting terminates on: 2022-07-19

Electronic fee collection — Compliance check communication for autonomous systems

Perception de télépéage — Communication de contrôle de conformité pour systèmes autonomes

ICS: 35.240.60; 03.220.20

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 12813:2022 https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-3f0d6d1c0c37/osist-pren-iso-12813-2022

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

ISO/CEN PARALLEL PROCESSING



Reference number ISO/DIS 12813:2022(E) ISO/DIS 12813:2022(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 12813:202

https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-3f0d6d1c0c37/osist-pren-iso-12813-2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

ISO/DIS 12813:2022 (E)

Contents

Page

Forewordv				
Introductionvi				
1	Scope	1		
2	Normative references	2		
3	Terms and definitions	3		
4	Abbreviated terms	5		
5	Application interface architecture	6		
5.1	General	6		
5.2	Services provided	6		
5.3	Attributes	6		
5.4	Toll context	7		
5.5	Use of lower layers	7		
5.5.1	Supported DSRC communication stacks	7		
5.5.2	Use of the CEN-DSRC stack	8		
6	Functions	8		
61	Functions in detail (at an double of the ai)	0 Q		
611	Conoral	0 Q		
612	Initialise communication	U 		
613	Data ratriaval	0 Q		
611	Authonticated data rotriaval ai/atalog/standards/sist/a/b63132-2496.4468.b95a	0		
615	Driver notification 3f0d6d1a0a27/esist prop iso 12812 2022			
616	Torminate communication	0		
617	Ter initiate communication	0		
6.2	Socurity	0		
0.2	Security			
627	Authentication /non-repudiation	10		
622	Access gradentials	10		
0.2.3		10		
7	Attributes	10		
7.1	General	10		
7.2	Data regarding identification	12		
7.3	Data regarding status	12		
7.4	Data regarding vehicle	20		
8	Transaction model	22		
0 8 1	Conorol	22		
0.1 Q 7	Initialization phase	22		
0.2	Initialisation phase	22		
9.2.1 9.7.7	CCC application-specific contents of RST	22		
872	CCC application-specific contents of VST	23 72		
0.2.3	Transaction phase	ພວ ງງ		
0.5	וומוסמנוטוו אומסביייייייייייייייייייייייייייייייייייי	4 3		
Annex A (normative) CCC data type specifications				
Annex	Annex B (normative) PICS proforma2			

oSIST prEN ISO 12813:2022

ISO/DIS 12813:2022 (E)

Annex C (informative) ETSI ES 200 674-1 communication stack usage for CCC applications	.34
Annex D (informative) Using the IR DSRC communication stack (CALM IR) for CCC applications	.37
Annex E (informative) Using the ARIB DSRC communication stack for CCC applications	.38
Annex F (informative) Using the WAVE communication stack for CCC applications	.40
Annex G (informative) Example CCC transaction	.43
Annex H (informative) Security considerations	.46
Annex I (informative) Use of this document for the EETS	.51
Bibliography	.53

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 12813:2022 https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-3f0d6d1c0c37/osist-pren-iso-12813-2022

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278 *Intelligent transport systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 12813:2019)), which has been subject to a minor revision.

The main changes compared to the previous edition are as follows:

- minor updating of terms, including the reference to ISO/TS 17573-2 as the primary source;
- minor updating of data definitions, including the reference to ISO/TS 17573-3 as the primary source.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

On-board equipment (OBE) that uses satellite-based positioning technology to collect data required for charging for the use of roads operates in an autonomous way (i.e. without relying on dedicated roadside infrastructure). The OBE will record the amount of road usage in all toll charging systems it passes through.

This document defines requirements for dedicated short-range communication (DSRC) between OBE and an interrogator for the purpose of checking compliance of road use with a local toll regime. It assumes an electronic fee collection (EFC) services architecture according to ISO 17573-1. See Figure 1.



Figure 1 — Compliance check communication in EFC architecture according to ISO 17573-1

Toll chargers have the need to check whether the road is used in compliance with the rules in the local toll regime. One way of checking compliance is to observe a passing vehicle and to interrogate the OBE. This interrogation happens under control of an entity responsible for toll charging (see Figure 1), accomplished via short-range communication between an interrogator at roadside or in another vehicle (operated by a competent enforcement agency) and the OBE. In an interoperable environment, it is essential that this interrogation communication be standardized such that every operator of compliance checking equipment can check all passing OBE. For that purpose, this document defines attributes required on all OBE for reading by an interrogator.

This document has been prepared to fulfil the following statements:

- a) Collected evidence can be used as court proof. Data is indisputable and secured such that the operator of the compliance checking interrogator can prove the integrity and authenticity of the data in case of dispute.
- b) The data required for compliance checking is read only, since the operator of the interrogator does not interfere with the working of the OBE.
- c) All attributes, standardized at the time of personalisation of the OBE, are present in the OBE such that an operator of an interrogator essentially can read the same data from all OBE independent of type and make. In case an attribute does not make sense in a certain OBE implementation, a value

assignment for "not applicable" or "not defined" is provided in each case. An OBE compliant to the first edition will not answer with such a response for new attributes introduced in the current edition of this document.

- d) The attributes, derived from the individual toll regime, are of general importance for all toll system types (motorway tolling, area tolling, tolls for ferries, bridges, tunnels, cordon pricing, etc.).
- e) The attributes apply to all OBE architectures, and especially to both thin (edge-light) and fat (edge heavy) client architectures. The interrogator is intended to receive essentially the same information irrespective of the type of OBE.

It is assumed that the prime objective of the operator of the compliance checking interrogation is to check whether the user has fulfilled his obligations, especially:

- whether the OBE is mounted in the correct vehicle;
- whether the classification data transmitted by the OBE are correct; and
- whether the OBE is in operational condition, both in a technical and a contractual sense.

Regarding the last point of the above list, on the operational status of OBE, the following model is assumed.

As long as the OBE signals to the user correct operational status ("green"), the service provider takes full responsibility for the correct operation of the OBE and for the payment by the user. Hence, as long as the OBE signals "green" and the user fulfils its other obligations (e.g. entering correct classification data and not tampering with the OBE), the user can expect the OBE to serve as a valid payment means. As soon as the OBE signals an invalid operational status ("red") — either set by the central system of the service provider (e.g. because the user account is negative), by internal mechanisms of the OBE itself (e.g. because of a detected defect or an outdated data set) or a user manipulation with such result — the user knows that the OBE is no longer a valid payment means. The user then has to use alternative means of toll declaration or payment until the problem is remedied and the OBE is "green" again¹.

Ultimately, the policy of when to signal "green" or "red" is defined by the service provider in accordance with the requirements defined by the toll charger(s).

In the case where the OBE status turns "red", the user has to take action, declare road usage subject to fees or pay by some alternative means as soon as practicable. Until he does, the user is in a potentially non-compliant situation. In order to allow a judgment to be made as to whether or not a user has taken the appropriate action within an acceptable period of time, information is provided by this document not only on the "green/red" operational status but also on the length of time that the OBE has been in its current status.

Different toll contexts can overlap geographically. A user could be liable in several toll contexts at once, e.g. for a nationwide distance-dependent road tax and a local city access pricing scheme — a fact of which the user might not in all cases be aware. This document builds on the concept that regarding compliance, there is no notion of toll context as far as possible (see especially 5.4). It is within the responsibility of the service provider to resolve issues with overlapping toll contexts and to distil all information into a binary "red/green" message to the user.

A secondary objective of the operator of the compliance checking interrogator might be to collect data on the performance of the OBE, e.g. in order to check for the correct technical functioning. Since

¹ In this case, "red" and "green" are used in the abstract, symbolic sense, and do not imply any physical implementation. The design of the user interface of the OBE is implementation-dependent, and several methods for signalling "red" or "green" are conceivable.

different OBE can work according to quite different principles, the possibilities for doing this in a standardized way are quite limited. This document contains some provisions for this task (e.g. the attributes CommunicationStatus, GnssStatus, DistanceRecordingStatus), but otherwise assumes that toll chargers monitor correct recording by comparing observed traffic (e.g. with cameras) with usage data received from service providers.

This document has been prepared with the intention to be "minimalist" in the sense that it covers what is required by operational systems and systems planned in the foreseeable future.

A test suite for checking an OBE or RSE implementation for compliance with this document is defined in the corresponding edition of ISO 13143-1 and ISO 13143-2.

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 12813:2022 https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-3f0d6d1c0c37/osist-pren-iso-12813-2022

Electronic fee collection — Compliance check communication for autonomous systems

1 Scope

This document defines requirements for short-range communication for the purposes of compliance checking in autonomous electronic fee collecting systems. Compliance checking communication (CCC) takes place between a road vehicle's on-board equipment (OBE) and an interrogator (roadside mounted equipment, mobile device or hand-held unit), and serves to establish whether the data that are delivered by the OBE correctly reflect the road usage of the corresponding vehicle according to the rules of the pertinent toll regime.

The operator of the compliance checking interrogator is assumed to be part of the toll charging role as defined in ISO 17573-1. The CCC permits identification of the OBE, vehicle and contract, and verification of whether the driver has fulfilled his obligations and the checking status and performance of the OBE. The CCC reads, but does not write, OBE data.

This document is applicable to OBE in an autonomous mode of operation; it is not applicable to compliance checking in dedicated short-range communication (DSRC)-based charging systems.

It defines data syntax and semantics, but not a communication sequence. All the attributes defined herein are required in any OBE claimed to be compliant with this document, even if some values are set to "not defined" in cases where certain functionality is not present in an OBE. The interrogator is free to choose which attributes are read in the data retrieval phase, as well as the sequence in which they are read. In order to achieve compatibility with existing systems, the communication makes use of the attributes defined in ISO 14906 and the ISO 17573 series (all parts) wherever useful.

The CCC is suitable for a range of short-range communication media. Specific definitions are given for the CEN-DSRC as specified in EN 15509, as well as for the use of ISO CALM IR, the Italian DSRC as specified in ETSI ES 200 674-1, ARIB DSRC and WAVE DSRC as alternatives to the CEN-DSRC. The attributes and functions defined are for compliance checking by means of the DSRC communication services provided by DSRC application layer, with the CCC attributes and functions made available to the CCC applications at the roadside equipment (RSE) and OBE. The attributes and functions are defined on the level of application data units (ADUs).

The definition of the CCC includes:

- the application interface between OBE and RSE (as depicted in Figure 2);
- use of the generic DSRC application layer as specified in ISO 15628 and EN 12834;
- CCC data type specifications given in Annex A;
- a protocol implementation conformance statement (PICS) proforma is given in Annex B;
- use of the CEN-DSRC stack as specified in EN 15509, or other equivalent DSRC stacks as described in Annex C, Annex D, Annex E and Annex F;

- security services for mutual authentication of the communication partners and for signing of data (see Annex H);
- an example CCC transaction is presented in Annex G;
- the informative Annex I highlights how to use this document for the European electronic toll service (EETS).

Test specifications are not within the scope of this document.

NOTE A test suite for checking an OBE or RSE implementation for compliance with this document is defined in the corresponding edition of ISO 13143-1 and ISO 13143-2.



Figure 2 — CCC application interface

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8824-1:2015, Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation — Part 1

ISO/IEC 8825-2:2015, Information technology — ASN.1 encoding rules: Specification of Packed Encoding Rules (PER) — Part 2

ISO 12855:2022, Electronic fee collection — Information exchange between service provision and toll charging

ISO/DIS 14906:2022, Electronic fee collection — Application interface definition for dedicated short-range communication

ISO 15628:2013, Intelligent transport systems — Dedicated short range communication (DSRC) — DSRC application layer

EN 12834:2003, Road transport and traffic telematics — Dedicated Short Range Communication (DSRC) — DSRC application layer

FprEN 15509:2022, Electronic fee collection — Interoperability application profile for DSRC

ISO/TS 17573-3:2021, Electronic fee collection — System architecture for vehicle-related tolling — Part 3: Data dictionary

NIMA Technical Report TR8350.2 version 3 — Department of Defense World Geodetic System 1984, Its Definition and Relationships With Local Geodetic Systems

3 Terms and definitions ANDARD PREVIEW

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at http://www.electropedia.org/2022

3.1

access credentials

AC_CR

trusted attestation or secure module that establishes the claimed identity of an object or application

[SOURCE: CEN ISO/TS 17573-2:2020, 3.4]

3.2

attribute

addressable package of data consisting of a single data element or structured sequences of data elements

[SOURCE: CEN ISO/TS 17573-2:2020, 3.13]

3.3

authentication

security mechanism allowing verification of the provided identity

[SOURCE: EN 301 175 V1.1.1:1998, 3]

oSIST prEN ISO 12813:2022

ISO/DIS 12813:2022 (E)

3.4

authenticator

data, possibly encrypted, that is used for authentication

[SOURCE: CEN ISO/TS 17573-2:2020, 3.16]

3.5

data integrity

property that data has not been altered or destroyed in an unauthorized manner

[SOURCE: ISO 7498-2:1989, 3.3.21]

3.6

fixed roadside equipment

roadside equipment located at a fixed position

[SOURCE: CEN ISO/TS 17573-2:2020, 3.81]

3.7

mobile roadside equipment equipment mounted on a mobile unit or handheld equipment to be used along the road

[SOURCE: CEN ISO/TS 17573-2:2020, 3.119]

3.8

on-board equipment

OBE

all required equipment on-board a vehicle for performing required electronic fee collection (EFC) functions and communication services

https://standards.iteh.ai/catalog/standards/sist/a4b63132-2496-4d68-b95a-

[SOURCE: CEN ISO/TS 17573-2:2020, 3.126] c37/osist-pren-iso-12813-2022

3.9

roadside equipment

RSE

fixed or movable electronic fee collection (EFC) equipment located along or on the road

[SOURCE: CEN ISO/TS 17573-2:2020, 3.161]

3.10

service primitive

elementary communication service provided by the application layer protocol to the application processes

[SOURCE: CEN ISO/TS 17573-2:2020, 3.173]

3.11

toll context

logical view as defined by attributes and functions of the basic elements of a toll scheme consisting of a single basic tolling principle, a spatial distribution of the charge objects and a single behaviour of the related Front End

[SOURCE: CEN ISO/TS 17573-2:2020, 3.196]

3.12 toll regime set of rules, including enforcement rules, governing the collection of a toll in a toll domain

[SOURCE: CEN ISO/TS 17573-2:2020, 3.203]

3.13 toll service provider TSP entity providing toll services in one or more toll domains

[SOURCE: CEN ISO/TS 17573-2:2020, 3.206]

3.14

transaction

whole of the exchange of information between two physically separated communication facilities

[SOURCE: CEN ISO/TS 17573-2:2020, 3.211]

4 Abbreviated terms

For the purpose of this document, the following abbreviated terms apply.

AC_CR	access credentials and ards.iteh.ai)
ADU	application data unit (ISO 14906)
ASN.1	abstract syntax notation one (ISO/IEC 8824-2)
BST	beacon service table (ISO 14906)
CCC	compliance check communication
DSRC	dedicated short-range communication (ISO 14906)
EID	Element Identifier (ISO 15628 and EN 12834)
EFC	electronic fee collection
GNSS/CN	global navigation satellite systems/cellular network
MAC	message authentication code (ISO 14906)
OBE	on-board equipment (ISO 14906)
PICS	protocol implementation conformance statement
RSE	roadside equipment (ISO 14906)
TSP	toll service provider
VST	vehicle service table (ISO 14906)
WGS84	World Geodetic System 1984