
Aeronavtika - Konektorji, električni, pravokotni, s tesnilno kapo ali brez nje, plastično ohišje, zaporni mehanizem, delovna temperatura med -55 °C in 175 °C - 006. del: Zatič in sistem za pritrditev na nepremično ohišje (vtičnica) - Standard za proizvod

Aerospace series - Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures -55 °C to 175 °C - Part 006: Male coding and attachment System for mounting on fixed housing (receptacle) - Product standard

Luft- und Raumfahrt - Elektrische Rechtecksteckverbinder mit und ohne hintere Abdichtung, Plastikgehäuse, Verriegelungssystem, Betriebstemperaturen von -55 °C bis 175 °C - Teil 006: Stiftkodierung und Befestigungszubehör für ein festes Gehäuse (Steckdose) - Produktnorm

Série aérospatiale - Connecteurs électriques, rectangulaires, étanches et non étanches à l'arrière, à boîtier en plastique, à verrouillage, températures d'utilisation -55 °C à 175 °C - Partie 006 : Système de fixation et de codage mâle pour montage sur boîtier fixe (embase) - Norme de produit

Ta slovenski standard je istoveten z: prEN 3545-006

ICS:

31.220.10	Vtiči in vtičnice, konektorji	Plug-and-socket devices. Connectors
49.060	Letalska in vesoljska električna oprema in sistemi	Aerospace electric equipment and systems

oSIST prEN 3545-006:2024

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 3545-006

July 2024

ICS 49.060

Will supersede EN 3545-006:2015

English Version

Aerospace series - Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperatures -55 °C to 175 °C - Part 006: Male coding and attachment System for mounting on fixed housing (receptacle) - Product standard

Série aérospatiale - Connecteurs électriques, rectangulaires, étanches et non étanches à l'arrière, à boîtier en plastique, à verrouillage, températures d'utilisation -55 °C à 175 °C - Partie 006 : Système de fixation et de codage mâle pour montage sur boîtier fixe (embase) - Norme de produit

Luft- und Raumfahrt - Elektrische Rechtecksteckverbinder mit und ohne hintere Abdichtung, Plastikgehäuse, Verriegelungssystem, Betriebstemperaturen von -55 °C bis 175 °C - Teil 006: Stiftkodierung und Befestigungszubehör für ein festes Gehäuse (Steckdose) - Produktnorm

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee ASD-STAN.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
1	Scope.....	4
2	Normative references.....	4
3	Terms and definitions.....	4
4	Required characteristics.....	4
4.1	Dimensions, mass	4
4.2	Material, surface treatment	7
4.3	Main general characteristics	7
5	Designation	7
6	Technical specification	7

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN 3545-006:2024](https://standards.iteh.ai/catalog/standards/sist/ea474839-5a35-4a9c-8129-bb898cf92036/osist-pren-3545-006-2024)

<https://standards.iteh.ai/catalog/standards/sist/ea474839-5a35-4a9c-8129-bb898cf92036/osist-pren-3545-006-2024>