

SLOVENSKI STANDARD SIST EN ISO 21898:2025

01-februar-2025

Nadomešča:

SIST EN ISO 21898:2006

Embalaža - Prožni vsebniki FIBC za nenevarno blago (ISO 21898:2024)

Packaging - Flexible intermediate bulk containers (FIBCs) for non-dangerous goods (ISO 21898:2024)

Verpackung - Flexible Großpackmittel (FIBC) für nichtgefährliche Güter (ISO 21898:2024)

Emballages - Grands récipients pour vrac souples (GRVS) pour matières non dangereuses (ISO 21898:2024)

Ta slovenski standard je istoveten z: EN ISO 21898:2024

ICS:

55.180.99 Drugi standardi v zvezi z Other standards related to

distribucijo blaga s prevozom freight distribution of goods

SIST EN ISO 21898:2025 en,fr,de

SIST EN ISO 21898:2025

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21898:2025

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 21898

September 2024

ICS 55.180.99

Supersedes EN ISO 21898:2005

English Version

Packaging - Flexible intermediate bulk containers (FIBCs) for non-dangerous goods (ISO 21898:2024)

Emballages - Grands récipients vrac souples (GRVS) pour matières non dangereuses (ISO 21898:2024)

Verpackung - Flexible Großpackmittel (FIBC) für nichtgefährliche Güter (ISO 21898:2024)

This European Standard was approved by CEN on 12 August 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

SIST EN ISO 21898:2025

https://standards.iteh.ai/catalog/standards/sist/0f7aa2f0-16a0-4443-9dcf-d450537983e5/sist-en-iso-21898-2025



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 21898:2024 (E)

Contents	Page
European foreword	3

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21898:2025

European foreword

This document (EN ISO 21898:2024) has been prepared by Technical Committee ISO/TC 122 "Packaging" in collaboration with Technical Committee CEN/TC 261 "Packaging" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2025, and conflicting national standards shall be withdrawn at the latest by March 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 21898:2005.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 21898:2024 has been approved by CEN as EN ISO 21898:2024 without any modification.

SIST EN ISO 21898:2025

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21898:2025



International Standard

ISO 21898

2024-08

Second edition

Packaging — Flexible intermediate bulk containers (FIBCs) for non-dangerous goods

Emballages — Grands récipients pour vrac souples (GRVS) pour atières non dangereuses

(https://standards.iteh.ai) **Document Preview**

SIST EN ISO 21898:202

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN ISO 21898:2025

https://standards.iteh.ai/catalog/standards/sist/0f7aa2f0-16a0-4443-9dcf-d450537983e5/sist-en-iso-21898-2025



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	Contents	
Fore	eword	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Materials, construction and design 4.1 Materials 4.2 Construction 4.3 Design filling height 4.4 Recycled materials 4.5 Electrostatic protective FIBC	4 4 4 5
5	Performance 5.1 Type-testing 5.2 Preparation of FIBC for test 5.2.1 Filling 5.2.2 Conditioning 5.3 Test requirements 5.3.1 Cyclic top lift test(s) 5.3.2 Compression/stacking test	
6	Statement of conformity	7
7	Marking	7
Ann	nex A (normative) Evaluation of the UV resistance	9
Ann	ex B (normative) Cyclic top lift test	11
Ann	nex C (normative) Compression/stacking test	24
Ann	nex D (informative) Guidance on selection and use of FIBCs	25
Ann	nex E (informative) Design of FIBCs	30
Ann	ex F (informative) Optional methods for UV resistance test	34
	liography	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 122, *Packaging*, Subcommittee SC 3, *Performance requirements and tests for means of packaging, packages and unit loads (as required by ISO/TC 122*), in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 261, *Packaging*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 21898:2004), which has been technically revised. darks technically standards/sist/017aa210-16a0-4443-9dcf-d450537988e5/sist-en-iso-21898-2025

The main changes are as follows:

- in <u>5.2.1</u>, a new note on non-standard filling material has been added;
- a new subclause 4.4 on the use of and requirement for recycled materials has been added;
- a new subclause <u>4.5</u> on electrostatic protective FIBC has been added;
- in <u>Clause 7</u>, the label has been modified;
- Annex A has been revised;
- Annex C has been revised;
- a new Annex F, Optional methods for UV resistance test, has been added;
- IEC 61340-4-4 has been incorporated in the document through a series of cross-references.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Packaging — Flexible intermediate bulk containers (FIBCs) for non-dangerous goods

1 Scope

This document specifies materials, construction and design requirements, type test and marking requirements for flexible intermediate bulk containers (FIBCs) intended to contain non-dangerous solid materials in powder, granular or paste form, and designed to be lifted from above by integral or detachable devices.

This document also provides guidance on the selection and safe usage of FIBCs.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4892-3, Plastics — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps

ISO 12048, Packaging — Complete, filled transport packages — Compression and stacking tests using a compression tester

ISO 13934-1, Textiles — Tensile properties of fabrics — Part 1: Determination of maximum force and elongation at maximum force using the strip method

IEC 61340-4-4, Electrostatics — Part 4-4: Standard test methods for specific applications — Electrostatic classification of flexible intermediate bulk containers (FIBC)

02188-2021/https://standards.iteh.ai/catalog/standards/sist/0f/aa210-16a0-4443-9dcf-d45053/983e5/sist-en-iso

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1 General

3.1.1

flexible intermediate bulk container

FIBC

intermediate bulk container having the body made of flexible material such as woven plastic fabric or plastics film, designed to be in contact with the contents, either directly or through an inner liner, and collapsible when empty

3.1.2

heavy-duty reusable flexible intermediate bulk container

FIBC designed and intended to be used for a multitude of fillings and discharges, and both factory and field repairable in such a way that the tensile strength across a repair is at least as great as that of the original

3.1.3

standard-duty reusable flexible intermediate bulk container

FIBC designed and intended to be used for a limited number of fillings and discharges

Note 1 to entry: An FIBC of this category cannot be reused if damaged, i.e. it is not repairable.

Note 2 to entry: The replacement of a removable inner liner is not considered a repair.

3.1.4

single-trip flexible intermediate bulk container

FIBC designed and intended to be used for one filling only

Note 1 to entry: An FIBC of this category cannot be reused. Neither replacement of an inner liner nor repair of the FIBC is relevant to this category.

3.1.5

FIBC type

FIBCs of like design, manufactured using like materials and methods of construction (giving at least equal performance) to the same nominal cross-sectional dimensions

Note 1 to entry: Within a type, the circumference may be increased by up to 10 % by comparison with samples passing a type test, provided the same geometry is maintained. Where the type has a base discharge spout, smaller diameter discharge spouts of like design may be used.

Note 2 to entry: The presence or absence of an inner liner does not constitute a change of type.

3.1.6

safe working load

SWL

maximum load which the FIBC may carry in service, as certified

3.1.7

safety factor

SF

integer quotient between the final test load in the cyclic top lift test and the SWL value rounded down

Note 1 to entry: Safety factors can be illustrated as follows (see also **B.3.3**):

ttps://standards.iteh.ai/catalog/standards/sist/0f7aa2f0-16a0-4443-9dcf-d450537983e5/sist-en-iso-21898-202

Example 1 Example 2

	Liample 1	Lample 2
Designated SWL	500 kg	500 kg
Final load, cyclic test	2 400 kg	$2600\mathrm{kg}$
Quotient	4,8	5,2
Integer quotient, rounded down	4	5

Note 2 to entry: The results in Example 1 indicate a single-trip FIBC which does not meet the requirements of this document, whilst those in Example 2 indicate a single-trip FIBC which meets the requirements.

3.1.8

lifting device

integral and/or fixed lifting devices which form part of the FIBC and are tested with it

Note 1 to entry: Detachable lifting devices are regarded as lifting tools.

3.2 FIBC parts

3.2.1

walls

tube of one or more layers, seamless or made out of one or more panels joined together