



SLOVENSKI STANDARD
SIST EN 15287-2:2023

01-november-2023

Nadomešča:
SIST EN 15287-2:2008

Dimniki - Projektiranje, vgradnja in pregled - 2. del: Dimniki in povezovalni dimovodi za ogrevalne naprave v zatesnjenih prostorih

Chimneys - Design, installation and commissioning - Part 2: Chimneys and connecting flue pipes for room sealed combustion appliances

Abgasanlagen - Planung, Montage und Abnahme - Teil 2: Senkrechte Teile von Abgasanlagen und Verbindungsstücke für raumluftunabhängige Verbrennungseinrichtungen

Conduits de fumée - Conception et mise en œuvre - Partie 2 : Conduits de fumée et conduits de raccordement pour appareils à combustion a qui ne dépendent pas de l'air dans la pièce

<https://standards.iteh.ai>
[SIST EN 15287-2:2023](https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023)

<https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023>

Ta slovenski standard je istoveten z: EN 15287-2:2023

ICS:

91.060.40 Dimniki, jaški, kanali Chimneys, shafts, ducts

SIST EN 15287-2:2023 **en,fr,de**

EUROPEAN STANDARD

EN 15287-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2023

ICS 91.060.40

Supersedes EN 15287-2:2008

English Version

Chimneys - Design, installation and commissioning - Part 2: Chimneys and connecting flue pipes for room sealed combustion appliances

Conduits de fumée - Conception, installation et mise en service - Partie 2 : Conduits de fumée et conduits de raccordement pour appareils de combustion à circuit étanche

Abgasanlagen - Planung, Montage und Abnahme - Teil 2: Senkrechte Teile von Abgasanlagen und Verbindungsstücke für raumluftunabhängige Verbrennungseinrichtungen

This European Standard was approved by CEN on 5 June 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

<https://standards.iteh.ai>

<https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Design	18
4.1 General	18
4.2 Characteristics	18
4.2.1 Designation of an installed chimney	18
4.2.2 Temperature classes	19
4.2.3 Pressure classes	19
4.2.4 Condensate resistance classes	19
4.2.5 Corrosion resistance classes	20
4.2.6 Sootfire resistance classes	20
4.2.7 Minimum distance to combustible material	20
4.3 Required information	21
4.3.1 Sources of data and information	21
4.3.2 Local conditions	21
4.3.3 Combustion appliance information	21
4.3.4 Building structure and chimney system route	21
4.3.5 Existing chimney	21
4.3.6 Chimney product specification	21
4.4 Design requirements	22
4.4.1 General	22
4.4.2 Route of the chimney and the connecting flue pipe	22
4.4.3 Designation classes	23
4.4.4 Materials of construction	25
4.4.5 Chimney system sizing and characteristics	26
4.4.6 Installation requirements	27
4.4.7 Accessories	32
4.5 Chimney plate and additional information	34
5 Installation	35
5.1 General	35
5.2 Construction of relined or converted chimney systems	35
5.3 Chimney plate	36
6 Commissioning/handover	36
Annex A (informative) Terminology	37
Annex B (informative) List of combustion appliance data required for the design of a chimney	41
Annex C (informative) Example of typical building structure designed to assist exchange of information	43
Annex D (informative) Location of outlets of chimney systems	48

Annex E (informative) Correlation between the product designation of metal system chimneys, liners and connecting flue pipes and the corrosion loads in Member States (MS).....	53
Annex F (informative) Correlation between type of flue liner according to the designation of parameters for clay/ceramic flue liners, clay/ceramic flue blocks and concrete flue blocks and the designation according to EN 1443.....	60
Annex G (informative) Example for chimney system plate.....	62
Annex H (informative) Determination of the chimney system designation for custom-built, relined and converted chimney systems with concentric air/flue configuration.....	64
Annex I (informative) Example for the determination of the designation of a converted or relined chimney system.....	76
Annex J (informative) Example for the determination of the designation of a custom-built chimney system.....	81
Annex K (informative) Minimum distances to combustible material.....	86
Annex L (informative) Calculating the temperature of adjacent material.....	89
Annex M (informative) Useful hints for handling of materials and components on site.....	93
Annex N (informative) Chimney system commissioning.....	95
Annex O (informative) Recommendations for inspection, cleaning and maintenance.....	100
Annex P (informative) Flue damper.....	101
Annex Q (informative) Terminals.....	106
Bibliography.....	108


 (https://standards.iteh.ai)
 Document Preview

SIST EN 15287-2:2023

<https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023>

EN 15287-2:2023 (E)**European foreword**

This document (EN 15287-2:2023) has been prepared by Technical Committee CEN/TC 166 “Chimneys”, the secretariat of which is held by ASI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2024 and conflicting national standards shall be withdrawn at the latest by January 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document will supersede EN 15287-2:2008.

This European Standard is part of the series *Chimneys — Design, installation and commissioning*:

- *Part 1: Chimneys and connecting flue pipes for non-room sealed combustion appliances;*
- *Part 2: Chimneys and connecting flue pipes for room sealed combustion appliances.*

In comparison with the previous edition, the following technical modifications have been made:

- a) restructuring of the chapters and annexes;
- b) harmonization of the text with part 1;
- c) updating the content according to EN 1443:2019;
- d) adoption of all relevant terms from EN 1443:2019 and EN 15287-1;
- e) adoption of all relevant chapters and annexes from EN 15287-1;
- f) description of the designation and classes of a chimney according to EN 1443:2019;
- g) expanding the specifications for accessories;
- h) recommendations for some minimum distances from combustible material;
- i) scope now also covers chimneys for medium and high positive pressure.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

CEN/TC 166 started with its programme on standardization of chimneys approximately 30 years ago, with standards for interfaces, for products, for tests and last but not least for design, installation, construction and commissioning matters.

In the last years, first priority in the work program was given to product and test standards.

In the meantime, most of the product and test standards were published or are nearly ready for publication. In order to introduce the products in a simple way on the markets of the different Member States, some common rules for design, installation, and commissioning especially with reference to the designation of a chimney were considered helpful.

Initially, CEN/TC 166/SC 2 started the work on execution standards for metal chimneys, the first standard being EN 12391-1 in 2003.

In order not to repeat this work in all material orientated WGs and SCs, CEN/TC 166 decided in 2002 to give the task to WG 1 to develop a material independent design, installation and commissioning standard.

CEN/TC 166/WG 1 started the work in 2003 and decided first to draft two documents, one for chimneys connected to non-room sealed combustion appliances and one for chimneys connected to room sealed combustion appliances.

Application of this document presupposes awareness of applicable legal requirements in the different CEN Member States and its affiliates. In CEN Member States and its affiliates where no applicable legal requirements exist, this document provides guidance for the design, installation and commissioning of chimneys.

NOTE Where “Member States” is mentioned in this document this also includes affiliates.

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN 15287-2:2023](https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023)

<https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023>

EN 15287-2:2023 (E)**1 Scope**

This document describes the method of specifying the design, installation and labelling criteria for chimney systems, construction of custom-built chimneys, the relining or converting of existing chimneys, connecting flue pipes and air supply pipes for room sealed combustion appliances as well as the use of chimney products. It also gives information on commissioning of an installed chimney.

This document applies to chimneys which are subject to the following limiting conditions:

- the distance between the supports not to exceed 4 m;
- the distance above the last structural attachment not to exceed 3 m;
- the free-standing height above the uppermost structural support attachment for chimneys with rectangular cross section is not more than five times the smallest external dimension.

This document does not cover:

- chimneys which serve a mixture of fan assisted or forced draught burners or natural draught appliances;
- installations having a configuration of the type C₂.

NOTE Room sealed gas appliances are classified as type C according to EN 1749.

The methods in this part of this document are applicable to chimneys and connecting flue pipes for room sealed combustion appliances. The methods in Part 1 of this document are applicable to chimneys and connecting flue pipes for non-room sealed combustion appliances.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1443:2019, *Chimneys - General requirements*

EN 1457-1, *Chimneys - Clay/ceramic flue liners - Part 1: Flue liners operating under dry conditions - Requirements and test methods*

EN 1457-2, *Chimneys - Clay/ceramic flue liners - Part 2: Flue liners operating under wet conditions - Requirements and test methods*

EN 1806, *Chimneys - Clay/ceramic flue blocks for single wall chimneys - Requirements and test methods*

EN 1856-1, *Chimneys - Requirements for metal chimneys - Part 1: System chimney products*

EN 1856-2, *Chimneys - Requirements for metal chimneys - Part 2: Metal flue liners and connecting flue pipes*

EN 1857, *Chimneys - Components - Concrete flue liners*

EN 1858, *Chimneys - Components - Concrete flue blocks*

EN 12446, *Chimneys - Components - Concrete outer wall elements*

EN 13063-1, *Chimneys - System chimneys with clay/ceramic flue liners - Part 1: Requirements and test methods for sootfire resistance*

EN 13063-2, *Chimneys - System chimneys with clay/ceramic flue liners - Part 2: Requirements and test methods under wet conditions*

EN 13063-3, *Chimneys - System chimneys with clay/ceramic flue liners - Part 3: Requirements and test methods for air flue system chimneys*

EN 13069, *Chimneys - Clay/ceramic outer walls for system chimneys - Requirements and test methods*

EN 13084-1, *Free-standing chimneys - Part 1: General requirements*

EN 13216-1, *Chimneys - Test methods for system chimneys - Part 1: General test methods*

EN 13384-1, *Chimneys - Thermal and fluid dynamic calculation methods - Part 1: Chimneys serving one combustion appliance*

EN 13384-2, *Chimneys - Thermal and fluid dynamic calculation methods - Part 2: Chimneys serving more than one combustion appliance*

EN 13502, *Chimneys - Requirements and test methods for clay/ceramic flue terminals*

EN 14297, *Chimneys - Freeze-thaw resistance test method for chimney products*

EN 14471, *Chimneys - System chimneys with plastic flue liners - Requirements and test methods*

EN 14989-1, *Chimneys - Requirements and test methods for metal chimneys and material independent air supply ducts for roomsealed heating applications - Part 1: Vertical air/flue terminals for C6-type appliances*

EN 14989-2, *Chimneys - Requirements and test methods for metal chimneys and material independent air supply ducts for roomsealed heating applications - Part 2: Flue and air supply ducts for room sealed appliances*

EN 16497-1, *Chimneys - Concrete System Chimneys - Part 1: Non-balanced flue applications*

EN 16497-2, *Chimneys - Concrete System Chimneys - Part 2: Balanced flue applications*

EN 15287-1:2023, *Chimneys - Design, installation and commissioning of chimneys - Part 1: Chimneys for non-roomsealed combustion appliances*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1443:2019 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp/>

NOTE 1 Examples of chimney construction identifying individual component terminology and definitions are given in Figures A.1, A.2 and A.3 in Annex A. Examples of balanced air/flue configurations for room sealed applications are given in Figures A.4 and A.5. The configurations of Figure A.4 and Figure A.5 can be created from converting or relining an existing chimney.

NOTE 2 The European scheme for the classification of gas appliances is given in EN 1749.

EN 15287-2:2023 (E)

3.1

fire compartment

part of the building comprising one or more rooms, spaces or storeys constructed to prevent the spread of fire

[SOURCE: EN 15287-1:2023, 3.1]

3.2

combustion appliance

unit generating products of combustion which need to be conveyed to the outside atmosphere

Note 1 to entry: E.g. heating appliances, cooking appliances, motors, CHPs (en: combined heat power).

[SOURCE: EN 1443:2019, 3.1]

3.3

room sealed appliance

appliance in which the combustion circuit (air supply, combustion chamber, heat exchanger and evacuation of the products of combustion) is sealed with respect to the room in which the appliance is installed

3.4

flue

passage for conveying the products of combustion to the outside atmosphere

[SOURCE: EN 1443:2019, 3.2]

3.5

flue gas

gaseous portion of the products of combustion conveyed in a flue

[SOURCE: EN 1443:2019, 3.3]

3.6

products of combustion

products resulting from the combustion of fuel (gaseous, liquid and solid constituents)

[SOURCE: EN 1443:2019, 3.4]

3.7

chimney

structure consisting of a wall or walls enclosing a flue or flues conveying the products of combustion into the outside atmosphere

Note 1 to entry: The generic word “chimney”, when used in this document, refers to chimneys used to convey the products of combustion from any combustion appliance to the outside atmosphere, and thus includes all other terms of common use, such as: vents, flues, shafts, exhaust systems, flue ducts, etc.

[SOURCE: EN 1443:2019, 3.5]

3.8

chimney system

combination of both a flue duct and an air supply duct for room sealed applications

3.9

balanced flue chimney configuration

configuration where the air entry to the combustion air supply duct is adjacent to the discharge of combustion products from the flue, the inlet and outlet being so positioned that wind effects are substantially balanced

3.10

concentric air/flue configuration

configuration in which the flue duct is fully surrounded by the air supply duct

Note 1 to entry: This includes chimney configurations where the flue duct and air supply duct do not share a common axis.

3.11

separate air/flue configuration

configuration in which the air supply duct and the flue duct are separate

3.12

chimney stack

chimney enclosing more than one flue

[SOURCE: EN 15287-1:2023, 3.7]

3.13

single-wall chimney

chimney with only one wall

[SOURCE: EN 1443:2019, 3.17]

3.14

multi-wall chimney

chimney consisting of a flue liner and at least one additional wall

[SOURCE: EN 1443:2019, 3.18]

[SIST EN 15287-2:2023](https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023)

<https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023>

3.15

system chimney

chimney that is installed using a combination of compatible chimney components, obtained or specified as a kit from one manufacturing source with product responsibility for the whole chimney

[SOURCE: EN 1443:2019, 3.19]

3.16

system chimney for room sealed applications

chimney configuration that is installed using a combination of compatible components, obtained or specified from one manufacturing source with product responsibility for the whole chimney system

Note 1 to entry This product is understood to constitute a kit under the Mandate M/105.

3.17

custom-built chimney

chimney that is installed or built on-site using a combination of compatible components that may be from one or different sources

[SOURCE: EN 1443:2019, 3.20]

EN 15287-2:2023 (E)**3.18****custom-built chimney for room sealed applications**

chimney configuration that is installed or built on-site using a combination of compatible components that may be from one or different sources

3.19**converted chimney**

existing chimney for non-room sealed applications changed to a chimney system

3.20**relining**

process of renovating or replacing the flue liner of a chimney

[SOURCE: EN 1443:2019, 3.21]

3.21**relined chimney**

existing chimney where a liner is restored or replaced

Note 1 to entry: The process of inserting a new liner into an existing chimney without a change of the air/flue configuration is also regarded as relining the chimney

3.22**flue duct**

duct containing the flue of the chimney system

3.23**air supply duct**

duct in a chimney system only for conveying combustion air to a room-sealed appliance

3.24**flue liner**

rigid or flexible inner wall of a chimney consisting of components the inner surface of which is in contact with products of combustion

<https://standards.iteh.ai/catalog/standards/sist/091b88c9-f809-4411-b46b-c9451276ba7e/sist-en-15287-2-2023>

[SOURCE: EN 1443:2019, 3.6, modified — Replaced “surface” with “inner surface”.]

3.25**flue liner kit**

flue liner that is installed using a combination of compatible flue liner components, obtained or specified as a kit from one manufacturing source with product responsibility for the whole flue liner including all its components

Note 1 to entry: A flue liner kit is not considered a system chimney.

[SOURCE: EN 1443:2019, 3.7]

3.26**rigid flue liner**

flue liner that cannot bend without permanent deformation

[SOURCE: EN 15287-1:2023, 3.15]

3.27**flexible flue liner**

tube having a single or multi-skin construction that is able to bend in any direction without permanent deformation

[SOURCE: FprEN 15287-1:2023, 3.16]

3.28**outer wall**

external wall of a chimney system, on the outer surface of which the minimum distance to combustible material is referred

[SOURCE: EN 1443:2019, 3.22, modified — Added “system” and replaced “from the surface of which the distance to combustible is measured” with “, on the outer surface of which the minimum distance to combustible is referred”.]

3.29**enclosure**

additional structure, combustible or non-combustible, built around a chimney

Note 1 to entry: An enclosure which is specified as a part of the chimney is considered an “outer wall” of the chimney.

Note 2 to entry: Enclosures can for example give additional safety in case of fire, provide additional heat transfer resistance, prevent accidental human contact, prevent impact damage and can be used for decorative purposes.

[SOURCE: EN 1443:2019, 3.23]

3.30**mid feather wall**

dividing wall separating multiple flues within a chimney stack

[SOURCE: EN 15287-1:2023, 3.19]

3.31**flue block**

factory-made single- or multi-wall chimney component with one or more flues

[SOURCE: EN 1443:2019, 3.24]

3.32**connecting air supply pipe**

component or components connecting the combustion appliance air supply to the air supply duct of the chimney system

3.33**connecting flue pipe**

component or components connecting the combustion appliance outlet and the flue duct of the chimney system

[SOURCE: EN 1443:2019, 3.8, modified — Replaced “chimney” with “flue duct of the chimney system”.]

EN 15287-2:2023 (E)**3.34****component**

any part of a chimney, of a flue liner or of a connecting flue pipe

[SOURCE: EN 1443:2019, 3.9]

3.35**section**

straight chimney component of a flue liner or of a connecting flue pipe, conveying products of combustion

[SOURCE: EN 1443:2019, 3.10]

3.36**joint**

connection between two components

[SOURCE: EN 1443:2019, 3.15]

3.37**seal**

prefabricated element that joins two components in such a way as to fulfil leakage requirements

[SOURCE: EN 14241-1:2013, 3.7, modified — Replaced "prevent leakage" by "fulfil leakage requirements".]

3.38**sealant**

material which, applied in an unformed state to a joint, seals it by adhering to appropriate surfaces within the joint in such a way as to fulfil leakage requirements

[SOURCE: EN 15287-1:2023, 3.26]

3.39**fitting**

component of a chimney, of a flue liner or of a connecting flue pipe conveying products of combustion except a section

[SOURCE: EN 1443:2019, 3.11]

3.40**elbow/bend**

chimney fitting which provides a change of direction of the flue

[SOURCE: EN 15287-1:2023, 3.28]

3.41**T-piece**

chimney fitting which allows a combustion appliance, connecting flue pipe or accessory to be connected to the chimney flue at an angle

[SOURCE: EN 15287-1:2023, 3.29]