



COPYRIGHT PROTECTED DOCUMENT

FDIS stage

**iTeh Standards**  
**(<https://standards.itih.ai>)**  
**Document Preview**

ISO/FDIS 11611

<https://standards.itih.ai/catalog/standards/iso/951ff537-351e-4eee-a65e-624b8e0e3fe4/iso-fdis-11611>

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO, at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel: Phone: + 41 22 749 01 11

Fax + 41 22 749 09 47

E-mail: [copyright@iso.org](mailto:copyright@iso.org)

[www.iso.org](http://www.iso.org)

Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Left

Formatted: Left: 1.5 cm, Right: 1.5 cm, Gutter: 0 cm, Header distance from edge: 1.27 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: zzCopyright address, Indent: First line: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: zzCopyright address, Indent: First line: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

ISO/FDIS 11611

<https://standards.itih.ai/catalog/standards/iso/951ff537-351e-4eee-a65e-624b8e0e3fe4/iso-fdis-11611>

Formatted: FooterPageRomanNumber, Left

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.71 cm + 17.2 cm

Contents—Page

Foreword..... viii

Introduction..... xi

1 Scope..... 1

2 Normative references..... 1

3 Terms and definitions..... 3

4 General and design requirements..... 6

4.1 General..... 6

4.2 Protective clothing..... 6

4.3 Size designation and fit..... 6

4.4 Additional protective garments..... 7

4.5 Pockets and flap closures..... 7

4.6 Closures and seams..... 7

4.7 Hardware..... 8

5 Sampling and pre-treatment..... 8

5.1 Sampling..... 8

5.1.1 General..... 8

5.1.2 Sampling procedure on fabric materials for the UV transmission measurement..... 8

5.2 Pre-treatment of material..... 10

5.3 Ageing..... 10

5.4 Conditioning..... 10

6 General performance requirements..... 11

6.1 Classification..... 11

6.2 Tensile strength..... 11

6.3 Tear strength..... 11

6.4 Burst strength of knitted materials and seams..... 12

6.5 Seam strength..... 12

6.6 Dimensional change of textile materials..... 12

6.7 Limited flame spread..... 12

6.7.1 General..... 12

6.7.2 Testing in accordance with ISO 15025:2016, Procedure A (code letter A1)..... 12

6.7.3 Testing in accordance with ISO 15025:2016, Procedure B (code letter A2)..... 14

6.8 Impact of spatter (small splashes of molten metal)..... 14

6.9 Heat transfer (radiation)..... 14

6.10 Electrical resistance..... 15

Formatted: FooterPageRomanNumber

Formatted: Font: Bold  
Formatted: Font: Bold  
Formatted: HeaderCentered, Left

6.11 Fat content of leather..... 15

6.12 Protection against UV radiation ..... 15

6.13 Performance requirements..... 15

7 Marking..... 17

7.1 General..... 17

7.2 Procedure and examples of markings:..... 18

8 Information supplied by the manufacturer..... 19

8.1 General..... 19

8.2 Intended use ..... 19

8.3 Improper use ..... 19

8.4 Care and maintenance..... 20

9 Test report..... 20

Annex A (informative) General explanations related to the UV protective characteristics of welders' protective clothing and to the measuring methods used ..... 21

Annex B (normative) Classification system of the type of welders' clothing (Class 1/Class 2, UV protection period class for welding process groups 'A', 'B' and 'C')..... 22

Annex C (normative) Test procedure for the protective effect against UV radiation emitted by welding processes..... 24

Annex D (normative) Instructions for calculating the effectively transmitted total irradiance  $E_{eff}$  and the resulting maximum time of use related to the exposition limit value  $H_{eff}$  of 30 J/m<sup>2</sup>, by using the determined worst-case UV transmission spectra of fabrics for welding protective garments ..... 27

Annex E (normative) Spectral distribution and maximum effectively emitted total irradiance  $E_e$  of the selected representative welding processes in Table B.2 ..... 32

Annex F (normative) Spectral weighing function  $S_{eff}(\lambda)$  for use in Table D.1, column F ..... 39

Annex G (normative) Determination of property values for rating and classification ..... 46

Annex H (informative) Uncertainty of Measurement ..... 47

Annex I (informative) Summary of conducted Round Robin trials in the development of the UV transmission test procedure..... 49

Bibliography ..... 55

Foreword..... 5

European foreword..... 7

Introduction..... 8

4.1 General..... 5

4.2 Protective clothing..... 6

4.3 Size designation and fit..... 6

4.4 Additional protective garments..... 6

4.5 Pockets and flap closures..... 6

Formatted: FooterPageRomanNumber, Left

ai)  
24b8e0e3fe4/iso-fdis-11611

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered

4.6 Closures and seams 7

4.7 Hardware 7

5.1 Sampling 7

5.2 Pre-treatment of material 8

5.3 Ageing 9

5.4 Conditioning 9

6.1 Classification 9

6.2 Tensile strength 10

6.3 Tear strength 10

6.4 Burst strength of knitted materials and seams 10

6.5 Seam strength 10

6.6 Dimensional change of textile materials 11

6.7 Limited flame spread 11

6.8 Impact of spatter (small splashes of molten metal) 13

6.9 Heat transfer (radiation) 13

6.10 Electrical resistance 13

6.11 Fat content of leather 13

6.12 Protection against UV radiation 13

6.13 Performance requirements 14

7.1 General 15

7.2 Procedure and examples of markings: 16

8.1 General 17

8.2 Intended use 17

8.3 Improper use 17

8.4 Care and maintenance 18

Annex A (informative) General explanations related to the UV protective characteristics of welders' protective clothing and to the measuring methods used 19

Annex B (normative) Classification system of the type of welders' clothing (Class 1/Class 2, UV protection period class for welding process groups 'A', 'B' and 'C') 20

Annex C (normative) Test procedure for the protective effect against UV radiation emitted by welding processes 22

Annex D (normative) Instructions for calculating the effectively transmitted total irradiance  $E_{eff}$  and the resulting maximum time of use related to the exposition limit value  $H_{eff}$  of 30 J/m<sup>2</sup>, by using the determined worst-case UV transmission spectra of fabrics for welding protective garments 25

Annex E (normative) Spectral distribution and maximum effectively emitted total irradiance  $E_e$  of the selected representative welding processes in Table B.2.30

Annex F (normative) Spectral weighing function  $S_{eff}(\lambda)$  for use in Table D.1, column F36

Annex G (normative) Determination of property values for rating and classification 42

iTeh Standards

(<https://standards.itih.ai>)

Document Preview

ISO/FDIS 11611

<https://standards.itih.ai/catalog/standards/iso/951ff537-351e-4eee-a65e-624b8e0e3fe4/iso-fdis-11611>

Formatted: FooterPageRomanNumber

**ISO/FDIS 11611:2023(E)2024(en)**

~~Annex H (normative) Uncertainty of Measurement — 43~~

~~Annex I (informative) Summary of conducted Round Robin Trials in the development of the UV transmission test procedure — 45~~

~~Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered — 47~~

~~Bibliography — 50~~

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Left

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

ISO/FDIS 11611

<https://standards.itih.ai/catalog/standards/iso/951ff537-351e-4eee-a65e-624b8e0e3fe4/iso-fdis-11611>

© ISO 2023 — All rights reserved

© ISO 2024 — All rights reserved

vii

vii

Formatted: FooterPageRomanNumber, Left

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

~~Attention is drawn~~ISO draws attention to the possibility that ~~some of the elements~~implementation of this document may ~~be involve~~ the ~~subject~~use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had/had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights. ~~Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).~~

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by ISO/TC 94, *Personal Safety* — *Protective clothing and equipment*, Subcommittee SC 13, *Protective clothing*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 162, *Protective clothing including hand and arm protection and lifejackets in collaboration*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

~~Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).~~

This third edition cancels and replaces the second edition (ISO 11611:2015) which has been technically revised.

The main changes are as follows:

- a) ~~a)~~ an introduction has been included;
- b) ~~b)~~ the clause on sampling requirements has been modified;

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: English (United Kingdom)

Field Code Changed

Formatted: English (United Kingdom)

Field Code Changed

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Numbered + Level: 1 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0 cm + Indent at: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: FooterPageRomanNumber

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered, Left

- ~~c) e)~~ the clause for ageing due to washing (maximum number of cleaning procedures as indicated by the manufacturer) has been modified;
- ~~d) d)~~ a new requirement for measuring the property value for rating and classification has been included;
- ~~e) e)~~ the clause for the manufacturer's instructions and information has been modified;
- ~~f) f)~~ a new ~~Annex G~~ Annex G for measuring property value for rating and classification has been included;
- ~~g) g)~~ a procedure for sampling and testing the protective effect of fabrics, garments and gloves for use in welding against UV radiation (UV-A, UV-B, UV-C), taking into account representative manual welding processes, has been included;
- ~~h) h)~~ ~~Annex A (informative)~~ Annex A comprising general explanations for UV protective characteristics of protective clothing for use in welding, has been included. All other annexes have been renumbered accordingly has been included;
- ~~i) i)~~ ~~Annex B (normative)~~ Annex B has been complemented by a three-step UV protection classification system (~~Table B.2~~) (Table B.2) for clothing for use in welding;
- ~~j) j)~~ ~~Annex C (normative)~~ Annex C with the testing procedure for the protective effect against UV radiation emitted by welding processes, has been included;
- ~~k) k)~~ ~~Annex D (normative)~~ Annex D with instructions for calculating the effectively transmitted total irradiance and the resulting maximum time of use related to the exposition limit value by using the determined worst-case UV transmission spectra of fabrics for welding protective garments, has been included;
- ~~l) l)~~ ~~Annex E (normative)~~ Annex E with the spectral distribution and maximum effectively emitted total irradiance of the selected representative welding processes, has been included;
- ~~m) m)~~ ~~Annex F (normative)~~ Annex F with the spectral weighing function  $s_{\text{eff}}(\lambda)$  for use in ~~Annex D~~ Annex D, has been included;
- ~~n) n)~~ the previous ~~Annex C~~ Annex C has become ~~Annex G~~ Annex G;
- ~~o) o)~~ the previous ~~Annex D~~ Annex D has become ~~Annex H~~ Annex H and has been revised;
- ~~p) p)~~ ~~Annex I (informative)~~ Annex I with the summary of conducted Round Robin tests in the development of the UV transmission test procedure, has been included;
- ~~q) Annex ZA~~ has been revised to reflect the relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 regarding the new technical content of this standard.

Formatted: FooterPageRomanNumber, Left

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: HeaderCentered

## European foreword

This document (EN ISO 11611:2022) has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2023, and conflicting national standards shall be withdrawn at the latest by January 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11611:2015.

This document has been prepared under a standardization request (M/571) given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of EU Regulation (EU) 2016/425.

For relationship with EU Regulation, see informative Annex ZA, which is an integral part of this document.

The "(non-european) Foreword" provides details of significant technical changes between this European Standard and the previous edition.

It is one of several standards for protective clothing that have been developed to protect persons against heat and/or flames.

According to the CEN CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

Formatted: FooterPageRomanNumber

## Introduction

The purpose of this document is to provide minimum performance requirements for clothing for use in welding and allied processes.

For complete protection against exposure to heat and flame, it will be necessary to protect the head, face, hands, and/or feet with suitable personal protective equipment (PPE) and in some cases, appropriate respiratory protection might also be considered necessary.

Attention is drawn to [ISO/TR 2801:2007](#), which sets out guidelines for selection, use, care, and maintenance of protective clothing against heat and flame.

Nothing in this document is intended to restrict any jurisdiction, purchaser, or manufacturer from exceeding these minimum requirements.

- Formatted: Font: Bold
- Formatted: Font: Bold
- Formatted: HeaderCentered, Left
- Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

- Formatted: Default Paragraph Font
- Formatted: Default Paragraph Font
- Formatted: Default Paragraph Font
- Formatted: Default Paragraph Font

# iTeh Standards (<https://standards.itih.ai>) Document Preview

[ISO/FDIS 11611](#)

<https://standards.itih.ai/catalog/standards/iso/951ff537-351e-4eee-a65e-624b8e0e3fe4/iso-fdis-11611>

- Formatted: FooterPageRomanNumber, Left



# Protective clothing for use in welding and allied processes

## 1 Scope

This document specifies minimum safety requirements and test methods for protective clothing including hoods, aprons, sleeves, and gaiters that are designed to protect the wearer's body including head (hoods) and feet (gaiters) and that are to be worn during welding and allied processes with comparable risks. For the protection of the wearer's head and feet, this document is only applicable to hoods and gaiters. This document does not cover requirements for feet, hand, face, and/or eye protectors.

This type of protective clothing is intended to protect the wearer against the following hazards:

- spatter (small splashes of molten metal) in 2 risk levels, short contact time with flame, radiant heat from an electric arc used for welding and allied processes,
- harmful artificial optical radiation (UV-A, UV-B and especially UV-C) in 3 risk levels generated during welding and allied processes and
- minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors at voltages up to approximately 100 V d. c. in normal conditions of welding. Sweat, soiling, or other contaminants can affect the level of protection provided against short-term accidental contact with live electric conductors at these voltages.

The main manual welding processes are exemplified and are classified into process groups according to the maximum effectively emitted total irradiance, which have been determined and evaluated by measurement for these types of welding processes.

For adequate overall protection against the risks to which welders are likely to be exposed, personal protective equipment (PPE) covered by other standards should additionally be worn to protect the head, face, hands, and feet.

This document is not applicable for laser welding processes (coherent, monochromatic radiation sources).

Guidance for the selection of protective clothing for different welding activities is detailed in [Annex B](#).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~<std>ISO 3376:2020, Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation</std>~~

~~<std>ISO 3377-1:2011, Leather — Physical and mechanical tests — Determination of tear load — Part 1: Single edge tear</std>~~

~~<std>ISO 4048:2018, Leather — Chemical tests — Determination of matter soluble in dichloromethane and free fatty acid content</std>~~

~~<std>ISO 5077:2007, Textiles — Determination of dimensional change in washing and drying</std>~~

Formatted: Left: 1.5 cm, Right: 1.5 cm, Gutter: 0 cm, Section start: New page, Header distance from edge: 1.27 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Commented [eXtyle1]: eXtyle Inline Standards Citation Match reports that the normative reference "ISO 3376:2020" is not cited in the text.

Formatted: Left

**ISO/FDIS 11611:2023(E)2024(en)**

Formatted: Font: Bold  
Formatted: Font: Bold  
Formatted: HeaderCentered

~~<std>ISO 3376:2020, Leather — Physical and mechanical tests — Determination of tensile strength and percentage elongation~~

~~ISO 3377-1:2011, Leather — Physical and mechanical tests — Determination of tear load — Part 1: Single edge tear~~

~~ISO 4048:2018, Leather — Chemical tests — Determination of matter soluble in dichloromethane and free fatty acid content~~

~~ISO 5077:2007, Textiles — Determination of dimensional change in washing and drying~~

~~ISO 6942:2022, Protective clothing — Protection against heat and fire — Method of test: Evaluation of materials and material assemblies when exposed to a source of radiant heat</std>~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~<std>ISO 9150:1988, Protective clothing — Determination of behaviour of materials on impact of small splashes of molten metal</std>~~

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

~~<std>ISO 13688:2013 + Amd.1:2021, Protective clothing — General requirements</std>~~

Commented [eXtyle2]: The match came back with a different title. The original title was: + Amd.1:2021, Protective clothing — General requirements

~~<std>ISO 13934-ISO 9150:1988, Protective clothing — Determination of behaviour of materials on impact of small splashes of molten metal~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~ISO 13688:2013, Protective clothing — General requirements~~

~~ISO 13934-1:2013, Textiles — Tensile properties of fabrics — Part 1: Determination of maximum force and elongation at maximum force using the strip method</std>~~

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm

~~<std>ISO 13935-ISO 13935-2:2014, Textiles — Seam tensile properties of fabrics and made-up textile articles — Part 2: Determination of maximum force to seam rupture using the grab method</std>~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~<std>ISO 13937-ISO 13937-2:2000, Textiles — Tear properties of fabrics — Part 2: Determination of tear force of trouser-shaped test specimens (Single tear method)</std>~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~<std>ISO 13938-ISO 13938-1:2019, Textiles — Bursting properties of fabrics — Part 1: Hydraulic method for determination of bursting strength and bursting distension</std>~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~<std>ISO 13938-ISO 13938-2:2019, Textiles — Bursting properties of fabrics — Part 2: Pneumatic method for determination of bursting strength and bursting distension</std>~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~<std>ISO 15025:2016, Protective clothing — Protection against flame — Method of test for limited flame spread</std>~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~<std>EN 1149-ISO 15025:2016, Protective clothing — Protection against flame — Method of test for limited flame spread~~

Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font  
Formatted: Default Paragraph Font

~~EN 1149-2:1997, Protective clothing — Electrostatic properties — Part 2: Test method for measurement of the electrical resistance through a material (vertical resistance)</std>~~

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 0.7 cm + 1.4 cm + 2.1 cm + 2.8 cm + 3.5 cm + 4.2 cm + 4.9 cm + 5.6 cm + 6.3 cm + 7 cm  
Formatted: FooterPageRomanNumber

~~<std>EN 410:2011, Glass in building — Determination of luminous and solar characteristics of glazing</std>~~

~~EN 410:2011, Glass in building — Determination of luminous and solar characteristics of glazing~~