



SLOVENSKI STANDARD

SIST EN IEC 60352-2:2025

01-februar-2025

Nespajkani spoji - 2. del: Nespajkani stisnjeni spoji - Splošne zahteve, preskusne metode in praktični napotki (IEC 60352-2:2024)

Solderless connections - Part 2: Crimped connections - General requirements, test methods and practical guidance (IEC 60352-2:2024)

Lötfreie Verbindungen - Teil 2: Crimpverbindungen - Allgemeine Anforderungen, Prüfverfahren und Anwendungshinweise (IEC 60352-2:2024)

Connexions sans soudure - Partie 2: Connexions serties - Exigences générales, méthodes d'essai et guide pratique (IEC 60352-2:2024)

Ta slovenski standard je istoveten z: EN IEC 60352-2:2024

https://standards.it-sist.si/catalog/standardi/izv/661182b-2-8a-4826-8801-ec06186-8815/izv_en_iec_60352-2-2025

ICS:

29.120.20 Spojni elementi Connecting devices

SIST EN IEC 60352-2:2025 en

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 60352-2

December 2024

ICS 29.120.20

Supersedes EN 60352-2:2006; EN 60352-2:2006/A1:2013

English Version

**Solderless connections - Part 2: Crimped connections - General requirements, test methods and practical guidance
(IEC 60352-2:2024)**

Connexions sans soudure - Partie 2: Connexions serties -
Exigences générales, méthodes d'essai et guide pratique
(IEC 60352-2:2024)

Lötfreie Verbindungen - Teil 2: Crimpverbindungen -
Allgemeine Anforderungen, Prüfverfahren und
Anwendungshinweise
(IEC 60352-2:2024)

This European Standard was approved by CENELEC on 2024-12-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/e66ddf8b-2e8a-482f-8891-ee0618fe88d5/sist-en-iec-60352-2-2025>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60352-2:2024 (E)

European foreword

The text of document 48B/3110/FDIS, future edition 3 of IEC 60352-2, prepared by SC 48B "Electrical connectors" of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60352-2:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2025-12-31 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-12-31 document have to be withdrawn

This document supersedes EN 60352-2:2006 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

iTeh Standards
Endorsement notice
<https://standards.iteh.ai>
Document Preview

The text of the International Standard IEC 60352-2:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

<https://standards.iteh.ai/catalog/standards/sist/e06dd18b-2e8a-4821-8891-ee00181e88d5/sist-en-iec-60352-2-2025>

| | | |
|---------------------|------|--|
| IEC 60068-2-61:1991 | NOTE | Approved as EN 60068-2-61:1993 (not modified) |
| IEC 60811-201 | NOTE | Approved as EN 60811-201 |
| IEC 61191-1:2018 | NOTE | Approved as EN IEC 61191-1:2018 (not modified) |
| ISO 1463 | NOTE | Approved as EN ISO 1463 |
| ISO 6892-1 | NOTE | Approved as EN ISO 6892-1 |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|----------------|-------------|
| IEC 60050-581 | - | International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment | - | - |
| IEC 60068-1 | - | Environmental testing - Part 1: General and guidance | EN 60068-1 | - |
| IEC 60068-2-6 | - | Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal) | EN 60068-2-6 | - |
| IEC 60068-2-30 | - | Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle) | EN 60068-2-30 | - |
| IEC 60068-2-60 | - | Environmental testing - Part 2-60: Tests - Test Ke: Flowing mixed gas corrosion test | EN 60068-2-60 | - |
| IEC 60228 | - | Conductors of insulated cables | EN IEC 60228 | - |
| IEC 60512-1 | - | Connectors for electrical and electronic equipment - Tests and measurements - Part 1: Generic specification | EN IEC 60512-1 | - |
| IEC 60512-1-1 | - | Connectors for electronic equipment - Tests and measurements - Part 1-1: General examination - Test 1a: Visual examination | EN 60512-1-1 | - |
| IEC 60512-1-2 | - | Connectors for electronic equipment - Tests and measurements - Part 1-2: General examination - Test 1b: Examination of dimension and mass | EN 60512-1-2 | - |
| IEC 60512-2-1 | - | Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method | EN 60512-2-1 | - |

EN IEC 60352-2:2024 (E)

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|-------------------|-------------|
| IEC 60512-2-2 | - | Connectors for electronic equipment - Tests and measurements - Part 2-2: Electrical continuity and contact resistance tests - Test 2b: Contact resistance - Specified test current method | EN 60512-2-2 | - |
| IEC 60512-2-5 | - | Connectors for electronic equipment - Tests and measurements - Part 2-5: Electrical continuity and contact resistance tests - Test 2e: Contact disturbance | EN 60512-2-5 | - |
| IEC 60512-4-3 | - | Connectors for electronic equipment - Tests and measurements - Part 4-3: Voltage stress tests - Test 4c: Voltage proof of pre-insulated crimp barrels | EN 60512-4-3 | - |
| IEC 60512-5-2 | - | Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating | EN 60512-5-2 | - |
| IEC 60512-6-4 | - | Connectors for electronic equipment - Tests and measurements - Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal) | EN 60512-6-4 | - |
| IEC 60512-9-5 | - | Connectors for electrical and electronic equipment - Tests and measurements - Part 9-5: Endurance tests - Test 9e: Current loading, cyclic | EN IEC 60512-9-5 | - |
| IEC 60512-11-1 | - | Connectors for electrical and electronic equipment - Tests and measurements - Part 11-1: Climatic tests - Test 11a - Climatic sequence | EN IEC 60512-11-1 | - |
| IEC 60512-11-4 | - | Connectors for electronic equipment - Tests and measurements - Part 11-4: Climatic tests - Test 11d: Rapid change of temperature | EN 60512-11-4 | - |
| IEC 60512-11-7 | - | Connectors for electronic equipment - Tests and measurements - Part 11-7: Climatic tests - Test 11g: Flowing mixed gas corrosion test | EN 60512-11-7 | - |
| IEC 60512-11-9 | - | Connectors for electronic equipment - Tests and measurements - Part 11-9: Climatic tests - Test 11i: Dry heat | EN 60512-11-9 | - |
| IEC 60512-11-10 | - | Connectors for electronic equipment - Tests and measurements - Part 11-10: Climatic tests - Test 11j: Cold | EN 60512-11-10 | - |
| IEC 60512-11-12 | - | Connectors for electronic equipment - Tests and measurements - Part 11-12: Climatic tests - Test 11m: Damp heat, cyclic | EN 60512-11-12 | - |
| IEC 60512-16-4 | - | Connectors for electronic equipment - Tests and measurements - Part 16-4: Mechanical tests on contacts and terminations - Test 16d: Tensile strength (crimped connections) | EN 60512-16-4 | - |

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|---------------|-------------|
| IEC 60512-16-7 | - | Connectors for electronic equipment - Tests and measurements - Part 16-7: Mechanical tests on contacts and terminations - Test 16g: Measurement of contact deformation after crimping | EN 60512-16-7 | - |
| IEC 60512-16-8 | - | Connectors for electronic equipment - Tests and measurements - Part 16-8: Mechanical tests on connections and terminations - Test 16h: Insulating grip effectiveness (crimped connections) | EN 60512-16-8 | - |
| IEC 60512-19-1 | - | Connectors for electronic equipment - Tests and measurements - Part 19-1: Chemical resistance tests - Test 19a: Fluid resistance of pre-insulated crimp barrels | EN 60512-19-1 | - |

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[SIST EN IEC 60352-2:2025](#)

<https://standards.iteh.ai/catalog/standards/sist/e66ddf8b-2e8a-482f-8891-ee0618fe88d5/sist-en-iec-60352-2-2025>



IEC 60352-2

Edition 3.0 2024-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Solderless connections – iTeh Standards
Part 2: Crimped connections – General requirements, test methods and
practical guidance (<https://standards.iteh.ai>)

Connexions sans soudure –
Partie 2: Connexions serties – Exigences générales, méthodes d'essai et guide
pratique ([SIST EN IEC 60352-2:2025](https://standards.iteh.ai/catalog/standards/sist/e66ddf8b-2e8a-482f-8891-ee0618fe88d5/sist-en-iec-60352-2-2025))

<https://standards.iteh.ai/catalog/standards/sist/e66ddf8b-2e8a-482f-8891-ee0618fe88d5/sist-en-iec-60352-2-2025>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.20

ISBN 978-2-8322-9903-6

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

| | |
|--|----|
| Figure 25 – Pre-insulated stamped close crimp barrel, area definitions | 36 |
| Figure 26 – Pre-insulated closed crimp barrels of various designs | 36 |
| Figure 27 – Examples of pre-insulated crimp cable lugs as strip parts..... | 36 |
| Figure 28 – Uninsulated splice variants..... | 37 |
| Figure 29 – Diameter ratio when crimping wires with different individual strand diameters in splices | 38 |
| Figure 30 – Crimp height measurement on open crimp barrel (B-crimp) | 41 |
| Figure 31 – Crimp height measurement on closed crimp barrel (mandrel crimping) | 41 |
| Figure 32 – Crimp height measurement on closed crimp barrel (4-indent crimping) | 42 |
| Figure 33 – Example of holding and measuring points for contact deformation..... | 43 |
| Figure 34 – Insulation distance and conductor overhang..... | 43 |
| Figure 35 – Examples of insulation grip die shapes..... | 45 |
| Figure 36 – Examples of insulation grip | 45 |
| Figure 37 – Test arrangement..... | 50 |
| Figure 38 – Bending test of crimped connections with uninsulated crimp barrels..... | 50 |
| Figure 39 – Bending test of crimped connections with pre-insulated crimp barrels | 51 |
| Figure 40 – Bending test on splice crimped connections | 52 |
| Figure 41 – Arrangement for vibration test | 53 |
| Figure 42 – Test arrangement for measurement of crimp resistance of single-conductor crimped connection | 54 |
| Figure 43 – Measuring of crimp resistance of splices or multiple-conductor crimp connections | 54 |
| Figure 44 – Crimp resistance R_C of crimped connections with copper barrels and copper conductor ($K = 1$) | 56 |
| Figure 45 – Test setup for temperature rise measurements under current load | 58 |
| Figure 46 – Temperature chamber with ventilation opening for current-temperature derating measurements | 60 |
| Figure 47 – Examples of test arrangements | 64 |
| Figure 48 – Test current for crimped connections..... | 65 |
| Figure 49 – Examples of type A specimens | 68 |
| Figure 50 – Examples of type B specimens | 69 |
| Figure 51 – Examples of type C specimens..... | 70 |
| Figure 52 – Example of type D specimen (pre-insulated) | 70 |
| Figure 53 – Examples of type E specimen..... | 71 |
| Figure 54 – Example of type F specimen | 72 |
| Figure 55 – Type G specimen (splice)..... | 72 |
| Figure 56 – Type H specimen (splice) | 73 |
| Figure 57 – Basic test schedule (see 8.2) | 84 |
| Figure 58 – Full test schedule (see 8.3) | 85 |
| Figure A.1 – Open crimp barrels | 88 |
| Figure A.2 – Closed crimp barrels | 89 |
| Figure A.3 – Crimping shape in the wire axis | 90 |
| Figure A.4 – Crimping shape 90° angled to the wire axis | 90 |
| Figure A.5 – Crimping shape without insulation grip..... | 90 |