
Živalske in rastlinske maščobe ter olja - Določevanje maščobnokislinsko vezanih kloropropandiolov (MCPD) in glicidola z GC/MS - 1. del: Metoda z uporabo hitre alkalne transesterifikacije in meritve 3-MCPD ter diferencialne meritve glicidola (ISO 18363-1:2015)

Animal and vegetable fats and oils - Determination of fatty-acid-bound chloropropanediols (MCPDs) and glycidol by GC/MS - Part 1: Method using fast alkaline transesterification and measurement for 3-MCPD and differential measurement for glycidol (ISO 18363-1:2015)

Tierische und pflanzliche Fette und Öle - Bestimmung von fettsäuregebundenen Chlorpropanediol (MCPD) und Glycidol mittels GC/MS - Teil 1: Verfahren mittels schneller alkalischer Umesterung und Messung für 3 MCPD und Differenzmessung für Glycidol (ISO 18363 1:2015)

<https://standards.itech.ai/catalog/standards/sist/91990733-a7a6-414d-bce8-27aa4c75a2dd/sist-en-iso-18363-1-2022>

Corps gras d'origines animale et végétale - Détermination des esters de chloropropanediols (MCPD) et d'acides gras et des esters de glycidol et d'acides gras par CPG/SM - Partie 1: Méthode par transestérification alcaline rapide et mesure pour le 3-MCPD et par mesure différentielle pour le glycidol (ISO 18363-1:2015)

Ta slovenski standard je istoveten z: EN ISO 18363-1:2021

ICS:

67.200.10	Rastlinske in živalske maščobe in olja	Animal and vegetable fats and oils
-----------	--	------------------------------------

SIST EN ISO 18363-1:2022

en,fr,de

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST EN ISO 18363-1:2022

<https://standards.iteh.ai/catalog/standards/sist/91990733-a7a6-414d-bce8-27aa4c75a2dd/sist-en-iso-18363-1-2022>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 18363-1

December 2021

ICS 67.200.10

English Version

Animal and vegetable fats and oils - Determination of fatty-acid-bound chloropropanediols (MCPDs) and glycidol by GC/MS - Part 1: Method using fast alkaline transesterification and measurement for 3-MCPD and differential measurement for glycidol (ISO 18363-1:2015)

Corps gras d'origines animale et végétale - Détermination des esters de chloropropanediols (MCPD) et d'acides gras et des esters de glycidol et d'acides gras par CPG/SM - Partie 1: Méthode par transestérification alcaline rapide et mesure pour le 3-MCPD et par mesure différentielle pour le glycidol (ISO 18363-1:2015)

Tierische und pflanzliche Fette und Öle - Bestimmung von fettsäuregebundenen Chlorpropandiol (MCPD) und Glycidol mittels GC/MS - Teil 1: Verfahren mittels schneller alkalischer Umesterung und Messung für 3-MCPD und Differenzmessung für Glycidol (ISO 18363-1:2015)

This European Standard was approved by CEN on 5 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

<https://standards.iteh.ai/catalog/standards/sist/91990733-a7a0-414d-bc68-27aa4c7429d/sist-en-iso-18363-1-2022>

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST EN ISO 18363-1:2022

<https://standards.iteh.ai/catalog/standards/sist/91990733-a7a6-414d-bce8-27aa4c75a2dd/sist-en-iso-18363-1-2022>

European foreword

The text of ISO 18363-1:2015 has been prepared by Technical Committee ISO/TC 34 "Food products" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 18363-1:2021 by Technical Committee CEN/TC 307 "Oilseeds, vegetable and animal fats and oils and their by-products - Methods of sampling and analysis" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**ITh STANDARD
PREVIEW
(standards.iteh.ai)**

Endorsement notice

The text of ISO 18363-1:2015 has been approved by CEN as EN ISO 18363-1:2021 without any modification.

~~SIST EN ISO 18363-1:2022~~
<https://standards.iteh.ai/catalog/standards/sist/91990733-a7a6-414d-bce8-27aa4c75a2dd/sist-en-iso-18363-1-2022>

**iTeh STANDARD
PREVIEW
(standards.iteh.ai)**

SIST EN ISO 18363-1:2022

<https://standards.iteh.ai/catalog/standards/sist/91990733-a7a6-414d-bce8-27aa4c75a2dd/sist-en-iso-18363-1-2022>

INTERNATIONAL
STANDARDISO
18363-1First edition
2015-08-15

**Animal and vegetable fats and oils —
Determination of fatty-acid-bound
chloropropanediols (MCPDs) and
glycidol by GC/MS —****Part 1:
Method using fast alkaline
transesterification and measurement
for 3-MCPD and differential
measurement for glycidol**SIST EN ISO 18363-1:2022

<https://standards.iteh.ai/catalog/standards/sist/91098733-a7a6-414d-bc01-270475c2d401/sist-en-iso-18363-1-2022>

Corps gras d'origines animale et végétale — Détermination des esters de chloropropanediols (MCPD) et d'acides gras et des esters de glycidol et d'acides gras —

Partie 1: Méthode par transestérification alcaline rapide et mesure pour le chloro-3 propane-1,2-diol (3-MCPD) et par mesure différentielle pour le glycidol

Reference number
ISO 18363-1:2015(E)

© ISO 2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 18363-1:2022

<https://standards.iteh.ai/catalog/standards/sist/91990733-a7a6-414d-bce8-27aa4c75a2dd/sist-en-iso-18363-1-2022>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents	3
5.1 General	3
5.2 Standard and reference compounds	3
5.3 Solvents	3
5.4 Other reagents	3
6 Apparatus	4
7 Sample	4
7.1 Sampling	4
7.2 Preparation of the test sample	4
8 Procedure	5
8.1 Spiking with surrogate standard and homogenization	5
8.2 Ester cleavage and glycidol transformation	5
8.3 Matrix clean up	5
8.4 Derivatization	5
8.5 Gas chromatography/mass spectrometry references	6
9 Expression of results	6
10 Precision	7
10.1 Interlaboratory test	7
10.2 Repeatability	8
10.3 Reproducibility	8
11 Test report	8
Annex A (informative) Results of an collaborative trial	9
Bibliography	11

ISO 18363-1:2015(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword – Supplementary information](http://www.iso.org/foreword).

The committee responsible for this document is ISO/TC 34, *Food products*, Subcommittee SC 11, *Animal and vegetable fats and oils*.

ISO 18363 consists of the following parts, under the general title *Animal and vegetable fats and oils — Determination of fatty-acid-bound chloropropanediols (MCPDs) and glycidol by GC/MS*

- Part 1: Method using fast alkaline transesterification and measurement for 3-MCPD and differential measurement for glycidol

The following parts are under preparation:

- Part 2: Method using alkaline transesterification and measurement for 2-MCPD, 3-MCPD and glycidol
- Part 3: Method using acid transesterification and measurement for 2-MCPD, 3-MCPD and glycidol

Introduction

ISO 18363 is a set of International Standards which can be used for the determination of ester-bound MCPD and glycidol. There are currently three International Standards which have been proposed and this introduction is a description of these methods, which can be used by the analyst to decide which methods are suitable for their application. The detailed application of each method is contained within the scope of the individual method.

This part of ISO 18363 is a differential method equivalent to the DGF standard C-VI 18 (10) and identical to AOCS Official Method Cd 29c-13. Briefly, it is based on a fast alkaline catalysed release of 3-MCPD and glycidol from the ester derivatives. Glycidol is subsequently converted into induced 3-MCPD. It consists of two parts. The first part (A) allows the determination of the sum of ester bound 3-MCPD and ester bound glycidol, whereas the second part (B) determines ester-bound 3-MCPD only. Both assays are based on the release of the target analytes 3-MCPD and glycidol from the ester bound form by an alkaline catalysed alcoholysis carried out at room temperature. In part A, an acidified sodium chloride solution is used to stop the reaction and subsequently convert the glycidol into induced 3-MCPD. Thus, 3-MCPD and glycidol become indistinguishable in part A. In part B, the reaction stop is achieved by the addition of an acidified chloride-free salt solution which also prevents the conversion of glycidol into induced MCPD. Thereby, part B allows the determination of the genuine 3-MCPD content. Finally, the glycidol content of the sample is proportional to the difference of both assays (A – B) and can be calculated when the transformation ratio from glycidol to 3-MCPD has been determined. This part of ISO 18363 is applicable for the fast determination of ester bound 3-MCPD and glycidol in refined and non-refined vegetable oils and fats. This part of ISO 18363 can also apply to animal fats and used frying oils and fats, but a validation study has to be undertaken before the analysis of these matrices. Any free analytes within the sample would be included in the results, but the standard does not allow the distinction between free and bound analytes. However, as of publication, research has not shown any evidence of a free analyte content as high as the esterified analyte content in refined vegetable oils and fats. In principle, this part of ISO 18363 can also be modified in such a way that the determination of 2-MCPD is feasible, but again, a validation study has to be undertaken before the analysis of this analyte.

The second part of the proposed International Standards for the determination of ester-bound MCPD and glycidol represents the AOCS Official Method Cd 29b-13. Briefly, it is based on a slow alkaline release of MCPD and glycidol from the ester derivatives. Glycidol is subsequently converted into 3-MCPD. The second part of the proposed International Standards consists of two sample preparations that differ in the use of internal standards. Both parts can be used for the determination of ester bound 2-MCPD and 3-MCPD. In part A, a preliminary result for ester bound glycidol is determined. Because the 3-MCPD present in the sample will be converted to some minor extent into induced glycidol by the sample preparation, part B serves to quantify this amount of induced glycidol that is subsequently subtracted from the preliminary glycidol result of part A. By the use of isotopically labelled free MCPD isomers in assay A and isotopically labelled ester bound 2-MCPD and 3-MCPD in part B, the efficiency of ester cleavage can be monitored. Both assays A and B are based on the release of the target analytes 2-MCPD, 3-MCPD, and glycidol from the ester bound form by a slow alkaline catalysed alcoholysis in the cold. In both sample preparations, the reaction is stopped by the addition of an acidified concentrated sodium bromide solution so as to convert the unstable and volatile glycidol into 3-MCPD which shows comparable properties to 3-MCPD with regard to its stability and chromatographic performance. Moreover, the major excess of bromide ions prevents the undesired formation of 3-MCPD from glycidol in the case of samples which contain naturally occurring amounts of chloride. The second part of the proposed standards is applicable for the determination of ester bound 3-MCPD, 2-MCPD, and glycidol in refined and unrefined vegetable oils and fats. The second part of the proposed International Standards can also apply to animal fats and used frying oils and fats, but a validation study has to be undertaken before the analysis of these matrices. Any free analytes within the sample would be included in the results, but the standard does not allow the distinction between free and bound analytes. However, as of publication, research has not shown any evidence of a free analyte content as high as the esterified analyte content in vegetable oils and fats.

The third part of the proposed International Standards for the determination of ester-bound MCPD and glycidol represents the AOCS Official Method Cd 29a-13. Briefly, it is based on the conversion of glycidyl esters into 3-MCPD esters and a slow acidic catalysed release of MCPD and MBPD from the