
**Railway applications — Concepts and
basic requirements for the planning
of railway operation in the event of
earthquakes**

*Applications ferroviaires — Planification des concepts d'exploitation
en cas de séisme*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 22888:2020](https://standards.iteh.ai/catalog/standards/sist/6a323aea-c7e6-4653-846e-9003a1682a69/iso-22888-2020)

<https://standards.iteh.ai/catalog/standards/sist/6a323aea-c7e6-4653-846e-9003a1682a69/iso-22888-2020>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 22888:2020

<https://standards.iteh.ai/catalog/standards/sist/6a323aea-c7e6-4653-846e-9003a1682a69/iso-22888-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Definition of stages for planning of railway operation	2
4.1 General.....	2
4.2 Stage 1: Detection of earthquake.....	3
4.3 Stage 2: Decision for operational restriction.....	3
4.4 Stage 3: Implementation of operational restriction.....	3
4.5 Stage 4: Inspection.....	3
4.6 Stage 5: Resumption of regular condition.....	4
5 Concepts for planning of railway operation	4
5.1 General.....	4
5.2 Basic plan.....	4
5.3 Development of procedures for railway operation.....	4
5.3.1 General.....	4
5.3.2 Factors considered for all stages.....	5
5.3.3 Stage 1: Detection of earthquake.....	5
5.3.4 Stage 2: Decision for operational restriction.....	5
5.3.5 Stage 3: Implementation of operational restriction.....	5
5.3.6 Stage 4: Inspection.....	5
5.3.7 Stage 5: Resumption of regular condition.....	5
6 Basic requirements for planning of railway operation	5
6.1 General.....	5
6.2 Stage 1: Detection of earthquake.....	6
6.3 Stage 2: Decision for operational restriction.....	6
6.4 Stage 3: Implementation of operational restriction.....	6
6.5 Stage 4: Inspection.....	6
6.6 Stage 5: Resumption of regular condition.....	6
Annex A (informative) Examples of actions implemented for the five stages	7

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 269, *Railway applications*, Subcommittee SC 3, *Operations and services*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Modern transportation systems, including the railway, are constructed with the prerequisite of maintaining the functions required for public service under the designed usage conditions and/or when faced with the expected external effects of natural phenomena that were taken into account at the time of their design. Such natural phenomena include earthquakes or extreme weather events. In case of events caused by natural phenomena, functional damage to transportation systems can occur, adversely affecting lives and societies.

There are no predictive signs for many natural phenomena events, especially earthquakes. Earthquakes tend to occur suddenly and without any prior warning which could enable the forecasting of the intensity of ground shaking and the size of the affected area using existing technology. Large earthquakes including aftershocks can affect society for an extended period of time where extensive damage to transportation systems occurs. Compared to other natural phenomena, earthquakes are infrequent. As such, it is difficult to obtain experience-based knowledge for improving information on construction countermeasures for resisting future events reliably.

Because of the nature of earthquakes, it is difficult to predict the scale and timing of damage to transportation systems. Therefore, due to potentially significant effects on society, the planning and implementation of countermeasures to restrict damage and to reduce the risk due to earthquakes is essential for transportation systems.

Railway operators aim to provide a safe and reliable transport service. In doing so, they need to take into account the reliability of the railway service for customers (passengers and consignors) and railway owners. This aim should be achieved as far as possible even under irregular railway operation conditions. One case in which irregular railway operation conditions are expected is that due to earthquake events. This is potentially the case not only for a specific area/country which has experienced a large earthquake event before, but also for other areas/countries without previous experience of significant earthquake events, but for which a risk of exposure to ground shaking exists. For these areas/countries, a significant seismic potential and a significant risk of exposure to ground shaking can be present. Therefore, in order to reduce a customer's risk in relation to earthquakes, the planning of any countermeasures for railway operation becomes an important issue for consideration.

Conversely, the solution to the above issue is hampered by the lack of standards, guidance, or other documentation available to the public. In order to help to reduce the potential risk due to earthquakes, and to thereby improve the reliability of a railway service and to protect the reputation of railway businesses, the establishment of an internationally accepted and publicly available document is essential.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 22888:2020

<https://standards.iteh.ai/catalog/standards/sist/6a323aea-c7e6-4653-846e-9003a1682a69/iso-22888-2020>

Railway applications — Concepts and basic requirements for the planning of railway operation in the event of earthquakes

1 Scope

This document specifies the concepts and basic requirements for the planning of railway operation in order to reduce risk in the event of earthquakes. This excludes regions where the consequences of seismic hazard for railway operation are low or non-existent. The definition of such regions is out of the scope of this document.

NOTE The stages defined for consideration of the countermeasures necessary for the safe management of the seismic hazards can also be relevant for dealing with other natural phenomena.

This document includes only operational measures and excludes any infrastructure measures. Furthermore, this document does not include specific measures which ensure, without fail, passenger safety or which provide protection against railway-operational damage caused by earthquakes. Therefore, residual risk can remain.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

railway operation

control and management of the railway service

Note 1 to entry: In this context, railway operation includes responsibility for managing and maintaining railway infrastructure, traffic management and signalling, provision and maintenance of rolling stock, and services for the transport of goods and/or passengers by rail. In countries where these responsibilities are provided by different parties, the tasks defined in this document should be divided accordingly.

3.2

operator

party responsible for *railway operation* (3.1)

3.3

operational restriction

application of a speed restriction or an operation suspension to trains according to relevant operational procedures in order to improve the safety of the trains or to reduce the risk

**3.4
operational condition**

operational mode which depends on the permitted running velocity of a train on a particular section of the network

Note 1 to entry: Operational condition consists of two modes: regular and irregular conditions (3.5 and 3.6).

**3.5
regular condition**

condition in which trains can operate at the maximum permitted line speed

**3.6
irregular condition**

condition in which an *operational restriction* (3.3) is enforced due to an unusual situation

**3.7
ground motion strength index**

set of measures to represent ground motion strength utilized in decision-making

EXAMPLE Seismic peak ground acceleration.

**3.8
threshold**

pre-defined value for the strength of ground motion for deciding the *operational restriction* (3.3)

**3.9
earthquake information**

perception and/or physical information for earthquakes

EXAMPLE Perception of ground shaking, values of *ground motion strength indices* (3.7), earthquake source parameters such as origin time, hypocentre or epicentre location and magnitude.

<https://standards.iteh.ai/catalog/standards/sist/6a323aea-c7e6-4653-846e-9003d682c69/iso-22888-2020>

4 Definition of stages for planning of railway operation

4.1 General

This clause defines the following five cyclic stages which are needed to consider the countermeasures necessary for railway operation during the time period of an earthquake (see [Figure 1](#)).

- Stage 1: Detection of earthquake
- Stage 2: Decision for operational restriction
- Stage 3: Implementation of operational restriction
- Stage 4: Inspection
- Stage 5: Resumption of regular condition

In [Figure 1](#), the small black circles indicate “stages”, while the broken line arrows represent operational “conditions”. The stages here refer to a series of actions implemented by operators for railway operation during and after an earthquake event. The condition switches at Stage 3 or 5 as shown in [Figure 1](#).




Figure 1 — Stages and conditions

4.2 Stage 1: Detection of earthquake

The purpose of Stage 1 is to detect an earthquake occurrence and to obtain event information.

4.3 Stage 2: Decision for operational restriction

The purpose of Stage 2 is to decide whether or not a safer operational condition is required and which mode of irregular condition shall be implemented (speed restriction or operation suspension) using the earthquake information obtained at Stage 1.

4.4 Stage 3: Implementation of operational restriction

The purpose of Stage 3 is to change to irregular condition (speed restriction or operation suspension) if it is decided as being necessary at Stage 2.

4.5 Stage 4: Inspection

The purpose of Stage 4 is to inspect the condition of railway facilities in order to provide information on whether railway operation can be resumed under regular or irregular conditions.

4.6 Stage 5: Resumption of regular condition

The purpose of Stage 5 is to return to regular condition based on the information gathered in the previous stages.

5 Concepts for planning of railway operation

5.1 General

Operators should change to a safer operational condition without delay. Operators should make efforts to minimize the risk to safety and economic loss to customers and operators, and should revert to regular operation immediately after it is considered safe to do so.

5.2 Basic plan

Operators can develop a basic plan which includes consideration of the factors that are necessary to develop the procedures for the railway operation during an earthquake event. The basic plan may be updated depending on the situation.

The basic plan may include consideration, for example, of:

- traffic frequency;
- passenger density;
- infrastructure vulnerability;
- economic and social impact;
- earthquake information for past/predicted events;
- damage due to past/predicted earthquakes;
- line speed;
- cost effectiveness.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 22888:2020
<https://standards.iteh.ai/catalog/standards/sist/6a323aea-c7e6-4653-846e-05121682a69/iso-22888-2020>

The basic plan is not mandatory.

5.3 Development of procedures for railway operation

5.3.1 General

Operators should establish the procedures of railway operation for each stage in advance of earthquakes. Implementation of the specific stages, operational procedures and basic requirements for railway operation in a particular area/country can take account of the organizational and responsibility chain practices in that area/country. See [Annex A](#) for additional information of the procedures implemented in some countries.

It is common for a number of operators to be involved in railway operation during an earthquake event. The developed procedures should thus be shared among the concerned operators who are responsible for each task. Operators can promote dissemination and training for the developed procedures to efficiently apply them in case of earthquake events.

5.3.2 Factors considered for all stages

Factors related to railway operation are shown below (see 5.3.3 to 5.3.7). Other factors that are relevant to the management of railway operation can be considered if necessary, including:

- corporate structure;
- resourcing and staffing requirements;
- tools, devices and equipment;
- operational procedures;
- emergency contact network among all concerned operators and relevant organizations;
- communication procedures;
- ground motion strength indices;
- thresholds for the decision;
- objectives and roles of the concerned parties.

5.3.3 Stage 1: Detection of earthquake

For the railway operation procedures, operators shall determine how to quickly obtain earthquake information, and should guarantee the means for reporting information accurately and as rapidly as possible to the parties responsible for the decision for operational restriction.

5.3.4 Stage 2: Decision for operational restriction

Operators shall consider how to determine the operational restriction. Operators should consider the information necessary to support their decisions, including the use of the ground motion strength indices when available. The thresholds for decisions shall be set suitably, considering the earthquake detection method, the impact on railway operation due to ground motion and the possibility of damage to the railway facilities.

5.3.5 Stage 3: Implementation of operational restriction

Operators shall define the procedure for changing the operational condition from regular to irregular as soon as possible, when operational restriction is decided to be necessary.

5.3.6 Stage 4: Inspection

Operators shall establish appropriate inspection procedures which take into account the corporate structure of an operator and the necessary resources needed to return the operational condition to regular as soon as possible, as well as the measured or estimated level of ground motion strength along the line (when this is available).

5.3.7 Stage 5: Resumption of regular condition

Operators shall develop a procedure for deciding that the resumption of regular condition is possible.

6 Basic requirements for planning of railway operation

6.1 General

This Clause describes the basic requirements for railway operation at each stage.