

ETSI TS 124 229 V13.23.0 (2025-01)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Universal Mobile Telecommunications System (UMTS);**

LTE;

**IP multimedia call control protocol based on
Session Initiation Protocol (SIP)
and Session Description Protocol (SDP);**

Stage 3

(3GPP TS 24.229 version 13.23.0 Release 13)



Reference

RTS/TSGC-0124229vdn0

Keywords

5G,GSM,LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-01)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	32
1 Scope	33
2 References	34
3 Definitions and abbreviations.....	47
3.1 Definitions	47
3.2 Abbreviations	54
3A Interoperability with different IP-CAN.....	57
4 General	57
4.1 Conformance of IM CN subsystem entities to SIP, SDP and other protocols.....	57
4.2 URI and address assignments.....	61
4.2A Transport mechanisms.....	62
4.2B Security mechanisms.....	63
4.2B.1 Signalling security	63
4.2B.2 Media security	65
4.3 Routing principles of IM CN subsystem entities.....	68
4.4 Trust domain	68
4.4.1 General.....	68
4.4.2 P-Asserted-Identity	69
4.4.3 P-Access-Network-Info	69
4.4.4 History-Info	69
4.4.5 P-Asserted-Service.....	69
4.4.6 Resource-Priority	70
4.4.7 Reason (in a response).....	70
4.4.8 P-Profile-Key.....	70
4.4.9 P-Served-User.....	70
4.4.10 P-Private-Network-Indication.....	70
4.4.11 P-Early-Media.....	70
4.4.12 CPC and OLI	70
4.4.13 Feature-Caps	71
4.4.14 Priority	71
4.4.15 iotl.....	71
4.4.16 Restoration-Info	71
4.4.17 Relayed-Charge	71
4.4.18 Service-Interact-Info	71
4.4.19 Cellular-Network-Info	71
4.5 Charging correlation principles for IM CN subsystems	72
4.5.1 Overview	72
4.5.2 IM CN subsystem charging identifier (ICID).....	72
4.5.2A Related ICID.....	73
4.5.3 Access network charging information	73
4.5.3.1 General	73
4.5.3.2 Access network charging information.....	73
4.5.4 Inter operator identifier (IOI).....	74
4.5.4A Transit inter operator identifier (Transit IOI)	75
4.5.5 Charging function addresses	76
4.5.6 Relayed charge parameters	76
4.5.7 Loopback-indication parameter	76
4.6 Support of local service numbers	77
4.7 Emergency service	77
4.7.1 Introduction.....	77

4.7.2	Emergency calls generated by a UE	77
4.7.3	Emergency calls generated by an AS.....	77
4.7.4	Emergency calls received from an enterprise network	77
4.7.5	Location in emergency calls	78
4.8	Void.....	79
4.9	Overlap signalling	79
4.9.1	General.....	79
4.9.2	Overlap signalling methods	79
4.9.2.1	In-dialog method	79
4.9.2.1.1	General	79
4.9.2.2	Multiple-INVITE method	79
4.9.2.2.1	General	79
4.9.3	Routeing impacts	79
4.9.3.1	General	79
4.9.3.2	Deterministic routeing.....	80
4.9.3.3	Digit collection.....	80
4.10	Dialog correlation for IM CN subsystems.....	80
4.10.1	General.....	80
4.10.2	CONF usage.....	80
4.11	Priority mechanisms	80
4.12	Overload control.....	82
4.13	II-NNI traversal scenario.....	83
4.13.1	General.....	83
4.13.2	Identifying the II-NNI traversal scenario.....	83
4.13.3	Security aspects	83
4.14	Restoration procedures	83
4.14.1	General.....	83
4.14.2	P-CSCF restoration procedures.....	84
4.14.3	S-CSCF restoration procedures.....	84
4.15	Resource sharing	84
4.16	Priority sharing	85
4.17	Void.....	85
4.18	Dynamic Service Interaction	85
5	Application usage of SIP	86
5.1	Procedures at the UE	86
5.1.0	General.....	86
5.1.1	Registration and authentication.....	86
5.1.1.1	General	86
5.1.1.1A	Parameters contained in the ISIM	86
5.1.1.1B	Parameters provisioned to a UE without ISIM or USIM	87
5.1.1.1B.1	Parameters provisioned in the IMC	87
5.1.1.1B.2	Parameters when UE does not contain ISIM, USIM or IMC	87
5.1.1.2	Initial registration.....	87
5.1.1.2.1	General	87
5.1.1.2.2	Initial registration using IMS AKA	92
5.1.1.2.3	Initial registration using SIP digest without TLS	93
5.1.1.2.4	Initial registration using SIP digest with TLS	94
5.1.1.2.5	Initial registration using NASS-IMS bundled authentication.....	94
5.1.1.2.6	Initial registration using GPRS-IMS-Bundled authentication	94
5.1.1.3	Subscription to the registration-state event package	95
5.1.1.3A	Void.....	96
5.1.1.4	User-initiated reregistration and registration of an additional public user identity	96
5.1.1.4.1	General	96
5.1.1.4.2	IMS AKA as a security mechanism.....	100
5.1.1.4.3	SIP digest without TLS as a security mechanism.....	100
5.1.1.4.4	SIP digest with TLS as a security mechanism.....	101
5.1.1.4.5	NASS-IMS bundled authentication as a security mechanism	101
5.1.1.4.6	GPRS-IMS-Bundled authentication as a security mechanism.....	101
5.1.1.5	Authentication.....	102
5.1.1.5.1	IMS AKA - general	102
5.1.1.5.2	Void.....	104

5.1.1.5.3	IMS AKA abnormal cases.....	104
5.1.1.5.4	SIP digest without TLS – general.....	104
5.1.1.5.5	SIP digest without TLS – abnormal procedures.....	105
5.1.1.5.6	SIP digest with TLS – general.....	105
5.1.1.5.7	SIP digest with TLS – abnormal procedures.....	105
5.1.1.5.8	NASS-IMS bundled authentication – general.....	105
5.1.1.5.9	NASS-IMS bundled authentication – abnormal procedures.....	106
5.1.1.5.10	GPRS-IMS-Bundled authentication – general.....	106
5.1.1.5.11	GPRS-IMS-Bundled authentication – abnormal procedures.....	106
5.1.1.5.12	Abnormal procedures for all security mechanisms.....	106
5.1.1.5A	Network-initiated re-authentication.....	106
5.1.1.5B	Change of IPv6 address due to privacy.....	106
5.1.1.6	User-initiated deregistration.....	107
5.1.1.6.1	General.....	107
5.1.1.6.2	IMS AKA as a security mechanism.....	109
5.1.1.6.3	SIP digest without TLS as a security mechanism.....	110
5.1.1.6.4	SIP digest with TLS as a security mechanism.....	110
5.1.1.6.5	NASS-IMS bundled authentication as a security mechanism.....	110
5.1.1.6.6	GPRS-IMS-Bundled authentication as a security mechanism.....	111
5.1.1.7	Network-initiated deregistration.....	111
5.1.2	Subscription and notification.....	112
5.1.2.1	Notification about multiple registered public user identities.....	112
5.1.2.2	General SUBSCRIBE requirements.....	113
5.1.2A	Generic procedures applicable to all methods excluding the REGISTER method.....	113
5.1.2A.1	UE-originating case.....	113
5.1.2A.1.1	General.....	113
5.1.2A.1.2	Structure of Request-URI.....	118
5.1.2A.1.3	UE without dial string processing capabilities.....	119
5.1.2A.1.4	UE with dial string processing capabilities.....	119
5.1.2A.1.5	Setting the "phone-context" tel URI parameter.....	120
5.1.2A.1.6	Abnormal cases.....	120
5.1.2A.2	UE-terminating case.....	121
5.1.3	Call initiation - UE-originating case.....	123
5.1.3.1	Initial INVITE request.....	123
5.1.4	Call initiation - UE-terminating case.....	125
5.1.4.1	Initial INVITE request.....	125
5.1.4A	Session modification.....	127
5.1.4A.0	General.....	127
5.1.4A.1	Generating session modification request.....	127
5.1.4A.2	Receiving session modification request.....	127
5.1.5	Call release.....	128
5.1.6	Emergency service.....	128
5.1.6.1	General.....	128
5.1.6.2	Initial emergency registration.....	129
5.1.6.2A	New initial emergency registration.....	129
5.1.6.3	Initial subscription to the registration-state event package.....	129
5.1.6.4	User-initiated emergency reregistration.....	129
5.1.6.5	Authentication.....	130
5.1.6.6	User-initiated emergency deregistration.....	130
5.1.6.7	Network-initiated emergency deregistration.....	130
5.1.6.8	Emergency session setup.....	130
5.1.6.8.1	General.....	130
5.1.6.8.2	Emergency session set-up in case of no registration.....	131
5.1.6.8.3	Emergency session set-up within an emergency registration.....	132
5.1.6.8.4	Emergency session setup within a non-emergency registration.....	134
5.1.6.9	Emergency session release.....	135
5.1.6.10	Successful or provisional response to a request not detected by the UE as relating to an emergency session.....	136
5.1.7	Void.....	137
5.1.8	Void.....	137
5.2	Procedures at the P-CSCF.....	137
5.2.1	General.....	137

5.2.2	Registration.....	140
5.2.2.1	General.....	140
5.2.2.2	IMS AKA as a security mechanism.....	146
5.2.2.3	SIP digest without TLS as a security mechanism.....	149
5.2.2.4	SIP digest with TLS as a security mechanism.....	150
5.2.2.5	NASS-IMS bundled authentication as a security mechanism.....	152
5.2.2.6	GPRS-IMS-Bundled authentication as a security mechanism.....	152
5.2.2.7	P-CSCF reconfigured to not accept registrations.....	153
5.2.3	Subscription to the user's registration-state event package.....	153
5.2.3A	Void.....	154
5.2.3B	SUBSCRIBE request.....	154
5.2.4	Registration of multiple public user identities.....	154
5.2.5	Deregistration.....	156
5.2.5.1	User-initiated deregistration.....	156
5.2.5.2	Network-initiated deregistration.....	157
5.2.6	General treatment for all dialogs and standalone transactions excluding the REGISTER method.....	157
5.2.6.1	Introduction.....	157
5.2.6.2	Determination of UE-originated or UE-terminated case.....	157
5.2.6.3	Requests initiated by the UE.....	158
5.2.6.3.1	General for all requests.....	158
5.2.6.3.2	Void.....	159
5.2.6.3.2A	Abnormal cases.....	159
5.2.6.3.3	Initial request for a dialog.....	160
5.2.6.3.4	Responses to an initial request for a dialog.....	162
5.2.6.3.5	Target refresh request for a dialog.....	163
5.2.6.3.6	Responses to a target refresh request for a dialog.....	164
5.2.6.3.7	Request for a standalone transaction.....	164
5.2.6.3.8	Responses to a request for a standalone transaction.....	166
5.2.6.3.9	Subsequent request other than a target refresh request.....	166
5.2.6.3.10	Responses to a subsequent request other than a target refresh request.....	167
5.2.6.3.11	Request for an unknown method that does not relate to an existing dialog.....	167
5.2.6.3.12	Responses to a request for an unknown method that does not relate to an existing dialog.....	168
5.2.6.4	Requests terminated by the UE.....	168
5.2.6.4.1	General for all requests.....	168
5.2.6.4.2	General for all responses.....	169
5.2.6.4.3	Initial request for a dialog.....	169
5.2.6.4.4	Responses to an initial request for a dialog.....	170
5.2.6.4.5	Target refresh request for a dialog.....	172
5.2.6.4.6	Responses to a target refresh request for a dialog.....	173
5.2.6.4.7	Request for a standalone transaction.....	173
5.2.6.4.8	Responses to a request for a standalone transaction.....	174
5.2.6.4.9	Subsequent request other than a target refresh request.....	175
5.2.6.4.10	Responses to a subsequent request other than a target refresh request.....	175
5.2.6.4.11	Request for an unknown method that does not relate to an existing dialog.....	176
5.2.6.4.12	Responses to a request for an unknown method that does not relate to an existing dialog.....	176
5.2.7	Initial INVITE.....	176
5.2.7.1	Introduction.....	176
5.2.7.2	UE-originating case.....	176
5.2.7.3	UE-terminating case.....	177
5.2.7.4	Access network charging information.....	178
5.2.8	Call release.....	178
5.2.8.1	P-CSCF-initiated call release.....	178
5.2.8.1.1	Cancellation of a session currently being established.....	178
5.2.8.1.2	Release of an existing session.....	178
5.2.8.1.3	Abnormal cases.....	181
5.2.8.1.4	Release of the existing dialogs due to registration expiration and deletion of the security association, IP association or TLS session.....	181
5.2.8.2	Call release initiated by any other entity.....	181
5.2.8.3	Session expiration.....	181
5.2.9	Subsequent requests.....	182
5.2.9.1	UE-originating case.....	182
5.2.9.2	UE-terminating case.....	182

5.2.10	Emergency service	182
5.2.10.1	General	182
5.2.10.2	General treatment for all dialogs and standalone transactions excluding the REGISTER method – requests from an unregistered user	183
5.2.10.2A	General treatment for all dialogs and standalone transactions excluding the REGISTER method – requests to an unregistered user	184
5.2.10.3	General treatment for all dialogs and standalone transactions excluding the REGISTER method after emergency registration	184
5.2.10.4	General treatment for all dialogs and standalone transactions excluding the REGISTER method - non-emergency registration	186
5.2.10.5	Abnormal and rejection cases	189
5.2.11	Void	190
5.2.12	Resource sharing	190
5.2.13	Priority sharing	190
5.3	Procedures at the I-CSCF	190
5.3.1	Registration procedure	190
5.3.1.1	General	190
5.3.1.2	Normal procedures	191
5.3.1.3	Abnormal cases	191
5.3.2	Initial requests	192
5.3.2.1	Normal procedures	192
5.3.2.1A	Originating procedures for requests containing the "orig" parameter	196
5.3.2.2	Abnormal cases	198
5.3.3	Void	199
5.3.3.1	Void	199
5.3.3.2	Void	199
5.3.3.3	Void	199
5.3.4	Void	199
5.3.5	Subsequent requests	199
5.4	Procedures at the S-CSCF	199
5.4.0	General	199
5.4.1	Registration and authentication	200
5.4.1.1	Introduction	200
5.4.1.2	Initial registration and user-initiated reregistration	202
5.4.1.2.1	Unprotected REGISTER	202
5.4.1.2.1A	Challenge with IMS AKA as security mechanism	204
5.4.1.2.1B	Challenge with SIP digest as security mechanism	204
5.4.1.2.1C	Challenge with SIP digest with TLS as security mechanism	204
5.4.1.2.1D	Initial registration and user-initiated reregistration for NASS-IMS bundled authentication	205
5.4.1.2.1E	Initial registration and user-initiated reregistration for GPRS-IMS-Bundled authentication	206
5.4.1.2.2	Protected REGISTER with IMS AKA as a security mechanism	207
5.4.1.2.2A	Protected REGISTER with SIP digest as a security mechanism	211
5.4.1.2.2B	Protected REGISTER with SIP digest with TLS as a security mechanism	214
5.4.1.2.2C	NASS-IMS bundled authentication as a security mechanism	214
5.4.1.2.2D	GPRS-IMS-Bundled authentication as a security mechanism	214
5.4.1.2.2E	Protected REGISTER – Authentication already performed	214
5.4.1.2.2F	Successful registration	216
5.4.1.2.3	Abnormal cases - general	218
5.4.1.2.3A	Abnormal cases – IMS AKA as security mechanism	219
5.4.1.2.3B	Abnormal cases – SIP digest as security mechanism	220
5.4.1.2.3C	Abnormal cases – SIP digest with TLS as security mechanism	220
5.4.1.2.3D	Abnormal cases – NASS-IMS bundled authentication as security mechanism	220
5.4.1.2.3E	Abnormal cases – GPRS-IMS-Bundled authentication as security mechanism	220
5.4.1.3	Authentication and reauthentication	220
5.4.1.4	User-initiated deregistration	221
5.4.1.4.1	Normal cases	221
5.4.1.4.2	Abnormal cases - IMS AKA as security mechanism	222
5.4.1.4.4	Abnormal cases – SIP digest with TLS as security mechanism	222
5.4.1.4.5	Abnormal cases – NASS-IMS bundled authentication as security mechanism	222
5.4.1.4.6	Abnormal cases – GPRS-IMS-Bundled authentication as security mechanism	223
5.4.1.5	Network-initiated deregistration	223
5.4.1.6	Network-initiated reauthentication	225

5.4.1.7	Notification of Application Servers about registration status	226
5.4.1.7A	Including contents in the body of the third-party REGISTER request.....	227
5.4.1.8	Service profile updates	228
5.4.2	Subscription and notification	229
5.4.2.1	Subscriptions to S-CSCF events	229
5.4.2.1.1	Subscription to the event providing registration state.....	229
5.4.2.1.2	Notification about registration state.....	230
5.4.2.1.3	Void	235
5.4.2.1.4	Void	235
5.4.2.1A	Outgoing subscriptions to load-control event	235
5.4.2.2	Other subscriptions.....	235
5.4.3	General treatment for all dialogs and standalone transactions excluding requests terminated by the S-CSCF	235
5.4.3.1	Determination of UE-originated or UE-terminated case.....	235
5.4.3.2	Requests initiated by the served user	236
5.4.3.3	Requests terminated at the served user.....	246
5.4.3.4	Original dialog identifier	257
5.4.3.5	Void.....	258
5.4.3.6	SIP digest authentication procedures for all SIP request methods initiated by the UE excluding REGISTER.....	258
5.4.3.6.1	General	258
5.4.3.6.2	Abnormal cases	259
5.4.4	Call initiation	260
5.4.4.1	Initial INVITE.....	260
5.4.4.2	Subsequent requests	261
5.4.4.2.1	UE-originating case	261
5.4.4.2.2	UE-terminating case	261
5.4.5	Call release.....	261
5.4.5.1	S-CSCF-initiated session release	261
5.4.5.1.1	Cancellation of a session currently being established.....	261
5.4.5.1.2	Release of an existing session	262
5.4.5.1.2A	Release of the existing dialogs due to registration expiration	263
5.4.5.1.3	Abnormal cases	264
5.4.5.2	Session release initiated by any other entity.....	264
5.4.5.3	Session expiration	264
5.4.6	Call-related requests	264
5.4.6.1	ReINVITE.....	264
5.4.6.1.1	Determination of served user.....	264
5.4.6.1.2	UE-originating case	264
5.4.6.1.3	UE-terminating case	264
5.4.7	Void	265
5.4.7A	GRUU management.....	265
5.4.7A.1	Overview of GRUU operation	265
5.4.7A.2	Representation of public GRUUs.....	265
5.4.7A.3	Representation of temporary GRUUs	266
5.4.7A.4	GRUU recognition and validity	267
5.4.8	Emergency service	267
5.4.8.1	General	267
5.4.8.2	Initial emergency registration or user-initiated emergency reregistration.....	267
5.4.8.3	User-initiated emergency deregistration	268
5.4.8.4	Network-initiated emergency deregistration	268
5.4.8.5	Network-initiated emergency reauthentication	268
5.4.8.6	Subscription to the event providing registration state	269
5.4.8.7	Notification of the registration state.....	269
5.5	Procedures at the MGCF	269
5.5.1	General.....	269
5.5.2	Subscription and notification	270
5.5.3	Call initiation	270
5.5.3.1	Initial INVITE.....	270
5.5.3.1.1	Calls originated from circuit-switched networks	270
5.5.3.1.2	Calls terminating in circuit-switched networks	271
5.5.3.2	Subsequent requests	272

5.5.3.2.1	Calls originating in circuit-switched networks	272
5.5.3.2.2	Calls terminating in circuit-switched networks	272
5.5.4	Call release.....	273
5.5.4.1	Call release initiated by a circuit-switched network.....	273
5.5.4.2	IM CN subsystem initiated call release.....	273
5.5.4.3	MGW-initiated call release	273
5.5.5	Call-related requests	273
5.5.5.1	Session modification	273
5.5.5.1.0	General	273
5.5.5.1.1	Session modifications originating from circuit-switched networks.....	273
5.5.5.1.2	Session modifications terminating in circuit-switched networks	273
5.5.6	Further initial requests	274
5.6	Procedures at the BGCF	274
5.6.1	General.....	274
5.6.2	Common BGCF procedures.....	274
5.6.3	Specific procedures for INVITE requests and responses.....	276
5.6.4	Specific procedures for subsequent requests and responses	277
5.7	Procedures at the Application Server (AS).....	277
5.7.1	Common Application Server (AS) procedures	277
5.7.1.1	Notification about registration status	277
5.7.1.2	Extracting charging correlation information	279
5.7.1.3	Access-Network-Info and Visited-Network-ID	279
5.7.1.3A	Determination of the served user	279
5.7.1.3A.1	General	279
5.7.1.3A.2	AS serving an originating user	280
5.7.1.3A.3	AS serving a terminating user	280
5.7.1.3B	Determination of the used registration	280
5.7.1.4	User identify verification at the AS.....	280
5.7.1.5	Request authorization.....	283
5.7.1.6	Event notification throttling	283
5.7.1.7	Local numbering	283
5.7.1.7.1	Interpretation of the numbers in a non-international format	283
5.7.1.7.2	Translation of the numbers in a non-international format	284
5.7.1.8	GRUU assignment and usage.....	284
5.7.1.9	Use of ICSI and IARI values.....	285
5.7.1.10	Carrier selection	286
5.7.1.11	Void.....	287
5.7.1.12	Delivery of original destination identity	287
5.7.1.13	CPC and OLI.....	287
5.7.1.14	Emergency transactions	287
5.7.1.15	Protecting against attacks using 3xx responses	288
5.7.1.16	Support of Roaming Architecture for Voice over IMS with Local Breakout	288
5.7.1.16.1	Preservation of parameters	288
5.7.1.16.2	Preference for loopback routing not to occur.....	288
5.7.1.17	Delivery of network provided location information.....	289
5.7.1.18	Delivery of MRB address information.....	289
5.7.1.19	Overload control	289
5.7.1.19.1	Outgoing subscriptions to load-control event.....	289
5.7.1.19.2	Incoming subscriptions to load-control event.....	289
5.7.1.20	Procedures in the AS for resource sharing	290
5.7.1.20.1	General	290
5.7.1.20.2	UE-originating case	290
5.7.1.20.3	UE-terminating case	291
5.7.1.20.3.1	Determine resource sharing using the initial SDP offer	291
5.7.1.20.3.2	Determine resource sharing using the initial SDP answer.....	292
5.7.1.20.4	Updating the resource sharing options	292
5.7.1.20.5	Abnormal cases	292
5.7.1.21	Dynamic Service Interaction.....	293
5.7.1.22	Service access number translation.....	293
5.7.1.23	Procedures in the AS for priority sharing.....	293
5.7.1.23.1	General	293
5.7.1.23.2	Session originating procedures.....	293

5.7.1.23.3	Session terminating procedures	294
5.7.2	Application Server (AS) acting as terminating UA, or redirect server	294
5.7.3	Application Server (AS) acting as originating UA	294
5.7.4	Application Server (AS) acting as a SIP proxy.....	296
5.7.5	Application Server (AS) performing 3rd party call control	297
5.7.5.1	General	297
5.7.5.2	Call initiation.....	298
5.7.5.2.1	Initial INVITE	298
5.7.5.2.2	Subsequent requests.....	299
5.7.5.3	Call release	299
5.7.5.4	Call-related requests	299
5.7.5.5	Further initial requests.....	299
5.7.5.6	Transcoding services invocation using third-party call control.....	299
5.7.6	Void	300
5.8	Procedures at the MRFC	300
5.8.1	General.....	300
5.8.2	Call initiation	300
5.8.2.1	Initial INVITE.....	300
5.8.2.1.1	MRFC-terminating case	300
5.8.2.1.1.1	Introduction.....	300
5.8.2.1.2	MRFC-originating case	301
5.8.2.2	Subsequent requests	301
5.8.2.2.1	Tones and announcements.....	301
5.8.2.2.2	Transcoding	301
5.8.3	Call release.....	302
5.8.3.1	S-CSCF-initiated call release	302
5.8.3.1.1	Tones and announcements.....	302
5.8.3.2	MRFC-initiated call release	302
5.8.3.2.1	Tones and announcements.....	302
5.8.4	Call-related requests	302
5.8.4.1	ReINVITE.....	302
5.8.4.1.1	MRFC-terminating case	302
5.8.4.1.2	MRFC-originating case	302
5.8.4.2	REFER	302
5.8.4.2.1	MRFC-terminating case	302
5.8.4.2.2	MRFC-originating case	302
5.8.4.2.3	REFER initiating a new session	302
5.8.4.2.4	REFER replacing an existing session	303
5.8.4.3	INFO	303
5.8.5	Further initial requests	303
5.8A	Procedures at the MRB.....	303
5.9	Void.....	303
5.9.1	Void	303
5.10	Procedures at the IBCF.....	303
5.10.1	General.....	303
5.10.2	IBCF as an exit point	304
5.10.2.1	Registration	304
5.10.2.1A	General	305
5.10.2.2	Initial requests	305
5.10.2.3	Subsequent requests	306
5.10.2.4	IBCF-initiated call release.....	307
5.10.3	IBCF as an entry point	307
5.10.3.1	Registration	307
5.10.3.1A	General	307
5.10.3.2	Initial requests	308
5.10.3.3	Subsequent requests	310
5.10.3.4	IBCF-initiated call release.....	311
5.10.3.5	Abnormal cases	311
5.10.4	THIG functionality in the IBCF.....	312
5.10.4.1	General	312
5.10.4.2	Encryption for network topology hiding	313
5.10.4.3	Decryption for network topology hiding.....	314

5.10.5	IMS-ALG functionality in the IBCF.....	314
5.10.6	Screening of SIP signalling.....	315
5.10.6.1	General.....	315
5.10.6.2	IBCF procedures for SIP header fields.....	315
5.10.6.3	IBCF procedures for SIP message bodies.....	316
5.10.7	Media transcoding control.....	317
5.10.8	Privacy protection at the trust domain boundary.....	317
5.10.9	Roaming architecture for voice over IMS with local breakout.....	317
5.11	Procedures at the E-CSCF.....	318
5.11.1	General.....	318
5.11.2	UE originating case.....	318
5.11.3	Use of an LRF.....	322
5.11.4	Subscriptions to E-CSCF events.....	323
5.11.4.1	Subscription to the event providing dialog state.....	323
5.11.4.2	Notification about dialog state.....	323
5.12	Location Retrieval Function (LRF).....	324
5.12.1	General.....	324
5.12.2	Treatment of incoming initial requests for a dialog and standalone requests.....	324
5.12.3	Subscription and notification.....	326
5.12.3.1	Notification about dialog state.....	326
5.13	ISC gateway function.....	327
5.13.1	General.....	327
5.13.2	ISC gateway function as an exit point.....	327
5.13.2.1	Registration.....	327
5.13.2.2	General.....	327
5.13.2.3	Initial requests.....	328
5.13.2.4	Subsequent requests.....	329
5.13.2.5	Call release initiated by ISC gateway function.....	329
5.13.3	ISC gateway function as an entry point.....	329
5.13.3.1	Registration.....	329
5.13.3.2	General.....	330
5.13.3.3	Initial requests.....	330
5.13.3.4	Subsequent requests.....	331
5.13.3.5	Call release initiated by the ISC gateway function.....	331
5.13.4	THIG functionality in the ISC gateway function.....	332
5.13.5	IMS-ALG functionality in the ISC gateway function.....	332
5.13.6	Screening of SIP signalling.....	332
6	Application usage of SDP.....	332
6.1	Procedures at the UE.....	332
6.1.1	General.....	332
6.1.2	Handling of SDP at the originating UE.....	334
6.1.3	Handling of SDP at the terminating UE.....	336
6.2	Procedures at the P-CSCF.....	339
6.3	Procedures at the S-CSCF.....	340
6.4	Procedures at the MGCF.....	341
6.4.1	Calls originating from circuit-switched networks.....	341
6.4.2	Calls terminating in circuit-switched networks.....	341
6.4.3	Optimal Media Routeing (OMR).....	341
6.4.4	Explicit congestion control support in MGCF.....	342
6.5	Procedures at the MRFC.....	342
6.6	Procedures at the AS.....	342
6.6.1	General.....	342
6.6.2	Transcoding.....	342
6.6.3	AS procedures to support WebRTC media optimization procedure.....	343
6.7	Procedures at the IMS-ALG functionality.....	343
6.7.1	IMS-ALG in IBCF.....	343
6.7.1.1	General.....	343
6.7.1.2	IMS-ALG in IBCF for support of ICE.....	343
6.7.1.2.1	General.....	343
6.7.1.2.2	IBCF full ICE procedures for UDP based streams.....	344
6.7.1.2.2.1	General.....	344

6.7.1.2.2.2	IBCF receiving SDP offer.....	344
6.7.1.2.2.3	IBCF sending SDP offer	344
6.7.1.2.2.4	IBCF receiving SDP answer	344
6.7.1.2.2.5	IBCF sending SDP answer.....	345
6.7.1.2.3	IBCF ICE lite procedures for UDP based streams	345
6.7.1.2.4	ICE procedures for TCP based streams	345
6.7.1.2.4.1	General.....	345
6.7.1.2.4.2	IBCF receiving SDP offer.....	345
6.7.1.2.4.3	IBCF sending SDP offer	345
6.7.1.2.4.4	IBCF receiving SDP answer	345
6.7.1.2.4.5	IBCF sending SDP answer.....	346
6.7.1.3	IMS-ALG in IBCF for transcoding.....	346
6.7.1.4	IMS-ALG in IBCF for NA(P)T and NA(P)T-PT controlled by the IBCF.....	346
6.7.1.4.1	General	346
6.7.1.5	IMS-ALG procedure in IBCF to support WebRTC media optimization procedure	347
6.7.2	IMS-ALG in P-CSCF	347
6.7.2.1	General	347
6.7.2.2	IMS-ALG in P-CSCF for media plane security	348
6.7.2.3	IMS-ALG in P-CSCF for explicit congestion control support.....	351
6.7.2.3.1	General	351
6.7.2.3.2	Incoming SDP offer with ECN.....	351
6.7.2.3.3	Incoming SDP offer without ECN.....	352
6.7.2.4	IMS-ALG in P-CSCF for Optimal Media Routeing (OMR).....	352
6.7.2.5	IMS-ALG in P-CSCF for NA(P)T and NA(P)T-PT controlled by the P-CSCF	352
6.7.2.5.1	General	352
6.7.2.6	IMS-ALG in P-CSCF for support of hosted NAT	352
6.7.2.6.1	General	352
6.7.2.6.2	Hosted NAT traversal for TCP based streams.....	353
6.7.2.7	IMS-ALG in P-CSCF for support of ICE	353
6.7.2.7.1	General	353
6.7.2.7.2	P-CSCF full ICE procedures for UDP based streams.....	353
6.7.2.7.2.1	General.....	353
6.7.2.7.2.2	P-CSCF receiving SDP offer	353
6.7.2.7.2.3	P-CSCF sending SDP offer.....	354
6.7.2.7.2.4	P-CSCF receiving SDP answer.....	354
6.7.2.7.2.5	P-CSCF sending SDP answer	354
6.7.2.7.3	P-CSCF ICE lite procedures for UDP based streams	354
6.7.2.7.4	ICE procedures for TCP based streams	355
6.7.2.7.4.1	General.....	355
6.7.2.7.4.2	P-CSCF receiving SDP offer	355
6.7.2.7.4.3	P-CSCF sending SDP offer.....	355
6.7.2.7.4.4	P-CSCF receiving SDP answer.....	355
6.7.2.7.4.5	P-CSCF sending SDP answer	355
6.7.2.8	IMS-ALG in P-CSCF for transcoding.....	355
6.7.3	IMS-ALG in ISC gateway function.....	356
6.7.3.1	General	356
6.7.3.2	IMS-ALG in application gateway function for support of ICE.....	356
7	Extensions within the present document.....	356
7.1	SIP methods defined within the present document.....	356
7.2	SIP header fields defined within the present document.....	356
7.2.0	General.....	356
7.2.1	Void	357
7.2.2	Void	357
7.2.3	Void	357
7.2.4	Void	357
7.2.5	Void	357
7.2.6	Void	357
7.2.7	Void	357
7.2.8	Void	357
7.2.9	Void	357
7.2.10	Void	357

7.2.11	Definition of Restoration-Info header field.....	357
7.2.11.1	Introduction.....	357
7.2.11.2	Applicability statement for the Restoration-Info header field.....	357
7.2.11.3	Usage of the Restoration-Info header field.....	358
7.2.11.4	Procedures at the UA.....	358
7.2.11.5	Procedures at the proxy.....	358
7.2.11.6	Security considerations.....	358
7.2.11.7	Syntax.....	358
7.2.11.8	Examples of usage.....	358
7.2.12	Relayed-Charge header field.....	359
7.2.12.1	Introduction.....	359
7.2.12.2	Applicability statement for the Relayed-Charge header field.....	359
7.2.12.3	Usage of the Relayed-Charge header field.....	359
7.2.12.4	Procedures at the UA.....	359
7.2.12.5	Procedures at the proxy.....	360
7.2.12.6	Security considerations.....	360
7.2.12.7	Syntax.....	360
7.2.12.8	Examples of usage.....	360
7.2.13	Resource-Share header field.....	360
7.2.13.1	Introduction.....	360
7.2.13.2	Applicability statement for the Resource-Share header field.....	361
7.2.13.3	Usage of the Resource-Share header field.....	361
7.2.13.4	Procedures at the UA.....	361
7.2.13.5	Procedures at the proxy.....	361
7.2.13.6	Security considerations.....	361
7.2.13.7	Syntax.....	361
7.2.13.8	Operation.....	362
7.2.13.8.1	General.....	362
7.2.13.8.2	The "origin" header field parameter.....	362
7.2.13.8.3	The "rules" header field parameter.....	362
7.2.13.8.4	The "timestamp" header field parameter.....	363
7.2.13.9	Examples of usage.....	363
7.2.13.9.1	Example overview.....	363
7.2.13.9.2	The P-CSCF indicates in the REGISTER request that P-CSCF supports receiving information about resource sharing.....	363
7.2.13.9.3	The application server sends information about potential resource sharing to the P-CSCF.....	364
7.2.13.9.4	The P-CSCF extracts resource sharing information for media-streams.....	364
7.2.14	Definition of Service-Interact-Info header field.....	365
7.2.14.1	Introduction.....	365
7.2.14.2	Applicability statement for the Service-Interact-Info header field.....	365
7.2.14.3	Usage of the Service-Interact-Info header field.....	365
7.2.14.4	Procedures at the UA.....	366
7.2.14.5	Procedures at the proxy.....	366
7.2.14.6	Security considerations.....	366
7.2.14.7	Syntax.....	366
7.2.15	Definition of Cellular-Network-Info header field.....	366
7.2.15.1	Introduction.....	366
7.2.15.2	Applicability statement for the Cellular-Network-Info header field.....	366
7.2.15.3	Usage of the Cellular-Network-Info header field.....	366
7.2.15.4	Procedures at the UA.....	368
7.2.15.5	Procedures at the proxy.....	368
7.2.15.6	Security considerations.....	368
7.2.15.7	Syntax.....	368
7.2.16	Priority-Share header field.....	368
7.2.16.1	Introduction.....	368
7.2.16.2	Applicability statement for the Priority-Share header field.....	369
7.2.16.3	Usage of the Priority-Share header field.....	369
7.2.16.4	Procedures at the UA.....	369
7.2.16.5	Procedures at the proxy.....	369
7.2.16.6	Security considerations.....	369
7.2.16.7	Syntax.....	369
7.2.16.8	Examples of usage.....	370