

SLOVENSKI STANDARD oSIST prEN 15955-2:2022

01-oktober-2022

Železniške naprave - Infrastruktura - Vlečni stroji, priklopni vagoni in pripadajoča oprema - 2. del: Splošne varnostne zahteve

Railway applications - Infrastructure - Demountable machines, trailers and associated equipment - Part 2: General safety requirements

Bahnanwendungen - Infrastruktur - Ausgleisbare Maschinen, Anhänger und zugehörige Ausstattung -Teil 2: Allgemeine Sicherheitsanforderungen

Applications ferroviaires - Infrastructure - Machines déraillables, remorques et éléments associés - Partie 2 : Prescriptions générales pour la sécurité

Ta slovenski standard je istoveten z: prEN 15955-2

ICS:

45.060.20 Železniški vagoni 45.120 Oprema za gradnjo in

vzdrževanje železnic oz.

žičnic

Trailing stock

Equipment for railway/cableway construction and maintenance

oSIST prEN 15955-2:2022 en,fr,de

oSIST prEN 15955-2:2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 15955-2:2022 https://standards.iteh.ai/catalog/standards/sist/355f0dc1-0d49-4408-9c0d-5b4c37516664/osist-pren-15955-2-2022

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN 15955-2

August 2022

ICS 45.060.20; 45.120

Will supersede EN 15954-2:2013, EN 15955-2:2013

English Version

Railway applications - Infrastructure - Demountable machines, trailers and associated equipment - Part 2: General safety requirements

Applications ferroviaires - Infrastructure - Machines déraillables, remorques et éléments associés - Partie 2 : Prescriptions générales pour la sécurité Bahnanwendungen - Infrastruktur - Ausgleisbare Maschinen, Anhänger und zugehörige Ausstattung -Teil 2: Allgemeine Sicherheitsanforderungen

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 256.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Lontents			
European foreword10			
ntroduction11			
1	Scope13		
2	Normative references14		
3	Terms and definitions20		
4	Hazards and categories22		
4.1	List of significant hazards22		
4.2	Examples of demountable machines and trailers23		
4.3	Attachment with rail wheels23		
5	Safety requirements and/or measures23		
5.1	General (standards.iteh.ai) 23		
5.2	Ergonomics23		
5.3	https://standards.iteh.ai/catalog/standards/sist/355f0de1-0d49-4408-9e0d- Machine profile		
5.4	Machine mass24		
5.5	Protection from the risks of lasers24		
5.6	Safety against derailment24		
5.6.1	General24		
5.6.2	Safety against derailment for machines with a maximum travelling speed of $v > 60 \text{ km/h}$ 24		
5.6.3	Safety against derailment for machines with a maximum travelling speed of $v \le 60 \text{ km/h}$ 25		
5.6.4	Safety against derailment for machines in working mode with an admissible speed $v \le 60 \text{ km/h}$ 26		
5.6.5	Dynamic tests on track for all machines27		
5.6.6	Railhead clearing devices28		
5.7	Stability and prevention of overturning28		

5.7.1	General	28			
5.7.2	Stationary stability				
5.7.3	Proof of stability when moving along the track in working mode30				
5.7.4	Load moment control and display device3				
5.7.5	Roll over protective structure (ROPS)				
5.8	Machine frame and structure	34			
5.8.1	Design of the machine frame for machines with a maximum speed $v > 30 \text{ km/h}$	34			
5.8.2	Design of the machine frame for machines with a maximum speed $v \le 30 \text{ km/h} \dots 34 \text{ max}$				
5.8.3	Lifting and jacking points	34			
5.9	Inter-machine couplings	35			
5.10	Rail gear	35			
5.11	Rail wheel suspension				
5.12	Braking Brakin				
5.12.1	General (standards.iteh.ai)	35			
5.12.2	Holding on gradients				
5.13	Driving and working cabs.	36			
5.13.1	Requirement to fit cab				
5.13.2	Emergency exit	37			
5.13.3	Visibility from driving position	37			
5.13.4	Minimum dimensions in cabs	38			
5.13.5	Cab floors	39			
5.13.6	Protection from dust	39			
5.13.7	Climatic conditions in cab	40			
5.13.8	Windows	40			
5.13.9	Storage for operating instructions	41			
5.13.1	0 Falling object protection structures (FOPS)	41			
5.13.1	1 Noise	42			
5.14	Access and egress to and from working places	42			

5.14.1 Cabs	42
5.14.2 Working places, places for control and maintenance outside of cabs	42
5.14.3 Working platforms and walkways on the machine	43
5.15 Seats	43
5.15.1 Operator's seat	43
5.15.2 Additional seats	43
5.15.3 Seat belts	43
5.16 Standing places	43
5.16.1 General	43
5.16.2 Risk of falling	44
5.17 Edges and corners	44
5.18 Pressurized systems	44
5.19 Controls ITeh STANDARD PREVIEW	
5.19.1 General requirement (standards.iteh.ai)	
5.19.2 Starting/stopping system	45
5.19.3 Inadvertent activation	0d- 45
5.19.4 Pedals	
5.19.5 Protection against uncontrolled motion in working mode	46
5.19.6 Control panels and indicators	46
5.19.7 Remote controls	46
5.19.8 Movement controls	47
5.20 Visibility of the machine	47
5.21 Warning systems	47
5.22 Electrical system	47
5.22.1 Electrical equipment	47
5.22.2 Disconnection devices	47
5.22.3 Protection devices	47
5.22.4 Conductors, cables and wiring practices	48

5.22.5	Batteries	48		
5.22.6	Overhead contact line system	48		
5.22.7	Equipotential bonding	49		
5.22.8	Antennas	50		
5.22.9	Pantograph	50		
5.23	Electromagnetic compatibility (Immunity of machines from railway environment			
5.24	Safety related control systems	51		
5.24.1	Specific control systems	51		
5.24.2	Software	51		
5.25	Noise reduction	51		
5.26	Failure recovery	52		
5.27	Vibration	52		
5.28	Setting up and packing away			
5.29	Mobile elevating work platform (MEWP)	53		
5.30	Moveable machine components	53		
5.31	Emergency stopping devices			
5.31.1	Emergency stopping devices for movement of the machine and working equipm			
5.31.2	Action of emergency stopping devices	54		
5.32	Moving parts and materials	54		
5.33	Thermal hazards	54		
5.34	Emission of gas and particles	55		
5.35	Fuel tanks and hydraulic tanks	55		
5.36	Safe handling	56		
5.37	Environmental temperature conditions	56		
5.38	Protection from the risks of fire	56		
5.38.1	Material requirements	56		
5.38.2	Fire detection devices	56		

5.38.3	Self-rescue devices	56
5.38.4	Fire fighting equipment	57
5.38.5	Fire extinguishing devices	57
5.38.6	Built in fire extinguishing system	57
5.39	Lighting	57
5.39.1	Lighting general	57
5.39.2	Lighting inside the machine	57
5.39.3	Lighting for working places/areas beside the machine	58
5.40	Movement Limiting Devices	58
5.40.1	General	58
5.40.2	Design of movement limiting devices	59
5.40.3	High performance movement limiting device	59
5.40.4	Movement limiting devices – manually overriding the limit	60
5.40.5	Lateral limiting devices <u>(Standards.iteh.ai)</u>	60
5.40.6	Height limiting device	60
5.41	Machines with more than one moveable component	61
5.42	Substances hazardous to health	61
5.42.1	Storage	61
5.42.2	2 Use	61
5.42.3	Cleaning	61
5.43	Maintenance	62
5.43.1	General	62
5.43.2	Support devices	62
5.43.3	Unauthorized access to the engine compartment	63
6	Additional safety requirements or measures for specific machine functions	63
6.1	Conveyors	63
6.2	Cranes and lifting devices fixed on the machine	63
6.3	Transport of loads by machines used for lifting	64

6.4	Rail profiling machines (grinding, milling or planing)	64	
7	Marking of the machine	64	
7.1	Warning signs and pictograms	64	
7.2	Identification plate	64	
7.3	Warning signs and written warnings	64	
7.4	Marking	65	
8	Documentation	66	
8.1	General	66	
8.2	Technical description	66	
8.3	Instructions for use	66	
8.4	Restrictions of use	67	
8.5	Instructions for maintenance	68	
9	Verification of the conformity to the requirements and/or particular safety measures		
0.4	(standards.iteli.ai)		
9.1	Methods of examination. SIST prEN 15955-2:2022	68	
9.2	Methods of examination Sb4c37516664/osist-pren-15955-2-2022 General	68	
9.2.1			
9.2.2	Visual check		
9.2.3	Measurement		
9.2.4	Functional test	69	
9.2.5	Load test(s)	69	
9.2.6	Specific verification/measurements and other controls	69	
Annex	A (normative) List of significant hazards	70	
Annex	B (normative) Checklist for conformity	74	
Annex	C (normative) Noise test code (grade of accuracy 2)	83	
C.1	Scope	83	
C.2	Definitions	83	
C.3	Determination of the emission sound pressure level at the working place and of specified positions		

C. 4	Sound power level determination	83
C. 5	Installation and mounting conditions	85
C.6	Working conditions	85
C. 7	Measurement uncertainties	86
C.8	Information to be recorded	87
C.9	Information to be reported	87
C.10	Declaration and verification of noise emission values	88
Annex	D (normative) Vibration test code	90
D.1	Scope	90
D.2	Measurement and degree of uncertainty (K) of whole body vibration (WBV)	90
D.2.1	General	90
D.2.2	WBV Vibration measurement	
D.2.3	Reporting whole body vibration data	90
D.3	Measurement and degree of uncertainty (K) of hand arm vibration (HAV)	91
D.3.1	GeneralUSIST DIEN 13955-2:2022	
D.3.2	HAV Vibration measurement	91
D.3.3	Reporting hand arm vibration data	
Annex	E (informative) Machine identification plate	92
Annex	F (informative) Example performance levels	93
Annex	G (normative) Requirements for camera-monitor-systems	94
Annex	H (normative) Requirements for obstacle detection systems	96
H.1	Background	96
Н.2	Range of detection	96
Н.3	Functional requirements	97
H.4	General output requirements	97
Н.5	Signal at the front of the machine in the direction of movement	97
Н.6	Signal inside the working cab	97
H.7	Environmental factors	98

H.8	Additional requirements		98	
Annex	,	Relationship between this European Standard and EU Directive 2006/42/EC aimed to be covered		
Biblio	graphy		105	

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 15955-2:2022 https://standards.iteh.ai/catalog/standards/sist/355f0dc1-0d49-4408-9c0d-5b4c37516664/osist-pren-15955-2-2022

European foreword

This document (prEN 15955-2:2022) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 15954-2:2013 and EN 15955-2:2013.

Principal amended clauses compared to EN 15954-2:2013 and EN 15955-2:2013:

- general all references updated to latest issue;
- 4.3 attachments with rail wheels clarified to be a trailer;
- Clause 5 all of Part 5 renumbered and each clause revised;
- 6.4 additional clause added for machines that profile rails;
- Clause 7 requirements for machine marking revised (was previously 8.3 and 8.4);
- Clause 8 documentation requirements completely revised (was previously called 'Information for Use');
- Annex A revised to suit new format and numbering
- Annex B revised to suit new format and numbering
- Annex C revised and updated
- Annex new Annexes D to H added 16664/osist-pren-15955-2-2022

The standard has been prepared under a standardization request given to CEN/CENELEC by the European Commission and the European Free Trade Association, and support essential requirements of EU Directive 2006/42/EC.

tandards.iteh.ai/catalog/standards/sist/355f0dc1-0d49-4408-9c0d-

For relationship with EU Directive 2006/42/EC, see informative Annex ZA, which is an integral part of this document.

EN 15955, *Railway applications* — *Track* — *Demountable machines, trailers and associated equipment,* is currently composed with the following parts:

- Part 1: Technical requirements for travelling and working;
- Part 2: General safety requirements.

Introduction

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

This document is the second of a series of two parts of the European standard: *Railway applications* — *Track* — *Demountable machines, trailers and associated equipment*, dealing with railway specific risks of the demountable machines and trailers when travelling and working on railway infrastructures:

- Part 1 covers the safety and technical requirements for the machines in travelling and working modes, and is applicable for all machines, including those in operation on urban rail;
- Part 2 covers the safety requirements for the machines in travelling and working modes; this is a document harmonized with the European Machinery Directive 2006/42/EC.

Part 1 defines requirements for approval of the machine for use on the railway. Depending on the decision of the Infrastructure Manager, Urban Rail Manager or the requirements in National rules the assessment of conformance could be undertaken by the Infrastructure/Urban Rail Manager concerned, by a third party assessor or by the manufacturer as a declaration of conformity.

Part 2 defines requirements for the machine to be declared conformant by the manufacturer, except in the case of machines classified under Annex 4 of the Machinery Directive, which require a conformity check in conjunction with a notified body.

This document was prepared to meet the basic requirements of EU Directives to facilitate an open market for goods and services.

This document deals with railway specific risks of the demountable machines and trailers as defined in 3.1, 3.2 and 3.3 when travelling and working on railway infrastructures.

This document is a type C standard as stated in EN ISO 12100:2010.

When provisions of this type C standard are different from those which are stated in type B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built in accordance with the provisions of this type C standard.

The hazards which exist in all mechanical, electrical, hydraulic, pneumatic and other components of machines and which are dealt with in the relevant European standards are not within the scope of this document. Where necessary, references are made to appropriate standards of this type.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN 15955-2:2022 https://standards.iteh.ai/catalog/standards/sist/355f0dc1-0d49-4408-9c0d-5b4c37516664/osist-pren-15955-2-2022

1 Scope

This document specifies the general safety requirements for demountable machines and trailers, including road-rail trailers – henceforward referred to as 'machines, for use when travelling and working on railway track.

NOTE Trailers, including road-rail trailers, are considered as machines because they are moved along the track by powered machines.

This document specifies the requirements to deal with the common hazards presented by their use on the railway during transport, assembly and installation, commissioning, travelling and working on track, use including setting, programming, and process changeover, operation, cleaning, fault finding, maintenance and de-commissioning of the machines and associated equipment when they are used as intended and under conditions of misuse which are reasonably foreseeable.

These machines will not run on railway lines open to normal traffic.

NOTE Other rail mounted railway maintenance and infrastructure inspection machines are dealt with in other European standards, see Technical Report CEN/TR 17498:2020.

This document is also applicable to machines and associated equipment that in working mode are partly supported on the ballast or the formation.

The requirements in this document are based on the assumption that the machines are used, operated and maintained by skilled person(s).

This document does not apply to the following:

- requirements for quality of the work or performance of the machine;
- use of separate equipment temporarily mounted on machines;
- machines that utilize external power supplies such as the overhead contact line system for traction purposes or as a power source; 16664/osist-pren-15955-2-2022
- hazards due to air pressure caused by the passing of high-speed trains at more than 200 km/h;
- operation subject to special rules, e.g. potentially explosive atmospheres;
- hazards due to natural causes, e.g. earthquake, lightning, flooding;
- working methods;
- operation in severe working conditions requiring special measures, e.g. corrosive environments, contaminating environments, strong magnetic fields;
- hazards occurring when used to handle suspended loads which may swing freely.