

**Rare earth— Analysis by wavelength dispersive X-ray
fluorescence spectrometry (WD-XRFS)**

Part 1:

**Determination of composition of rare earth magnet scrap using
standardless XRF commercial packages**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 22928-1
<https://standards.iteh.ai/catalog/standards/sist/30141-564d-1-892f-3947ac54b796/iso-fdis-22928-1>
FDIS stage

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO ~~Copyright Office~~ copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: + 41 22 749 01 11

~~Email:~~ copyright@iso.org

~~E-mail:~~ copyright@iso.org

~~Website:~~ www.iso.orgwww.iso.org

Published in Switzerland.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO/FDIS 22928-1](#)

<https://standards.iteh.ai/catalog/standards/sist/74203014-d45f-4dcd-892f-3947ac54b796/iso-fdis-22928-1>

Contents

Foreword	v
Introduction.....	vi
Part 1: Determination of composition of rare earth magnet scrap using standardless XRF commercial packages	1
1 Scope	1
2 Normative references.....	1
3 Terms and definitions	1
4 Reagents.....	2
5 Apparatus.....	3
6 Determined elements and concentration ranges	3
7 Handling recyclable magnet resources.....	4
7.1 Dismantling EOL scrap.....	4
7.1.1 General.....	4
7.1.2 Dismantling of components containing rare earth magnets.....	4
7.2 Demagnetization	4
7.2.1 General.....	4
7.2.2 Heat treatment	5
7.2.3 Alternating magnetic fields.....	5
7.3 Cleaning magnet scrap.....	5
8 X-ray fluorescence analysis	5
8.1 General	5
8.2 Sample preparation.....	5
8.2.1 General.....	5
8.2.2 Bulk samples	6
8.2.3 Powder samples.....	6
8.3 Use of commercial XRF standardless packages for analysis	6
8.4 Instrument setup.....	7
8.4.1 General.....	7
8.4.2 Measurement conditions	7
8.5 Expression of results	8
8.5.1 General comments	8
8.5.2 Reporting of results.....	8
Annex A (informative) Interlaboratory test results.....	9
A.1 Precision — Calculation of r , R_w and R	9
Bibliography	11

Foreword — iv

Introduction — v

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Reagents	3
5	Apparatus	3
6	Determined elements and Concentration ranges	3
7	Handling recyclable magnet resources	4
7.1	Dismantling EOL scrap	4
7.1.1	General	4
7.1.2	Dismantling of components containing rare earth magnets	4
7.2	Demagnetization	5
7.2.1	General	5
7.2.2	Heat treatment	5
7.2.3	Alternating magnetic fields	5
7.3	Cleaning magnet scrap	5
8	X-ray fluorescence analysis	5
8.1	General	5
8.2	Sample preparation	5
8.2.1	General	5
8.2.2	Bulk samples	6
8.2.3	Powder samples	6
8.3	Use of commercial XRF standardless packages for analysis	6
8.4	Instrument setup	7
8.4.1	General	7
8.4.2	Measurement conditions	7
8.5	Expression of results	8
8.5.1	General comments	8
8.5.2	Reporting of results	8
	Annex A (informative) Interlaboratory test results	9
	Bibliography	11

iTeh Standards

(<https://standards.itih.ai>)

Document Preview

ISO/FDIS 22928-1

<https://standards.iteh.ai/catalog/standards/sist/74203014-d45f-4dcd-892f-3947ac54b796/iso-fdis-22928-1>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 298, *Rare earth*.

[A list of all parts in the ISO 22928 series can be found on the ISO website.](#)

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Rare earth element (REE) magnets, especially neodymium-based magnets, can be found in numerous different applications.^{[4], [4]} According to some rough estimates, the annual demand of REE magnets was nearly 78 kilotonnes in 2015.^{[5], [5]} Based on those estimates, six major applications (namely wind turbines, hard disk drives, electric vehicles, e-bikes, audio speakers and air conditioners) account for nearly 60 % of the total demand. As components utilizing REE magnets continue to accumulate, the REE repository created by human activity will be crucial to address in the future by recycling.

The commercially used REE magnets can be divided into two main categories: samarium-cobalt (Sm-Co)-based magnets and neodymium-iron-boron (Nd-Fe-B)-based magnets:

- —In Sm-Co-based REE magnets, SmCo_5 and $\text{Sm}_2\text{Co}_{17}$ are the two technically important compositions. In the $\text{Sm}_2\text{Co}_{17}$ magnet, the concentration of Co is sometimes partially replaced by other transition metal elements.
- —In Nd-Fe-B magnets, the concentration of Nd is 32 % by mass. A small to considerable amount of other REEs are also sometimes added.

The mass of REE in magnet present in each product varies greatly. Additionally, the concentration of different REE elements within the magnet itself can vary greatly. For example, the incorporation of Dy into Nd-Fe-B magnets can be in the range of < (1 to 10) % mass fraction (10–g/kg). These factors contribute towards challenges in the recycling efficiency of REE magnets.

In the case of magnets derived from end-of-life (EOL) equipment, dismantling is carried out. Apart from REE magnets found inside wind turbines and electronic vehicles, the physical extraction of REE magnets from electronic application scrap is very challenging due to the complexity and small size of the components. This type of scrap is usually shredded. The shredded scrap is then sorted into ferrous and non-ferrous scrap. During the shredding process, the recovery rates of REEs can drop by 90 %.^{[5], [5]} Appropriate guidelines for dismantling the EOL scrap is important for improving the REE recovery. Overall, effective recycling of REE requires information regarding the amount and nature of the REEs present in the magnet scrap.

This document specifies the measurement protocol for assessing the composition of REE magnet scrap. Procedures for dismantling components containing scrap and for cleaning and demagnetizing the scrap are provided. Guidelines for determining the composition of REE magnet scrap using standardless wavelength dispersive X-ray fluorescence (WD-XRF) commercial packages are specified.

This document:

- —outlines a procedure for safe handling of the EOL magnet scrap (see [Clause 7](#));[Clause 7](#));
- —specifies measurement of the REE content in the EOL magnet scrap (see [Clause 8](#));[Clause 8](#)).