
Space systems — Pressure components and pressure system integration

*Systèmes spatiaux — Intégration des composants sous pression et des
systèmes sous pression*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 24638:2021

<https://standards.iteh.ai/catalog/standards/iso/94d2e92e-aeec-4c9d-b0c2-62dfc2db898f/iso-24638-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 24638:2021

<https://standards.iteh.ai/catalog/standards/iso/94d2e92e-aeec-4c9d-b0c2-62dfc2db898f/iso-24638-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	5
5 General requirements	5
5.1 General	5
5.2 Design requirements	6
5.2.1 Loads, pressures and environments	6
5.2.2 Strength	6
5.2.3 Stiffness	6
5.2.4 Thermal effects	7
5.2.5 Stress analysis	7
5.2.6 Fatigue analysis/damage tolerance (safe-life) analysis	7
5.2.7 Analysis of survivability against space debris and meteoroid impacts	7
5.2.8 Avoidance of accidental break-up caused by an on-board source of energy	7
5.3 Material requirements	8
5.3.1 Metallic materials	8
5.3.2 Non-metallic material requirements	8
5.4 Fabrication and process requirements	8
5.5 Contamination control and cleanliness requirements	9
5.5.1 General contamination control requirements	9
5.5.2 Design considerations	9
5.6 Quality assurance programme requirements	10
5.6.1 General	10
5.6.2 QA programme inspection plan requirements	10
5.6.3 QA inspection technique requirements	10
5.6.4 QA inspection data requirements	10
5.6.5 Acceptance test requirements	10
5.7 Qualification test requirements	11
5.8 Operation and maintenance requirements	11
5.8.1 Operating procedure	11
5.8.2 Safe operating limits	11
5.8.3 Inspection and maintenance	12
5.8.4 Repair and refurbishment	12
5.8.5 Storage	12
5.8.6 Documentation	12
5.8.7 Reactivation	13
5.8.8 Recertification	13
6 General pressurized-system requirements	13
6.1 System analysis requirements	13
6.1.1 System pressure analysis	13
6.1.2 System functional analysis	13
6.1.3 System hazard analysis	14
6.2 Design features	14
6.2.1 Assembly	14
6.2.2 Routing	14
6.2.3 Separation	14
6.2.4 Shielding	14
6.2.5 Grounding	15
6.2.6 Handling	15

6.2.7	Special tools	15
6.2.8	Test points	15
6.2.9	Common-plug test connectors	15
6.2.10	Individual test connectors	15
6.2.11	Threaded parts	15
6.2.12	Friction-type locking devices	15
6.2.13	Internally threaded bosses	15
6.2.14	Retainer or snap rings	15
6.2.15	Snubbers	15
6.3	Component selection	16
6.3.1	Connections	16
6.3.2	Fluid temperature	16
6.3.3	Actuator pressure rating	16
6.3.4	Pressure rating	16
6.3.5	Pump selection	16
6.3.6	Fracture and leakage	16
6.3.7	Oxygen system components	16
6.3.8	Pressure regulators	16
6.3.9	Manual valves and regulators	16
6.4	Design pressures	17
6.4.1	Overpressure or underpressure	17
6.4.2	Back-pressure	17
6.4.3	Pressure isolation	17
6.4.4	Gas/fluid separation	17
6.4.5	Compressed-gas bleeding	17
6.5	Mechanical-environment design	17
6.5.1	Acceleration and shock loads	17
6.5.2	Torque loads	17
6.5.3	Vibration loads	17
6.6	Controls	17
6.6.1	Interlocks	17
6.6.2	Multiple safety-critical functions	18
6.6.3	Critical flows and pressures	18
6.7	Protection	18
6.8	Electrical	18
6.8.1	Hazardous atmospheres	18
6.8.2	Radio frequency energy	18
6.8.3	Grounding	18
6.8.4	Solenoids	18
6.8.5	Electric motor-driven pumps	18
6.9	Pressure relief	18
6.9.1	General requirements	18
6.9.2	Flow capacity	19
6.9.3	Sizing	19
6.9.4	Unmanned flight vehicle servicing	19
6.9.5	Automatic relief	19
6.9.6	Venting	19
6.9.7	Relief valve isolation	19
6.9.8	Negative-pressure protection	19
6.9.9	Reservoir pressure relief	20
6.9.10	Air pressure control	20
6.10	Control devices	20
6.10.1	Directional control valves	20
6.10.2	Overtravel	20
6.10.3	Pressure and volume control stops	20
6.10.4	Manually operated levers	20
6.11	Accumulators	20
6.11.1	Accumulator design	20

6.11.2	Accumulator gas pressure gauges	21
6.11.3	Accumulator identification	21
6.12	Flexible hose	21
6.12.1	Installation	21
6.12.2	Restraining devices	21
6.12.3	Flexible hose stress	21
6.12.4	Temporary installations	21
7	Specific pressure system requirements	21
7.1	General	21
7.2	Hydraulic systems	22
7.2.1	Hydraulic system components	22
7.2.2	Pressure limit	23
7.2.3	Cavitations	23
7.2.4	Hydraulic lockup	23
7.2.5	Pressure relief	23
7.3	Pneumatic-system requirements	24
7.3.1	Pneumatic-system components	24
7.3.2	Controls	24
	Annex A (informative) Recommended minimum safety factors	25
	Annex B (informative) Open line force calculation factors	26
	Bibliography	27

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 24638:2021

<https://standards.iteh.ai/catalog/standards/iso/94d2e92e-aeec-4c9d-b0c2-62dfc2db898f/iso-24638-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

This second edition cancels and replaces the first edition (ISO 24638:2008), which has been technically revised.

The main changes compared to the previous edition are as follows:

- [6.8.4](#) was revised to make the requirement a more general statement;
- corrections were made to [Tables 1](#) and [A.1](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Space vehicles and their launch systems usually have a series of engines to use for both primary propulsion and secondary propulsion functions, such as attitude control and spin control.

Different engines have different propellant feed systems. For example, the gas-pressure feed system is typically used for liquid propellant engines; it consists of a high-pressure gas tank, a fuel tank and an oxidizer tank, valves and a pressure regulator. All these components are referred to as pressurized hardware.

Due to their specific usage, the liquid propellant tanks and the high-pressure gas bottles are often referred to as pressure vessels, while valves, regulators and feed lines are usually called pressure components.

ISO 14623 sets forth the standard requirements for pressure vessels in order to achieve safe operation and mission success. However, the requirements for pressure components are not covered in ISO 14623. Furthermore, the standard requirements for pressure system integration are lacking.

Significant work has been done in the area of design, analysis and testing of pressure components for use in space systems. This document establishes the preferred methods for these techniques and sets forth the requirements for the assembly, installation, test, inspection, operation and maintenance of the pressure systems in spacecraft and launch vehicles.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 24638:2021](https://standards.iteh.ai/catalog/standards/iso/94d2e92e-aeec-4c9d-b0c2-62dfc2db898f/iso-24638-2021)

<https://standards.iteh.ai/catalog/standards/iso/94d2e92e-aeec-4c9d-b0c2-62dfc2db898f/iso-24638-2021>

Space systems — Pressure components and pressure system integration

1 Scope

This document establishes the baseline requirements for the design, fabrication and testing of space flight pressure components. It also establishes the requirements for the assembly, installation, test, inspection, operation and maintenance of the pressure systems in spacecraft and launch vehicles. These requirements, when implemented on a particular space system, ensure a high level of confidence in achieving safe and reliable operation.

This document applies to all pressure components other than pressure vessels and pressurized structures in a pressure system. It covers lines, fittings, valves, bellows, hoses and other appropriate components that are integrated to form a pressure system.

The requirements for pressure vessels and pressurized structures are set forth in ISO 14623.

This document does not apply to engine components.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14623, *Space systems - Pressure vessels and pressurized structures — Design and operation*

ISO 21347, *Space systems — Fracture and damage control*

ISO 24113, *Space systems — Space debris mitigation requirements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

A-basis allowable

mechanical strength value above which at least 99 % of the population of values is expected to fall, with a confidence level of 95 %

Note 1 to entry: See also *B-basis allowable* (3.3).

[SOURCE: ISO 14623:2003, 2.1, modified — Note 1 to entry has been added.]

3.2

applied load

applied stress

actual load (stress) imposed on the hardware in the service environment

[SOURCE: ISO 14623:2003, 2.4, modified — “the structure” has been changed to “the hardware”.]

3.3

B-basis allowable

mechanical strength value above which at least 90 % of the population of values is expected to fall, with a confidence level of 95 %

Note 1 to entry: See also *A-basis allowable* (3.1).

[SOURCE: ISO 14623:2003, 2.6, modified — Note 1 to entry has been added.]

3.4

component

set of materials, assembled according to defined and controlled processes, which cannot be disassembled without destroying its capability and which performs a simple function that can be evaluated against expected performance requirements

[SOURCE: ISO 10795:2019, 3.48, modified — The preferred term "part" has been removed.]

3.5

damage tolerance

ability of a material/structure to resist failure due to the presence of flaws for a specified period of unrepaired usage

[SOURCE: ISO 21347:2005, 3.7]

3.6

damage tolerance analysis safe-life analysis

fracture mechanics-based analysis that predicts the flaw growth behaviour of a flawed hardware item which is under service *loading spectrum* (3.15) with a pre-specified *scatter factor* (3.24)

3.7

design burst pressure

burst pressure

ultimate pressure

differential pressure that pressurized hardware must withstand without burst in the applicable operational environment

Note 1 to entry: Design burst pressure is equal to the product of the *maximum expected operating pressure (MEOP)* (3.17) or *maximum design pressure (MDP)* (3.16) and a design burst factor.

[SOURCE: ISO 14623:2003, 2.16, modified — In Note 1 to entry, "the MEOP or MDP" has been changed to "the maximum expected operating pressure (MEOP) or maximum design pressure (MDP)".]

3.8

design safety factor safety factor

design factor of safety

factor of safety

multiplying factor to be applied to *limit loads* (3.13) and/or *maximum expected operating pressure (MEOP)* (3.17) or *maximum design pressure (MDP)* (3.16)

[SOURCE: ISO 14623:2003, 2.17, modified — The preferred term "safety factor" has been added; "MEOP (or MDP)" has been changed to "maximum expected operating pressure (MEOP) or maximum design pressure (MDP)".]

3.9

detrimental deformation

structural deformation, deflection or displacement that prevents any portion of the structure or some other system from performing its intended function or that jeopardizes mission success

[SOURCE: ISO 10786:2011, 3.16]

3.10 fitting

pressure component (3.18) of a pressurized system used to connect *lines* (3.14), other pressure components and/or *pressure vessels* (3.19) within the system

3.11 hazard

existing or potential condition of an item that can result in an accident

Note 1 to entry: This condition can be associated with the design, fabrication, operation or environment of the item, and has the potential for introducing an accident.

Note 2 to entry: "Item" can include human beings.

[SOURCE: ISO 10795:2019, 3.120, modified — In note 1 to entry, "the potential for accidents" has been changed to "the potential for introducing an accident".]

3.12 hydrogen embrittlement

mechanical-environmental process that results from the initial presence or absorption of excessive amounts of hydrogen in metals, usually in combination with residual or applied tensile stresses

[SOURCE: ISO 14623:2003, 2.31]

3.13 limit load

design limit load

maximum expected load, or combination of loads, which a structure or a *component* (3.4) in a structural assembly is expected to experience during its *service life* (3.25), in association with the applicable operating environments

Note 1 to entry: Load is a generic term for thermal load, pressure, external mechanical load (force, moment, or enforced displacement) or internal mechanical load (residual stress, pretension, or inertial load)..

Note 2 to entry: The corresponding stress or strain is called limit stress or limit strain.

[SOURCE: ISO 10786:2011, 3.30, modified — "design limit load" has been added as an admitted term; Note 3 to the entry describing "design limit load" has been deleted.]

3.14 line

tubular *pressure component* (3.18) of a *pressure system* (3.21) provided as a means for transferring fluids between *components* (3.4) of the system

Note 1 to entry: Flexible hoses are included.

3.15 loading spectrum

representation of the cumulative loading levels and associated cycles anticipated for the structure or *component* (3.4) of a structural assembly according to its *service life* (3.25) under all expected operating environments

Note 1 to entry: Significant transportation, test, and handling loads are included in this definition.

[SOURCE: ISO 10786:2011, 3.32]