
**Information technology — Open
Connectivity Foundation (OCF)
Specification —**

**Part 4:
Resource type specification**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
*Technologies de l'information — Spécification de la Fondation pour la
connectivité ouverte (Fondation OCF) —
Partie 4: Spécification des types de ressources*

[ISO/IEC 30118-4:2018](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760f1f/iso-iec-30118-4-2018)

[https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-
c58a4b760f1f/iso-iec-30118-4-2018](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760f1f/iso-iec-30118-4-2018)



iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 30118-4:2018](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760ff/iso-iec-30118-4-2018)
<https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760ff/iso-iec-30118-4-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by the Open Connectivity Foundation (OCF) (as the OCF Resource Type Specification, Version 1.0.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

A list of all parts in the ISO/IEC 30118 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

CONTENTS

1	Scope	29
2	Normative references	29
3	Terms, definitions, symbols and abbreviations	29
3.1	Terms and definitions	29
3.2	Symbols and abbreviations	30
3.3	Conventions	30
4	Document conventions and organization	30
4.1	Notation.....	30
4.2	Data types	31
5	Baseline Model Constructs.....	31
5.1	URI.....	31
5.2	Interfaces	32
5.3	RAML definition	32
5.4	Property definition	33
5.4.1	Common Properties.....	33
5.4.2	Resource Properties.....	33
5.4.3	Basic Resource Schema.....	34
5.4.4	CRUDN Operation Response Codes	34
5.5	Example Resource Definitions.....	35
5.6	Observable Resource Types.....	38
5.6.1	Conditional Notification	38
5.7	Composite Resource Types	41
5.8	Specification Version	43
6	Resource Type definitions	43
6.1	Introduction	43
6.2	Air Flow	47
6.2.1	Introduction	47
6.2.2	Example URI	47
6.2.3	Resource Type	47
6.2.4	RAML Definition	47
6.2.5	Property Definition	51
6.2.6	CRUDN behavior.....	52
6.3	Air Flow Control.....	52
6.3.1	Introduction	52
6.3.2	Example URI	52
6.3.3	Resource Type	52
6.3.4	RAML Definition	52
6.3.5	Property Definition	56
6.3.6	CRUDN behavior.....	56

6.4	Battery	56
6.4.1	Introduction	56
6.4.2	Example URI	56
6.4.3	Resource Type	56
6.4.4	RAML Definition	56
6.4.5	Property Definition	57
6.4.6	CRUDN behavior	57
6.5	Binary Switch	57
6.5.1	Introduction	57
6.5.2	Example URI	57
6.5.3	Resource Type	57
6.5.4	RAML Definition	57
6.5.5	Property Definition	59
6.5.6	CRUDN behavior	60
6.6	Brightness	60
6.6.1	Introduction	60
6.6.2	Example URI	60
6.6.3	Resource Type	60
6.6.4	RAML Definition	60
6.6.5	Property Definition	62
6.6.6	CRUDN behavior	62
6.7	Colour Chroma	63
6.7.1	Introduction	63
6.7.2	Example URI	63
6.7.3	Resource Type	63
6.7.4	RAML Definition	63
6.7.5	Property Definition	66
6.7.6	CRUDN behavior	66
6.8	Colour RGB	66
6.8.1	Introduction	66
6.8.2	Example URI	67
6.8.3	Resource Type	67
6.8.4	RAML Definition	67
6.8.5	Property Definition	69
6.8.6	CRUDN behavior	69
6.9	Dimming	69
6.9.1	Introduction	69
6.9.2	Example URI	69
6.9.3	Resource Type	69
6.9.4	RAML Definition	70
6.9.5	Property Definition	72
6.9.6	CRUDN behavior	73
6.10	Door	73
6.10.1	Introduction	73

6.10.2	Example URI	73
6.10.3	Resource Type	73
6.10.4	RAML Definition	73
6.10.5	Property Definition	75
6.10.6	CRUDN behavior.....	76
6.11	Energy Consumption	76
6.11.1	Introduction	76
6.11.2	Example URI	76
6.11.3	Resource Type.....	76
6.11.4	RAML Definition	76
6.11.5	Property Definition	77
6.11.6	CRUDN behavior.....	77
6.12	Energy Usage.....	77
6.12.1	Introduction	77
6.12.2	Example URI	77
6.12.3	Resource Type.....	77
6.12.4	RAML Definition	77
6.12.5	CRUDN behavior.....	79
6.13	Humidity	79
6.13.1	Introduction	79
6.13.2	Example URI	79
6.13.3	Resource Type.....	79
6.13.4	RAML Definition	79
6.13.5	Property Definition	81
6.13.6	CRUDN behavior.....	81
6.14	Ice Maker	81
6.14.1	Introduction	81
6.14.2	Example URI	81
6.14.3	Resource Type.....	82
6.14.4	RAML Definition	82
6.14.5	Property Definition	84
6.14.6	CRUDN behavior.....	85
6.15	Lock	85
6.15.1	Introduction	85
6.15.2	Example URI	85
6.15.3	Resource Type.....	85
6.15.4	RAML Definition	85
6.15.5	Property Definition	88
6.15.6	CRUDN behavior.....	88
6.16	Lock Code	88
6.16.1	Introduction	88
6.16.2	Example URI	88
6.16.3	Resource Type.....	88
6.16.4	RAML Definition	88

STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 30118-4:2018

[https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018)

[c58a4b760117/iso-iec-30118-4-2018](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018)

6.16.5	Property Definition	90
6.16.6	CRUDN behavior.....	90
6.17	Mode	90
6.17.1	Introduction	90
6.17.2	Example URI	90
6.17.3	Resource Type	91
6.17.4	RAML Definition	91
6.17.5	Property Definition	94
6.17.6	CRUDN behavior.....	94
6.18	Open Level.....	94
6.18.1	Introduction	94
6.18.2	Example URI	94
6.18.3	Resource Type	94
6.18.4	RAML Definition	94
6.18.5	Property Definition	97
6.18.6	CRUDN behavior.....	98
6.19	Operational State	98
6.19.1	Introduction	98
6.19.2	Example URI	98
6.19.3	Resource Type	98
6.19.4	RAML Definition	98
6.19.5	Property Definition	102
6.19.6	CRUDN behavior.....	103
6.20	Ramp Time.....	103
6.20.1	Introduction	103
6.20.2	Example URI	103
6.20.3	Resource Type	103
6.20.4	RAML Definition	103
6.20.5	Property Definition	106
6.20.6	CRUDN behavior.....	106
6.21	Refrigeration.....	106
6.21.1	Introduction	106
6.21.2	Example URI	106
6.21.3	Resource Type	106
6.21.4	RAML Definition	106
6.21.5	Property Definition	109
6.21.6	CRUDN behavior.....	110
6.22	Temperature.....	110
6.22.1	Introduction	110
6.22.2	Example URI	110
6.22.3	Resource Type	110
6.22.4	RAML Definition	110
6.22.5	Property Definition	114
6.22.6	CRUDN behavior.....	114

6.23	Time Period	114
6.23.1	Introduction	114
6.23.2	Example URI	114
6.23.3	Resource Type	114
6.23.4	RAML Definition	114
6.23.5	Property Definition	117
6.23.6	CRUDN behavior	117
6.24	Activity Count	118
6.24.1	Introduction	118
6.24.2	Example URI	118
6.24.3	Resource Type	118
6.24.4	RAML Definition	118
6.24.5	Property Definition	120
6.24.6	CRUDN behavior	120
6.25	Atmospheric Pressure Sensor	120
6.25.1	Introduction	120
6.25.2	Example URI	120
6.25.3	Resource Type	120
6.25.4	RAML Definition	120
6.25.5	Property Definition	121
6.25.6	CRUDN behavior	121
6.26	Audio Controls	121
6.26.1	Introduction	121
6.26.2	Example URI	122
6.26.3	Resource Type	122
6.26.4	RAML Definition	122
6.26.5	Property Definition	124
6.26.6	CRUDN behavior	124
6.27	Auto Focus	124
6.27.1	Introduction	124
6.27.2	Example URI	124
6.27.3	Resource Type	124
6.27.4	RAML Definition	124
6.27.5	Property Definition	127
6.27.6	CRUDN behavior	127
6.28	Automatic Document Feeder	127
6.28.1	Introduction	127
6.28.2	Example URI	127
6.28.3	Resource Type	127
6.28.4	RAML Definition	127
6.28.5	Property Definition	128
6.28.6	CRUDN behavior	128
6.29	Button Switch	128
6.29.1	Introduction	128

ITIH STANDARD PREVIEW
 (standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018>

6.29.2	Example URI	128
6.29.3	Resource Type	129
6.29.4	RAML Definition	129
6.29.5	Property Definition	130
6.29.6	CRUDN behavior.....	130
6.30	Carbon Dioxide Sensor.....	130
6.30.1	Introduction	130
6.30.2	Example URI	130
6.30.3	Resource Type.....	130
6.30.4	RAML Definition	130
6.30.5	Property Definition	131
6.30.6	CRUDN behavior.....	131
6.31	Carbon Monoxide Sensor	131
6.31.1	Introduction	131
6.31.2	Example URI	131
6.31.3	Resource Type.....	131
6.31.4	RAML Definition	131
6.31.5	Property Definition	132
6.31.6	CRUDN behavior.....	132
6.32	Auto White Balance.....	132
6.32.1	Introduction.....	132
6.32.2	Example URI	132
6.32.3	Resource Type.....	132
6.32.4	RAML Definition	132
6.32.5	Property Definition	135
6.32.6	CRUDN behavior.....	135
6.33	Colour Saturation	135
6.33.1	Introduction	135
6.33.2	Example URI	135
6.33.3	Resource Type.....	135
6.33.4	RAML Definition	135
6.33.5	Property Definition	137
6.33.6	CRUDN behavior.....	137
6.34	Contact Sensor.....	137
6.34.1	Introduction	137
6.34.2	Example URI	137
6.34.3	Resource Type.....	137
6.34.4	RAML Definition	138
6.34.5	Property Definition	138
6.34.6	CRUDN behavior.....	139
6.35	Demand Response Load Control (DRLC).....	139
6.35.1	Introduction	139
6.35.2	Example URI	139
6.35.3	Resource Type.....	139

6.35.4	RAML Definition	139
6.35.5	Property Definition	142
6.35.6	CRUDN behavior.....	142
6.36	Energy Overload/Circuit Breaker	143
6.36.1	Introduction	143
6.36.2	Example URI	143
6.36.3	Resource Type	143
6.36.4	RAML Definition	143
6.36.5	Property Definition	144
6.36.6	CRUDN behavior.....	144
6.37	Generic Sensor	144
6.37.1	Introduction	144
6.37.2	Example URI	144
6.37.3	Resource Type	144
6.37.4	RAML Definition	144
6.37.5	Property Definition	145
6.37.6	CRUDN behavior.....	145
6.38	Glass Break Sensor.....	145
6.38.1	Introduction	145
6.38.2	Example URI	145
6.38.3	Resource Type	145
6.38.4	RAML Definition	145
6.38.5	Property Definition	146
6.38.6	CRUDN behavior.....	146
6.39	Heart Rate Zone	146
6.39.1	Introduction	146
6.39.2	Example URI	147
6.39.3	Resource Type	147
6.39.4	RAML Definition	147
6.39.5	Property Definition	148
6.39.6	CRUDN behavior.....	148
6.40	Illuminance Sensor	148
6.40.1	Introduction	148
6.40.2	Example URI	148
6.40.3	Resource Type	148
6.40.4	RAML Definition	148
6.40.5	Property Definition	149
6.40.6	CRUDN behavior.....	149
6.41	Magnetic Field Direction Sensor	149
6.41.1	Introduction	149
6.41.2	Example URI	149
6.41.3	Resource Type	149
6.41.4	RAML Definition	149
6.41.5	Property Definition	150

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 30118-4:2018

[https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018)

[c58a4b760117/iso-iec-30118-4-2018](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018)

6.41.6	CRUDN behavior.....	150
6.42	Media	151
6.42.1	Introduction	151
6.42.2	Example URI	151
6.42.3	Resource Type	151
6.42.4	RAML Definition	151
6.42.5	Property Definition	152
6.42.6	CRUDN behavior.....	153
6.43	Media Source	153
6.43.1	Introduction	153
6.43.2	Example URI	153
6.43.3	Resource Type	153
6.43.4	RAML Definition	153
6.43.5	Property Definition	156
6.43.6	CRUDN behavior.....	156
6.44	Media Source List.....	156
6.44.1	Introduction	156
6.44.2	Example URI	156
6.44.3	Resource Type	156
6.44.4	RAML Definition	156
6.44.5	Property Definition	159
6.44.6	CRUDN behavior.....	159
6.44.7	Referenced JSON schemas.....	160
6.45	Media Source Input	160
6.45.1	Introduction	160
6.45.2	Example URI	160
6.45.3	Resource Type	160
6.45.4	RAML Definition	160
6.45.5	Property Definition	163
6.45.6	CRUDN behavior.....	163
6.46	Media Source Output.....	163
6.46.1	Introduction	163
6.46.2	Example URI	163
6.46.3	Resource Type	163
6.46.4	RAML Definition	163
6.46.5	Property Definition	166
6.46.6	CRUDN behavior.....	166
6.47	Motion Sensor	166
6.47.1	Introduction	166
6.47.2	Example URI	166
6.47.3	Resource Type	166
6.47.4	RAML Definition	166
6.47.5	Property Definition	167
6.47.6	CRUDN behavior.....	167

6.48	Night Mode	167
6.48.1	Introduction	167
6.48.2	Example URI	167
6.48.3	Resource Type	167
6.48.4	RAML Definition	167
6.48.5	Property Definition	169
6.48.6	CRUDN behavior	170
6.49	Presence Sensor	170
6.49.1	Introduction	170
6.49.2	Example URI	170
6.49.3	Resource Type	170
6.49.4	RAML Definition	170
6.49.5	Property Definition	171
6.49.6	CRUDN behavior	171
6.50	Pan Tilt Zoom Movement	171
6.50.1	Introduction	171
6.50.2	Example URI	171
6.50.3	Resource Type	171
6.50.4	RAML Definition	171
6.50.5	Property Definition	175
6.50.6	CRUDN behavior	176
6.51	Signal Strength	176
6.51.1	Introduction	176
6.51.2	Example URI	176
6.51.3	Resource Type	176
6.51.4	RAML Definition	176
6.51.5	Property Definition	177
6.51.6	CRUDN behavior	177
6.52	Speech Synthesis-TTS	177
6.52.1	Introduction	177
6.52.2	Example URI	177
6.52.3	Resource Type	177
6.52.4	RAML Definition	177
6.52.5	Property Definition	180
6.52.6	CRUDN behavior	181
6.53	Touch Sensor	181
6.53.1	Introduction	181
6.53.2	Example URI	181
6.53.3	Resource Type	181
6.53.4	RAML Definition	181
6.53.5	Property Definition	182
6.53.6	CRUDN behavior	182
6.54	UV Radiation	182
6.54.1	Introduction	182

ITih STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018>

6.54.2	Example URI	182
6.54.3	Resource Type	182
6.54.4	RAML Definition	182
6.54.5	Property Definition	183
6.54.6	CRUDN behavior.....	183
6.55	Water Sensor	183
6.55.1	Introduction	183
6.55.2	Example URI	183
6.55.3	Resource Type.....	183
6.55.4	RAML Definition	183
6.55.5	Property Definition	184
6.55.6	CRUDN behavior.....	184
6.56	Acceleration Sensor	185
6.56.1	Introduction	185
6.56.2	Example URI	185
6.56.3	Resource Type.....	185
6.56.4	RAML Definition	185
6.56.5	Property Definition	186
6.56.6	CRUDN behavior.....	186
6.57	Movement.....	186
6.57.1	Introduction.....	186
6.57.2	Example URI	186
6.57.3	Resource Type.....	186
6.57.4	RAML Definition	186
6.57.5	Property Definition	189
6.57.6	CRUDN behavior.....	189
6.58	Sleep Sensor.....	189
6.58.1	Introduction	189
6.58.2	Example URI	189
6.58.3	Resource Type.....	189
6.58.4	RAML Definition	189
6.58.5	Property Definition	190
6.58.6	CRUDN behavior.....	190
6.59	Smoke Sensor	190
6.59.1	Introduction	190
6.59.2	Example URI	190
6.59.3	Resource Type.....	191
6.59.4	RAML Definition	191
6.59.5	Property Definition	191
6.59.6	CRUDN behavior.....	192
6.60	Three Axis Sensor	192
6.60.1	Introduction	192
6.60.2	Example URI	192
6.60.3	Resource Type.....	192

6.60.4	RAML Definition	192
6.60.5	Property Definition	193
6.60.6	CRUDN behavior.....	193
6.61	Altimeter.....	193
6.61.1	Introduction	193
6.61.2	Example URI	193
6.61.3	Resource Type	193
6.61.4	RAML Definition	193
6.61.5	Property Definition	194
6.61.6	CRUDN behavior.....	194
6.62	Clock.....	195
6.62.1	Introduction	195
6.62.2	Example URI	195
6.62.3	Resource Type	195
6.62.4	RAML Definition	195
6.62.5	Property Definition	198
6.62.6	CRUDN behavior.....	198
6.63	Geolocation	198
6.63.1	Introduction	198
6.63.2	Example URI	198
6.63.3	Resource Type	198
6.63.4	RAML Definition	199
6.63.5	Property Definition	200
6.63.6	CRUDN behavior.....	201
6.64	Height	201
6.64.1	Introduction	201
6.64.2	Example URI	201
6.64.3	Resource Type	201
6.64.4	RAML Definition	201
6.64.5	Property Definition	204
6.64.6	CRUDN behavior.....	204
6.65	Weight.....	204
6.65.1	Introduction	204
6.65.2	Example URI	204
6.65.3	Resource Type	204
6.65.4	RAML Definition	204
6.65.5	Property Definition	205
6.65.6	CRUDN behavior.....	205
6.66	Air Quality	205
6.66.1	Introduction	205
6.66.2	Example URI	206
6.66.3	Resource Type	206
6.66.4	RAML Definition	206
6.66.5	Property Definition	207

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 30118-4:2018

[https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018)

[c58a4b760117/iso-iec-30118-4-2018](https://standards.iteh.ai/catalog/standards/sist/042ab35e-ca6b-40dd-a44b-c58a4b760117/iso-iec-30118-4-2018)

6.66.6	CRUDN behavior.....	207
6.67	Air Quality Collection.....	207
6.67.1	Introduction.....	207
6.67.2	Example URI.....	208
6.67.3	Resource Type.....	208
6.67.4	RAML Definition.....	208
6.67.5	Property Definition.....	209
6.67.6	CRUDN behavior.....	210
6.67.7	Referenced JSON schemas.....	210
6.68	Consumable.....	211
6.68.1	Introduction.....	211
6.68.2	Example URI.....	211
6.68.3	Resource Type.....	211
6.68.4	RAML Definition.....	211
6.68.5	Property Definition.....	213
6.68.6	CRUDN behavior.....	213
6.69	Consumable Collection.....	213
6.69.1	Introduction.....	213
6.69.2	Example URI.....	213
6.69.3	Resource Type.....	213
6.69.4	RAML Definition.....	213
6.69.5	Property Definition.....	215
6.69.6	CRUDN behavior.....	216
6.69.7	Referenced JSON schemas.....	216
6.70	Delay Defrost.....	217
6.70.1	Introduction.....	217
6.70.2	Example URI.....	217
6.70.3	Resource Type.....	217
6.70.4	RAML Definition.....	217
6.70.5	Property Definition.....	221
6.70.6	CRUDN behavior.....	222
6.70.7	Referenced JSON schemas.....	222
6.71	Eco Mode.....	222
6.71.1	Introduction.....	222
6.71.2	Example URI.....	223
6.71.3	Resource Type.....	223
6.71.4	RAML Definition.....	223
6.71.5	Property Definition.....	225
6.71.6	CRUDN behavior.....	225
6.71.7	Referenced JSON schemas.....	225
6.72	Heating Zone.....	226
6.72.1	Introduction.....	226
6.72.2	Example URI.....	226
6.72.3	Resource Type.....	226