

SLOVENSKI STANDARD oSIST prEN ISO 6149-1:2022

01-april-2022

Priključki v fluidni tehniki in splošna uporaba - Odprtine in priključki z navoji po ISO 261 in tesnilkami O - 1. del: Odprtine s tesnilko O v koničnem ohišju (ISO/FDIS 6149-1:2022)

Connections for hydraulic fluid power and general use - Ports and stud ends with ISO 261 metric threads and O-ring sealing - Part 1: Ports with truncated housing for O-ring seal (ISO/FDIS 6149-1:2022) Teh STANDARD

Leitungsanschlüsse für Fluidtechnik und allgemeine Anwendung - Einschraublöcher und Einschraubzapfen mit metrischem Gewinde nach ISO 261 und O-Ring-Abdichtung - Teil 1: Einschraublöcher mit Ansenkung für O-Ring-Abdichtung (ISO/FDIS 6149-1:2022)

Raccordements pour transmissions hydrauliques et applications générales - Orifices et éléments mâles à filetage/métrique ISO 261 et joint torique st Partie du Orifices à joint torique dans un logement tronconique (ISO/FDIS/6149-1-2022)6149-1-

2022

Ta slovenski standard je istoveten z: prEN ISO 6149-1

ICS:

23.100.40 Cevna napeljava in sklopke Piping and couplings

oSIST prEN ISO 6149-1:2022 en,fr,de

oSIST prEN ISO 6149-1:2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

FINAL DRAFT

INTERNATIONAL STANDARD

ISO/FDIS 6149-1

ISO/TC 131/SC 4

Secretariat: ANSI

Voting begins on: **2022-01-28**

Voting terminates on: **2022-04-22**

Connections for hydraulic fluid power and general use — Ports and stud ends with ISO 261 metric threads and O-ring sealing —

Te Part 1: AND ARD Ports with truncated housing for **0-ring seal** W

Stardcordements pour transmissions hydrauliques et applications générales — Orifices et éléments mâles à filetage métrique ISO 261 et joint torique — OSIST pren ISO 6149-1:2022

https://standards.artie.al.carifices à joint torique dans un logement tronconique 6e15-45f5-a4d0-02107b911fb4/osist-pren-iso-6149-1-2022

ISO/CEN PARALLEL PROCESSING

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number ISO/FDIS 6149-1:2022(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 6149-1:2022 https://standards.iteh.ai/catalog/standards/sist/410bfc0a-6e15-45f5-a4d0-02107b911fb4/osist-pren-iso-6149-1-2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

Con	ntents	Page
Fore	word	iv
Intro	oduction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Dimensions	2
5	Interchangeability warning	5
6	Test methods	5
7	Designation of ports	5
8	Identification	5
9	Identification statement (reference to this document)	5
Bibli	ography	6

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 4, *Connectors and similar products and components*.

This fourth edition cancels and replaces the third edition (ISO 6149-1:2019), of which it constitutes a minor revision. The changes is as follows:

— corrections have been made to references in Figure 1 and Table 2.

A list of all the parts in the ISO 6149 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In hydraulic fluid power systems, power is transmitted and controlled through a liquid under pressure within an enclosed circuit. In general applications, a fluid (liquid or gas) may be conveyed under pressure.

Components are connected through their threaded ports by fluid conductor connectors to tubes and pipes or to hose connectors and hoses.

Ports are an integral part of fluid power components, i.e. pumps, motors, valves, cylinders.

For threaded ports and stud ends specified in new designs in hydraulic fluid power applications, ISO/TC 131/SC 4 recommends that the ISO 6149 series be used because these International Standards specify ports and stud ends with metric threads and 0-ring sealing and because the subcommittee would like to help users by recommending one preferred system. ISO/TC 131/SC 4 further recommends that threaded ports and stud ends in accordance with the ISO 1179 series, the ISO 9974 series and the ISO 11926 series not be used for new designs in hydraulic fluid power applications; these International Standards are maintained because they specify ports and stud ends that are currently used in hydraulic systems worldwide

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 6149-1:2022

iTeh STANDARD PREVIEW (standards.iteh.ai)

Connections for hydraulic fluid power and general use — Ports and stud ends with ISO 261 metric threads and O-ring sealing —

Part 1:

Ports with truncated housing for O-ring seal

1 Scope

This document specifies dimensions for metric ports for use with the adjustable and non-adjustable stud ends as described in ISO 6149-2 and ISO 6149-3.

Ports in accordance with this document can be used at working pressures up to 63 MPa (630 bar¹) for non-adjustable stud ends and 40 MPa (400 bar) for adjustable stud ends. The permissible working pressure depends upon port size, materials, design, working conditions, application, etc. See ISO 6149-2 and ISO 6149-3 for pressure ratings.

NOTE The Introduction of this document gives recommendations for ports and stud ends to be used for new designs in hydraulic fluid power applications.

2 Normative referencestandards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 261, ISO general purpose metric screw threads b4 General planso-6149-1-

ISO 965-1, ISO general purpose metric screw threads — Tolerances — Part 1: Principles and basic data

ISO 2306, Drills for use prior to tapping screw threads

ISO 5598, Fluid power systems and components — Vocabulary

ISO 6149-2, Connections for hydraulic fluid power and general use — Ports and stud ends with ISO 261 metric threads and O-ring sealing — Part 2: Dimensions, design, test methods and requirements for heavyduty (S series) stud ends

ISO 6149-3, Connections for hydraulic fluid power and general use — Ports and stud ends with ISO 261 metric threads and O-ring sealing — Part 3: Dimensions, design, test methods and requirements for light-duty (L series) stud ends

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5598 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

1

¹⁾ $1 \text{ bar} = 0.1 \text{ MPa} = 10^5 \text{ Pa}; 1 \text{ MPa} = 1 \text{ N/mm}^2.$

4 Dimensions

Ports shall conform to the dimensions shown in <u>Figure 1</u> and given in <u>Table 1</u>. Users of this document shall ensure that there is sufficient material around the port to maintain the pressure.

- Optional identification of port; see Figure 2 and Clause 7. (Standards.iteh.ai)
- b Pitch diameter.
- ^c This dimension only applies when tap drill qannot pass through entire boss.
- https://standards.iteh.ai/catalog/standards/sist/410bfc0a-6e15-45f5-a4d0-02107b911fb4/osist-pren-iso-6149-1-
- e Reference only.
- f Thread.
- g Counterbore diameter or minimum diameter for raised bosses.
- h Virtual intersection of Z and L3.

Figure 1 — Port

2022