

---

**Železniške naprave - Zgornji ustroj proge - Zagotavljanje varnosti med delom na progi - 1. del: Tveganje in splošna načela za varovanje stalnih in mobilnih delovnih mest**

Railway applications - Track - Safety protection on the track during work - Part 1: Railway risks and common principles for protection of fixed and mobile work sites

Bahnanwendungen - Oberbau - Sicherungsmaßnahmen während Gleisbauarbeiten - Teil 1: Eisenbahngefährdungen und allgemeine Prinzipien zum Schutz ortsfester und ortsveränderlicher Baustellen (standards.iteh.ai)

Applications ferroviaires - Voie - Protection et sécurité durant des travaux sur la voie - Partie 1: Risques ferroviaires et principes communs de protection des chantiers fixes et mobiles

**Ta slovenski standard je istoveten z: EN 16704-1:2016+A1:2021**

---

**ICS:**

|        |  |   |
|--------|--|---|
| 13.100 | Varnost pri delu. Industrijska higiena | Occupational safety. Industrial hygiene |
| 93.100 | Gradnja železnic                       | Construction of railways                |

**SIST EN 16704-1:2017+A1:2021** en,fr,de

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 16704-1:2017+A1:2021](https://standards.iteh.ai/catalog/standards/sist/9e39948b-f4bc-4afe-8156-39facd5127aa/sist-en-16704-1-2017a1-2021)

<https://standards.iteh.ai/catalog/standards/sist/9e39948b-f4bc-4afe-8156-39facd5127aa/sist-en-16704-1-2017a1-2021>

EUROPEAN STANDARD

EN 16704-1:2016+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2021

ICS 93.100

Supersedes EN 16704-1:2016

English Version

## Railway applications - Track - Safety protection on the track during work - Part 1: Railway risks and common principles for protection of fixed and mobile work sites

Applications ferroviaires - Voie - Protection et sécurité durant des travaux sur la voie - Partie 1: Risques ferroviaires et principes communs de protection des chantiers fixes et mobiles

Bahnanwendungen - Oberbau - Sicherungsmaßnahmen während Gleisbauarbeiten - Teil 1: Eisenbahngefährdungen und allgemeine Prinzipien zum Schutz ortsfester und ortsveränderlicher Baustellen

This European Standard was approved by CEN on 10 September 2016 and includes Amendment 1 approved by CEN on 9 August 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

| <b>Contents</b>  | <b>page</b> |
|--|-------------|
| European foreword.....   | 6           |
| <b>1 Scope</b> .....   | <b>8</b>    |
| <b>2 Normative references</b> .....  | <b>8</b>    |
| <b>3 Terms and definitions</b> .....   | <b>9</b>    |
| <b>4 Common principles</b> .....   | <b>18</b>   |
| 4.1 General.....   | 18          |
| 4.2 Work done by 3rd party.....  | 19          |
| <b>5 Principles of risk assessment</b> .....   | <b>19</b>   |
| 5.1 General.....   | 19          |
| 5.2 Decision about safety measures.....  | 20          |
| 5.3 Lines with more than one track.....  | 21          |
| 5.4 Supervision.....   | 21          |
| 5.5 Documentation.....   | 21          |
| 5.6 Consideration of human behaviour.....  | 21          |
| 5.7 Actualization of risk assessment.....  | 22          |
| 5.8 Remote controlled equipment of the track.....  | 22          |
| <b>6 Hierarchy of Safety Measures and parameters for the five railway risks</b> .....  | <b>22</b>   |
| 6.1 General.....   | 22          |
| 6.2 Risk 1 - Personnel being struck by a train or injured due to wind drag on open working track (safety of the worker).....                   | 23          |
| 6.2.1 General.....   | 23          |
| 6.2.2 Blocking.....  | 24          |
| 6.2.3 Warning.....   | 25          |
| 6.3 Risk 2 - Personnel being struck by a train or injured due to wind drag from a train on adjacent track (safety of the worker).....          | 26          |
| 6.3.1 General.....   | 26          |
| 6.3.2 Blocking.....  | 28          |
| 6.3.3 Separation.....  | 29          |
| 6.3.4 Warning.....   | 30          |
| 6.3.5 Additional measures.....   | 31          |
| 6.3.6 Exceptional circumstances.....   | 32          |
| 6.4 Risk 3 - Personnel being struck by machine or rail vehicle on blocked track (safety of the worker in the work site).....                   | 32          |
| 6.4.1 Measures.....  | 32          |
| 6.4.2 Process on the work site.....  | 32          |
| 6.4.3 Organization.....  | 33          |
| 6.5 Risk 4 - Machines, material or equipment being struck by a train on the adjacent track (safety of the operation/safety of the worker)..... | 33          |
| 6.5.1 General.....   | 33          |
| 6.5.2 Blocking (of the adjacent track).....  | 34          |
| 6.5.3 Separation.....  | 34          |
| 6.5.4 Warning with influence on train circulation.....   | 35          |
| 6.5.5 Additional measures.....   | 35          |

|                     |  |    |
|---------------------|--|----|
| 6.6                 | Risk 5 – Personnel being affected by electric shock/electrocuted (safety of the worker)..... | 35 |
| 6.6.1               | General.....   | 35 |
| 6.6.2               | Measures for work near fixed electrical equipment.....                                       | 35 |
| 6.6.3               | Disconnection of power.....  | 37 |
| 6.6.4               | Induction.....   | 37 |
| 6.6.5               | Working procedures.....  | 37 |
| 6.6.6               | Traction returning current in rail.....  | 38 |
| 6.6.7               | Risk by broken overhead line.....  | 38 |
| 7                   | Working in tunnels.....  | 39 |
| 7.1                 | General.....   | 39 |
| 7.2                 | Safety measures for staff working in tunnels.....  | 40 |
| 8                   | Designing infrastructure.....  | 42 |
| 8.1                 | General.....   | 42 |
| 8.2                 | Designing new infrastructure.....  | 42 |
| 8.3                 | Designing modifications of the infrastructure.....   | 42 |
| 9                   | Safety documentation and information.....  | 43 |
| 9.1                 | General.....   | 43 |
| 9.2                 | Safety document for planning (safety plan).....  | 43 |
| 9.2.1               | General requirements.....  | 43 |
| 9.2.2               | Necessary information for the safety document for planning.....                              | 44 |
| 9.3                 | Safety information for briefing.....   | 45 |
| 9.3.1               | General.....   | 45 |
| 9.3.2               | Content of safety briefing.....  | 45 |
| 9.3.3               | Traceability.....  | 46 |
| 9.4                 | Access to and egress from the work site.....   | 46 |
| 10                  | Use of personal protective equipment.....  | 46 |
| Annex A (normative) | Requirements and conditions to manage safety measures.....                                   | 47 |
| A.1                 | Blocking.....  | 47 |
| A.1.1               | Conditions/requirements for blocking:.....   | 47 |
| A.1.2               | Procedure for blocking/de-blocking.....  | 47 |
| A.1.2.1             | Procedure before starting the work.....  | 47 |
| A.1.2.2             | Procedure after completion of the work.....  | 48 |
| A.2                 | Separation.....  | 48 |
| A.2.1               | Risk assessment for installation/de-installation of a barrier.....                           | 48 |
| A.2.2               | Specific requirements/conditions for using barriers as a separation.....                     | 49 |
| A.2.3               | Surveillance of workers (without warning, without barrier).....                              | 49 |
| A.2.4               | Visual demarcation line.....   | 50 |
| A.3                 | Warning.....   | 50 |
| A.3.1               | Warning process.....   | 50 |
| A.3.2               | Hierarchy in warning systems.....  | 50 |
| A.3.3               | Announcement distance for approaching trains.....  | 52 |
| A.3.4               | Type of signals.....   | 53 |
| A.3.5               | Acoustic planning.....   | 53 |

## EN 16704-1:2016+A1:2021 (E)

|                       |  |    |
|-----------------------|--|----|
| A.3.6                 | Working with/on (noisy) track working machines:.....                         | 55 |
| A.3.7                 | Visual signalling devices.....   | 56 |
| A.3.8                 | Controlling the reaction of workers.....                                     | 56 |
| A.3.9                 | Specific requirements for LOWS.....  | 57 |
| A.3.9.1               | General.....   | 57 |
| A.3.9.2               | Chain of lookouts.....   | 57 |
| A.3.9.3               | Transmission of the warning by radio.....                                    | 57 |
| A.4                   | Additional measures.....   | 58 |
| Annex B (normative)   | Parameters in risk assessment.....   | 59 |
| Annex C (informative) | Matrix of main responsibilities.....   | 61 |
| Annex D (informative) | Noise levels of machines.....  | 66 |
| Annex E (informative) | Warning and remembering devices.....   | 68 |
| E.1                   | Collective warning device vs. individual warning device.....                 | 68 |
| E.2                   | Combination of acoustic warning and visual signalling devices.....           | 68 |
| Annex F (informative) | National speed limits for trains approaching work sites.....                 | 69 |
| Annex G (informative) | Functions within the process “warning”.....                                  | 72 |
| Annex H (informative) | Model for safety plan on railway risks.....                                  | 74 |
| H.1                   | General.....   | 74 |
| H.2                   | Safety document for the railway risks 1 to 4.....                            | 74 |
| H.3                   | Decision about the safety measures.....                                      | 76 |
| H.3.1                 | General.....   | 76 |
| H.3.2                 | Decision about the safety measure for the working track (risk 1 and 3).....  | 76 |
| H.3.2.1               | Stopping distances machines.....   | 76 |
| H.3.2.2               | Blocking (hierarchy step 1).....   | 76 |
| H.3.2.3               | Warning.....   | 77 |
| H.3.3                 | Decision about the safety measure for the adjacent track (risk 2 and 4)..... | 78 |
| H.3.3.1               | Blocking (hierarchy step 1).....   | 78 |
| H.3.3.2               | Separation by technical measures.....  | 79 |
| H.3.3.3               | Warning.....   | 79 |
| H.3.3.4               | Surveillance of workers without warning.....                                 | 80 |
| H.3.4                 | Safety measures for access.....  | 80 |
| H.3.5                 | Train circulation, track distance, dangerous zone.....                       | 80 |
| H.4                   | Planning of the safety measures.....   | 81 |
| H.5                   | Handing out of the safety document and instructions on the site.....         | 83 |
| H.5.1                 | General.....   | 83 |
| H.5.2                 | Safety supervision.....  | 83 |
| H.5.3                 | Safety execution.....  | 83 |

|  |    |
|--|----|
| H.5.4 Contractor / sub-contractor(s) .....   | 83 |
| Annex I (informative) Guideline for the decision of blocking the working track in relation to the use of portable equipment .....                        | 85 |
| Annex J (informative) Process and documentation about disconnection of fixed electrical equipment .....  | 87 |
| J.1 Process of the decision about disconnection of fixed electrical equipment .....  | 87 |
| J.2 Minimum contents for the documentation of the decision about disconnection of fixed electrical equipment.....  | 87 |
| J.2.1 Information by the contractor .....  | 87 |
| J.2.2 Nominated person in control of the electrical equipment.....   | 88 |
| J.2.3 Documentation of the decision about the disconnection.....   | 89 |
| J.3 Documentation of disconnection/reconnection of power for work near fixed electrical equipment .....  | 89 |
| J.3.1 General.....   | 89 |
| J.3.2 Instructions for the routing of the document:.....   | 89 |
| J.3.3 Notice of working cessation .....  | 90 |
| Annex K (informative) Examples for the possibility of intruding into the vicinity zone of the fixed electrical equipment.....                            | 92 |
| Annex L (informative) Key aspects of relevant EU Directives .....  | 93 |
| L.1 Directive 89/391/EEC.....  | 93 |
| L.2 Directive 2004/49/EEC .....  | 93 |
| L.3 Directive 92/57/EEC.....   | 93 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive (EU) 2016/797/EC aimed to be covered..... | 94 |
| Bibliography .....   | 96 |

**EN 16704-1:2016+A1:2021 (E)****European foreword**

This document (EN 16704-1:2016+A1:2021) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2022, and conflicting national standards shall be withdrawn at the latest by April 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes A1 EN 16704-1:2016 A1.

This document includes Amendment 1 approved by CEN on 9 August 2021.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

A1 This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document. A1

The purpose of this standard is to define a common approach to the safety of workers regarding the railway risks in relation to work on or in proximity of the track in the European Community.

National safety rules (for example national standards or company rules) should gradually be harmonized in line with this standard or be replaced by rules contained in this standard but according to directive 89/391/EEC it is not allowed to reduce the existing level of safety measures given by national safety rules. The current situation, in which, national safety rules continue to play a role, should be regarded as a transitional stage, leading ultimately to a situation in which, European rules described here after, will apply.

This European Standard is one of the series EN 16704 "Railway applications – Track – Safety protection on the track during work" as listed below:

- *Part 1: Railway risks and common principles for protection of fixed and mobile work sites*
- *Part 2-1: Common solutions and technology – Technical requirements for Track Warning Systems (TWS)*
- *Part 2-2: Common solutions and technology – Technical requirements for barriers*
- *Part 3: Competences of personnel related to work on or near the railway track*

A1 Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website. A1

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia,



Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 16704-1:2017+A1:2021](https://standards.iteh.ai/catalog/standards/sist/9e39948b-f4bc-4afe-8156-39facd5127aa/sist-en-16704-1-2017a1-2021)

<https://standards.iteh.ai/catalog/standards/sist/9e39948b-f4bc-4afe-8156-39facd5127aa/sist-en-16704-1-2017a1-2021>

**EN 16704-1:2016+A1:2021 (E)****1 Scope**

This European Standard provides requirements and measures to deal with the significant and specific railway risks during works on or in proximity of the track and with common principles for the protection of fixed and mobile work sites with trains and/or machines circulating on the working track and trains circulating on the adjacent track(s). Railway risks and protection measures for access and egress to/from the work site are considered in the same way as railway risks and protection measures for work itself.

This European Standard is applicable to all operations related to work activities on rail guided systems. Infrastructure of metro, tram and other light rail systems is excluded from the scope<sup>1)</sup>.

The following specific railway risks are taken into consideration:

- Risk 1: Personnel being struck by a train or injured due to wind drag from a train on open working track (safety of the worker);

NOTE 1 Risk 1 includes injuring of a worker by machines, material or equipment being struck by a train on the working track.

- Risk 2: Personnel being struck by a train or injured due to wind drag from train on adjacent track (safety of the worker);
- Risk 3: Personnel being struck by machine or train on blocked track (safety of the worker);
- Risk 4: Machines, material or equipment being struck by a train on the adjacent track (safety of the operation/safety of the worker);
- Risk 5: Personnel being electrified or electrocuted by fixed electrical equipment (safety of the worker).

SIST EN 16704-1:2017+A1:2021

NOTE 2 Risk 5 includes hazards caused by pantographs of passing trains.

This European Standard also provides requirements to the process of installing basic preventive measures when planning new infrastructure or installing corrective measures when adapting existing infrastructure.

This European Standard may be extended to third parties when it is considered appropriate and reasonable by the infrastructure manager, if one or more of the five significant risks described inside this standard, arise as a result of their activities in proximity of the track.

**2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

**[A1]** EN 14033-2:2017, *Railway applications - Track - Railbound construction and maintenance machines - Part 2: Technical requirements for travelling and working*

EN 14033-3:2017, *Railway applications - Track - Railbound construction and maintenance machines - Part 3: General safety requirements*

EN 15746-2:2020, *Railway applications - Track - Road-rail machines and associated equipment - Part 2: General safety requirements*

<sup>1)</sup> See Directive 2008/57/EC.

prEN 15955:2020, *Railway applications - Infrastructure - Demountable machines, trailers and associated equipment - General safety and technical requirements for travelling and working*

EN 16704-2-1:2016, *Railway applications - Track - Safety protection on the track during work - Part 2-1: Common solutions and technologies - Technical requirements for Track Warning Systems (TWS)*

EN 16704-2-2:2016, *Railway applications - Track - Safety protection on the track during work - Part 2-2: Common solutions and technology - Requirements for barriers*

EN 16704-3:2016, *Railway applications - Track - Safety protection on the track during work - Part 3: Competences for personnel related to work on or near tracks*

prEN 50122-1:2020, *Railway applications - Fixed installations - Electrical safety, earthing and the return circuit - Part 1: Protective provisions against electric shock*

EN 50110-1:2013, *Operation of electrical installations - Part 1: General requirements*

EN 50126-1:2017, *Railway Applications - The Specification and Demonstration of Reliability, Availability, Maintainability and Safety (RAMS) - Part 1: Generic RAMS Process*

prEN ISO 20345:2020, *Personal protective equipment - Safety footwear (ISO/DIS 20345:2020)*

EN ISO 20471:2013, *High visibility clothing - Test methods and requirements (ISO 20471:2013, Corrected version 2013-06-01)* <sup>A1</sup>

iTeh STANDARD PREVIEW

### 3 Terms and definitions (standards.iteh.ai)

For the purposes of this document, the following terms and definitions apply.

<sup>A1</sup> ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

<sup>A1</sup>

#### 3.1 accident

unplanned, uncontrolled event giving rise to death, ill health, injury or other loss to persons or damage to material

#### 3.2 adjacent track

track beside the working track or beside the working place where it is possible to get into the danger zone during work

Note 1 to entry: The actual work takes place on the working track/work site near an open track and is not planned to take place in the danger zone of the adjacent track, or the presence of the person in the danger zone of the adjacent track is not intended.

#### 3.3 announcement time

period between the moment the warning starts and the moment a train passes the beginning of the work site

**EN 16704-1:2016+A1:2021 (E)****3.4****announcement distance**

distance between the point of detection of the train and the beginning of the work site

**3.5****Automatic Track Warning System****ATWS**

TWS that detects approaching trains or rail vehicles by technical means (mobile technical measure)

**3.6****barrier**

technical solution to realize preventive separation by a set of components to separate working zone and danger zone and to prevent workers from entering the danger zone unintentionally

**3.7****blocked track**

track closed for normal traffic

Note 1 to entry: Engineering trains/rail bound machines are not considered as normal traffic.

**3.8****clearing time**

time needed to recognize the warning, to stop the work and clear the danger zone including portable equipment (in a normal manner/without hurrying) when a warning is given and reach a place of safety

**3.9****danger**

potential for injury or fatality

(standards.iteh.ai)

[SIST EN 16704-1:2017+A1:2021](https://standards.iteh.ai/catalog/standards/sist/9e39948b-f4bc-4afe-8156-39facd5127aa/sist-en-16704-1-2017a1-2021)

<https://standards.iteh.ai/catalog/standards/sist/9e39948b-f4bc-4afe-8156-39facd5127aa/sist-en-16704-1-2017a1-2021>


**3.10****Danger Zone**

area where a person, material or equipment can be struck by a railway vehicle or exposed to injury or fatality due to wind drag

Note 1 to entry: The danger zone includes the working track and extends on both sides over a distance measured from the axis of the track or the outside edges of the rail, see Figure 1. This distance is specified by national rules and is dependent on:

- the speed of the train circulation;
- the characteristics of the rolling stock (gauge and profile).

Note 2 to entry: Danger zone in tunnels is described in 7.1 and 7.2.

**Key**

- 1 danger zone
- 2 measurement of the danger zone of the track axis
- 3 measurement of the danger zone of the outside edge of the rail

**Figure 1 — Definition of the danger zone****3.11****designated competent person**

person being responsible for supervising e.g. of the formal inquiry, formal investigation or local investigation

**3.12****emergency**

unforeseen or unplanned event which has life-threatening or extreme loss implications and requires immediate attention

**3.13****fixed electrical equipment**

electrical equipment for traction current as far as it is under the control of the infrastructure manager

Note 1 to entry: This includes the overhead line system (see Figure 2, “safe distance”), third rail, landlines and base stations.

**EN 16704-1:2016+A1:2021 (E)****3.14****hazard**

potential source of harm

[SOURCE: ISO/IEC Guide 51:2014, 3.2]

**3.15****incident**

work-related event(s) in which an injury or ill health (regardless of severity) or fatality occurred, or could have occurred, may also be referred to as a “near-miss”, “near-hit”, “close call” or “dangerous occurrence”

[SOURCE: OHSAS 18001:2007, 3.9]

**3.16****infrastructure**

all systems, equipment, materials or structures, that, combined or alone, form part of the operational railway

Note 1 to entry: Including but not limited to: the permanent way, land within the line side separation, the installations exclusively used for operational purposes, overhead electrified lines and all other systems equipment, materials or structures up to the boundaries of the railway site

Note 2 to entry: For further information see also 2598/70/EEC.

**3.17****Infrastructure Manager****IM**

any body or firm responsible in particular for establishing, managing and maintaining railway infrastructure, including traffic management and control-command and signalling; the functions of the infrastructure manager on a network or part of a network may be allocated to different bodies or firms

[SOURCE: 2012/34/EC, definition (2)]

**3.18****lookout**

person who gives warning to persons working on or near the track (observing, signalling, warning)

**3.19****Lookout operated warning system****LOWS**

TWS with train detection provided by a suitably qualified lookout triggering the warning

Note 1 to entry: LOWS includes hand operated TWS and chain of lookouts.

Note 2 to entry: If a warning is given solely by lookouts there is no technical component.

**3.20****maintenance**

combination of all technical, administrative and managerial actions during the life cycle of an item intended to retain it in, or restore it to, a state in which it can perform the required function

[SOURCE: EN 13306:2010, definition 2.1]

### 3.21

#### **method statement**

statement in a required format of the methods, systems, tools, plant and equipment and competence of persons to be used in performing a particular task, for the purpose of demonstrating that safety is not compromised or violated

Note 1 to entry: Developed following an assessment of the hazards/risk arising from undertaking the activity in the context of the operational railway and if appropriate the location at which the activity will be undertaken.

### 3.22

#### **portable equipment**

portable machines, tools, devices and material designed or adapted to be worked on the track, transportable by hand with or without trolleys or separate supports for movement on rails

### 3.23

#### **processing time**

time period between detection of the train (input) and giving the warning signal to the work site (output)

Note 1 to entry: The maximum processing time is a parameter of the warning process.

### 3.24

#### **risk**

combination of the probability of occurrence of harm and the severity of that harm

[SOURCE: ISO/IEC Guide 51:2014, definition 3.2]

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

### 3.25

#### **risk assessment**

overall process comprising a risk analysis and a risk evaluation

[SOURCE: ISO/IEC Guide 51:2014, definition 3.12]

### 3.26

#### **safe distance**

closest working limit where persons, tools or equipment can come near a live part of the fixed electrical equipment without danger arising

Note 1 to entry: The safe distance is the border of the vicinity zones, see EN 50110-1. For the overhead line system, see the following figure<sup>2)</sup>.

---

<sup>2)</sup> The outer "limit" of the vicinity zone as defined in EN 50110-1, is the demarcation line of "safe distance".