

ETSI TS 102 223 V18.2.0 (2025-04)



**Smart Cards;
Card Application Toolkit (CAT)
(Release 18)**
(<https://standards.iteh.ai>)
Document Preview

[ETSI TS 102 223 V18.2.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/84a95d6f-ccb3-4fee-83f4-4d27b8950379/etsi-ts-102-223-v18-2-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/84a95d6f-ccb3-4fee-83f4-4d27b8950379/etsi-ts-102-223-v18-2-0-2025-04>

Reference

RTS/SET-T102223vi20

Keywords

embedded, SIM, smart card, UICC

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	12
Foreword.....	12
Modal verbs terminology.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	17
3 Definition of terms, symbols and abbreviations.....	17
3.1 Terms.....	17
3.2 Symbols.....	19
3.3 Abbreviations	19
4 Overview of CAT	21
4.0 Introduction	21
4.1 Profile download	21
4.2 Proactive UICC	21
4.3 Data download to UICC	22
4.4 Menu selection	22
4.5 Call control by network access application	22
4.6 Void.....	23
4.7 Event download.....	23
4.8 Security	23
4.9 Multiple card	23
4.10 Timer expiration	23
4.11 Bearer Independent Protocol	23
4.12 Description of the access technology indicator mechanism	24
4.13 Tag allocation guidelines.....	24
4.14 Description of the network search mode mechanism	24
4.15 CAT operation in reduced capability terminals.....	24
4.16 CAT over the modem interface	25
4.17 CAT facilities provided by eCAT clients	25
4.18 Negotiation of Poll Interval	26
4.19 Void.....	26
5 Profile download	26
5.1 Procedure.....	26
5.2 Structure and coding of TERMINAL PROFILE	26
5.3 Definition of display parameters in profile download	36
5.3.0 Overview	36
5.3.1 Number of characters supported down the terminal display.....	36
5.3.2 Number of characters supported across the terminal display	36
5.3.3 Display can be resized	36
5.3.4 Text wrapping	36
5.3.5 Text scrolling	36
5.3.6 Width reduction when in a menu	36
5.3.7 Text attributes	37
6 Proactive UICC	37
6.1 Introduction	37
6.2 Identification of terminal support.....	40
6.3 General procedure	40
6.4 Proactive UICC commands and procedures	41
6.4.1 DISPLAY TEXT	41
6.4.2 GET INKEY	42
6.4.3 GET INPUT.....	44
6.4.4 MORE TIME	45

6.4.5	PLAY TONE	45
6.4.6	POLL INTERVAL	46
6.4.7	REFRESH.....	46
6.4.8	SET UP MENU	49
6.4.9	SELECT ITEM.....	49
6.4.10	SEND SHORT MESSAGE	50
6.4.11	Void	51
6.4.12	Void	51
6.4.13	SET UP CALL.....	51
6.4.14	POLLING OFF	53
6.4.15	PROVIDE LOCAL INFORMATION.....	53
6.4.16	SET UP EVENT LIST.....	53
6.4.17	PERFORM CARD APDU	54
6.4.18	POWER OFF CARD	55
6.4.19	POWER ON CARD.....	55
6.4.20	GET READER STATUS.....	56
6.4.21	TIMER MANAGEMENT	56
6.4.22	SET UP IDLE MODE TEXT	57
6.4.23	RUN AT COMMAND	57
6.4.24	SEND DTMF.....	58
6.4.25	LANGUAGE NOTIFICATION	58
6.4.26	LAUNCH BROWSER	59
6.4.27	OPEN CHANNEL	59
6.4.27.1	OPEN CHANNEL related to CS bearer.....	59
6.4.27.2	OPEN CHANNEL related to packet data service bearer	61
6.4.27.3	OPEN CHANNEL related to local bearer.....	63
6.4.27.4	OPEN CHANNEL related to Default (network) Bearer	65
6.4.27.5	OPEN CHANNEL related to UICC Server Mode	66
6.4.27.6	OPEN CHANNEL related to Terminal Server Mode	67
6.4.28	CLOSE CHANNEL.....	68
6.4.29	RECEIVE DATA	69
6.4.30	SEND DATA.....	70
6.4.31	GET CHANNEL STATUS	71
6.4.32	SERVICE SEARCH	72
6.4.33	GET SERVICE INFORMATION	72
6.4.34	DECLARE SERVICE	73
6.4.35	SET FRAMES	73
6.4.36	GET FRAME STATUS.....	74
6.4.37	RETRIEVE MULTIMEDIA MESSAGE.....	74
6.4.38	SUBMIT MULTIMEDIA MESSAGE	75
6.4.39	DISPLAY MULTIMEDIA MESSAGE	76
6.4.40	ACTIVATE	77
6.4.41	CONTACTLESS STATE CHANGED	77
6.4.42	COMMAND CONTAINER	78
6.4.43	ENCAPSULATED SESSION CONTROL	78
6.4.44	Void	78
6.4.45	LSI COMMAND	78
6.5	Common elements in proactive UICC commands	79
6.5.1	Command number	79
6.5.2	Device identities	80
6.5.3	Alpha identifier	80
6.5.4	Icon identifiers	80
6.5.5	Text Attribute.....	80
6.5.6	Frame identifier	80
6.6	Structure of proactive UICC commands	80
6.6.0	Foreword.....	80
6.6.1	DISPLAY TEXT	81
6.6.2	GET INKEY	81
6.6.3	GET INPUT.....	82
6.6.4	MORE TIME	82
6.6.5	PLAY TONE	83
6.6.6	POLL INTERVAL	83

6.6.7	SET-UP MENU	84
6.6.8	SELECT ITEM.....	84
6.6.9	SEND SHORT MESSAGE	85
6.6.10	Void	85
6.6.11	Void	85
6.6.12	SET UP CALL.....	85
6.6.13	REFRESH.....	86
6.6.14	POLLING OFF	86
6.6.15	PROVIDE LOCAL INFORMATION.....	86
6.6.16	SET UP EVENT LIST.....	87
6.6.17	PERFORM CARD APDU	87
6.6.18	POWER OFF CARD	87
6.6.19	POWER ON CARD.....	87
6.6.20	GET READER STATUS.....	87
6.6.21	TIMER MANAGEMENT	87
6.6.22	SET UP IDLE MODE TEXT	88
6.6.23	RUN AT COMMAND	88
6.6.24	SEND DTMF COMMAND.....	88
6.6.25	LANGUAGE NOTIFICATION	89
6.6.26	LAUNCH BROWSER	89
6.6.27	OPEN CHANNEL	90
6.6.27.1	OPEN CHANNEL related to CS bearer.....	90
6.6.27.2	OPEN CHANNEL related to packet data service bearer	91
6.6.27.3	OPEN CHANNEL related to local bearer.....	92
6.6.27.4	OPEN CHANNEL related to Default (network) Bearer	93
6.6.27.5	OPEN CHANNEL related to UICC Server Mode	93
6.6.27.6	OPEN CHANNEL related to Terminal Server Mode	94
6.6.28	CLOSE CHANNEL.....	94
6.6.29	RECEIVE DATA	94
6.6.30	SEND DATA.....	95
6.6.31	GET CHANNEL STATUS	95
6.6.32	SERVICE SEARCH	95
6.6.33	GET SERVICE INFORMATION	95
6.6.34	DECLARE SERVICE	96
6.6.35	SET FRAMES	96
6.6.36	GET FRAMES STATUS.....	97
6.6.37	RETRIEVE MULTIMEDIA MESSAGE	97
6.6.38	SUBMIT MULTIMEDIA MESSAGE	97
6.6.39	DISPLAY MULTIMEDIA MESSAGE	98
6.6.40	ACTIVATE	98
6.6.41	CONTACTLESS STATE CHANGED	98
6.6.42	COMMAND CONTAINER	98
6.6.43	ENCAPSULATED SESSION CONTROL	99
6.6.44	Void	99
6.6.45	LSI COMMAND	99
6.7	Command results.....	99
6.8	Structure of TERMINAL RESPONSE.....	101
6.8.0	Overall coding	101
6.8.1	Command details	103
6.8.2	Device identities	103
6.8.3	Result	104
6.8.4	Duration	104
6.8.5	Text string.....	104
6.8.6	Item identifier	104
6.8.7	Local information	104
6.8.8	Call control requested action	105
6.8.9	Result data object 2.....	105
6.8.10	Card reader status	105
6.8.11	Card ATR	105
6.8.12	R-APDU	105
6.8.13	Timer identifier	106
6.8.14	Timer value	106

6.8.15	AT Response	106
6.8.16	Text string 2	106
6.8.17	Channel data	106
6.8.18	Channel status	106
6.8.19	Channel data length	106
6.8.20	Bearer description	106
6.8.21	Buffer size	106
6.8.22	Total display duration	107
6.8.23	Service Availability	107
6.8.24	Service Record	107
6.8.25	Other address (local address)	107
6.8.26	Frames Information	107
6.8.27	SA template	107
6.8.28	eCAT sequence number	107
6.8.29	Encrypted TLV list	108
6.8.30	MAC	108
6.8.31	DNS server address	108
6.9	Proactive UICC session and terminal display interaction	108
6.10	Handling of unknown, unforeseen and erroneous messages	108
6.10.1	General	108
6.10.2	Message too short	109
6.10.3	Missing minimum information	109
6.10.4	Unknown Tag value	109
6.10.5	Unexpected Tag value	109
6.10.6	Length errors	109
6.10.7	Contents not understood	110
6.10.8	Extended length data objects	110
6.11	Proactive commands versus possible terminal response	110
6.12	CAT session timeout	116
7	ENVELOPE commands	116
7.1	Void	116
7.2	Menu selection	116
7.2.0	Description	116
7.2.1	Procedure	116
7.2.2	Structure of ENVELOPE (MENU SELECTION)	116
7.3	Call Control by NAA	117
7.3.1	Call Control by NAA	117
7.3.1.1	Procedure for mobile originated calls	117
7.3.1.2	Void	117
7.3.1.3	Indication to be given to the user	118
7.3.1.4	Interaction with Fixed Dialling Number (FDN)	118
7.3.1.5	Support of Barred Dialling Number (BDN) service	119
7.3.1.6	Structure of ENVELOPE (CALL CONTROL)	119
7.4	Timer expiration	121
7.4.1	Description	121
7.4.2	Structure of ENVELOPE (TIMER EXPIRATION)	121
7.5	Event download	122
7.5.0	Overview	122
7.5.1	MT call event	122
7.5.1.1	Procedure	122
7.5.1.2	Structure of ENVELOPE (EVENT DOWNLOAD - MT call)	122
7.5.2	Call connected event	123
7.5.2.1	Procedure	123
7.5.2.2	Structure of ENVELOPE (EVENT DOWNLOAD - call connected)	123
7.5.3	Call disconnected event	124
7.5.3.1	Procedure	124
7.5.3.2	Structure of ENVELOPE (EVENT DOWNLOAD - call disconnected)	124
7.5.4	Location status event	125
7.5.4.1	Procedure	125
7.5.4.2	Structure of ENVELOPE (EVENT DOWNLOAD - Location status)	125
7.5.5	User activity event	126

7.5.5.1	Procedure	126
7.5.5.2	Structure of ENVELOPE (EVENT DOWNLOAD - User activity)	126
7.5.6	Idle screen available event	127
7.5.6.1	Procedure	127
7.5.6.2	Structure of ENVELOPE (EVENT DOWNLOAD - Idle screen available)	127
7.5.7	Card reader status event	128
7.5.7.1	Procedure	128
7.5.7.2	Structure of ENVELOPE (EVENT DOWNLOAD - Card reader status)	128
7.5.8	Language selection event	128
7.5.8.1	Procedure	128
7.5.8.2	Structure of ENVELOPE (EVENT DOWNLOAD - Language selection)	129
7.5.9	Browser termination event	129
7.5.9.1	Procedure	129
7.5.9.2	Structure of ENVELOPE (EVENT DOWNLOAD - Browser termination)	129
7.5.10	Data available event	130
7.5.10.1	Procedure	130
7.5.10.2	Structure of ENVELOPE (EVENT DOWNLOAD - Data available)	130
7.5.11	Channel status event	131
7.5.11.1	Procedure	131
7.5.11.2	Structure of ENVELOPE (EVENT DOWNLOAD - Channel status)	131
7.5.12	Access Technology Change Event	132
7.5.12.1	Procedure	132
7.5.12.2	Structure of ENVELOPE (EVENT DOWNLOAD - Access Technology Change)	132
7.5.13	Display parameters changed event	133
7.5.13.1	Procedure	133
7.5.13.2	Structure of ENVELOPE (EVENT DOWNLOAD - Display parameters changed)	133
7.5.14	Local Connection event	133
7.5.14.1	Procedure	133
7.5.14.2	Structure of ENVELOPE (EVENT DOWNLOAD - Local Connection)	134
7.5.15	Network Search Mode Change Event	134
7.5.15.1	Procedure	134
7.5.15.2	Structure of ENVELOPE (EVENT DOWNLOAD - Network Search Mode Change)	135
7.5.16	Browsing status event	135
7.5.16.1	Procedure	135
7.5.16.2	Structure of ENVELOPE (EVENT DOWNLOAD - Browsing status)	135
7.5.17	Frames Information changed event	136
7.5.17.1	Procedure	136
7.5.17.2	Structure of ENVELOPE (EVENT DOWNLOAD - Frames Information changed)	136
7.5.18	HCI connectivity event	137
7.5.18.1	Procedure	137
7.5.18.2	Structure of ENVELOPE (EVENT DOWNLOAD - HCI connectivity event)	137
7.5.19	Contactless state request	137
7.5.19.1	Procedure	137
7.5.19.2	Structure of ENVELOPE (EVENT DOWNLOAD - Contactless state request)	138
7.5.20	Profile Container	138
7.5.20.1	Procedure	138
7.5.20.2	Structure of ENVELOPE (EVENT DOWNLOAD - Profile Container)	139
7.5.21	Void	140
7.5.22	Poll Interval Negotiation	140
7.5.22.1	Procedure	140
7.5.22.2	Structure of ENVELOPE (EVENT DOWNLOAD - Poll Interval Negotiation)	141
7.6	MMS Transfer Status	141
7.6.1	Procedure	141
7.6.2	Structure of ENVELOPE (MMS Transfer Status)	142
7.7	MMS notification download	142
7.7.0	Introduction	142
7.7.1	Procedure	143
7.7.2	Structure of ENVELOPE (MMS notification download)	143
7.8	Terminal Applications	144
7.8.1	Description	144
7.8.2	Structure of ENVELOPE (TERMINAL APPLICATIONS)	144
7.9	Envelope Container	145