
Aplikacijski programski vmesnik za sistem upravljanja z energijo (EMS-API) - 457.
del: Dinamični profil (IEC 61970-457:2024)

Energy management system application program interface (EMS-API) - Part 457:
Dynamics profile (IEC 61970-457:2024)

Schnittstelle für Anwendungsprogramme für Netzführungssysteme (EMS-API) – Teil 457:
Dynamik-Profil (IEC 61970-457:2024)

Interface de programmation d'application pour système de gestion d'énergie (EMS-API) -
Partie 457: Profil de régimes dynamiques (IEC 61970-457:2024)

Ta slovenski standard je istoveten z: EN IEC 61970-457:2024

[SIST EN IEC 61970-457:2024](http://standards.slovenski-institut.si/standards/sist/iec/iec-61970-457-2024)

<http://standards.slovenski-institut.si/standards/sist/iec/iec-61970-457-2024>

ICS:

29.240.30	Krmilna oprema za elektroenergetske sisteme	Control equipment for electric power systems
35.200	Vmesniška in povezovalna oprema	Interface and interconnection equipment

SIST EN IEC 61970-457:2024**en**

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61970-457

March 2024

ICS 33.200

Supersedes EN IEC 61970-457:2021

English Version

**Energy management system application program interface
(EMS-API) - Part 457: Dynamics profile
(IEC 61970-457:2024)**

Interface de programmation d'application pour système de
gestion d'énergie (EMS-API) - Partie 457: Profil de régimes
dynamiques
(IEC 61970-457:2024)

Schnittstelle für Anwendungsprogramme für
Netzführungssysteme (EMS-API) - Teil 457: Dynamik-Profil
(IEC 61970-457:2024)

This European Standard was approved by CENELEC on 2024-03-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

<https://standards.iteh.ai>
[SIST EN IEC 61970-457:2024](https://standards.iteh.ai/catalog/standards/sist/4ebffe88-2a44-4128-a5a4-3794f561d7f7/sist-en-iec-61970-457-2024)

<https://standards.iteh.ai/catalog/standards/sist/4ebffe88-2a44-4128-a5a4-3794f561d7f7/sist-en-iec-61970-457-2024>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61970-457:2024 (E)**European foreword**

The text of document 57/2621/FDIS, future edition 2 of IEC 61970-457, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61970-457:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-12-15 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-03-15 document have to be withdrawn

This document supersedes EN IEC 61970-457:2021 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61970-457:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 61400-27-1:2020 NOTE Approved as EN IEC 61400-27-1:2020 (not modified)

IEC 61970-501:2006 NOTE Approved as EN 61970-501:2006 (not modified)

IEC 61970-552:2016 NOTE Approved as EN 61970-552:2016 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61970-301	2020	Energy management system application program interface (EMS-API) - Part 301: Common information model (CIM) base	EN IEC 61970-301	2020
+ AMD1	2022		+ A1	2022
IEC 61970-302	-	Energy management system application program interface (EMS-API) - Part 302: Common information model (CIM) dynamics	EN IEC 61970-302	-
IEC 61970-452	2021	Energy management system application program interface (EMS-API) - Part 452: CIM static transmission network model profiles	EN IEC 61970-452	2021
IEC 61970-456	2021	Energy management system application program interface (EMS-API) - Part 456: Solved power system state profiles	EN IEC 61970-456	2022

CIM UML Model for 61970-302 & 61970-457, available at <https://cimug.ucaiug.org>



IEC 61970-457

Edition 2.0 2024-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Energy management system application program interface (EMS-API) –
Part 457: Dynamics profile**

**Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) –
Partie 457: Profil de régimes dynamiques**

[SIST EN IEC 61970-457:2024](https://standards.iteh.ai/catalog/standards/sist/4ebffe88-2a44-4128-a5a4-3794f561d7f7/sist-en-iec-61970-457-2024)

<https://standards.iteh.ai/catalog/standards/sist/4ebffe88-2a44-4128-a5a4-3794f561d7f7/sist-en-iec-61970-457-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-5588-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	39
INTRODUCTION.....	42
1 Scope.....	43
2 Normative references	43
3 Terms and definitions	44
4 Profile specification	44
4.1 General.....	44
4.2 Version information.....	46
4.2.1 Dynamics profile.....	46
4.2.2 Detailed model configuration profile.....	46
4.2.3 Detailed model parameterisation profile.....	46
4.2.4 Simulation settings profile.....	47
4.2.5 Simulation results profile	47
4.3 Requirements and constraints.....	47
5 Overview	50
6 Use cases	51
6.1 General.....	51
6.2 Dynamic assessment studies	51
7 Architecture and usage.....	52
7.1 General.....	52
7.2 Dynamics profile	52
7.3 Detailed model configuration profile.....	56
7.4 Detailed model parameterisation profile	56
7.5 Simulation settings profile.....	56
7.6 Simulation results profile.....	56
7.7 Instance file (distribution) packaging and dependency	57
8 Dynamics profile.....	58
8.1 General.....	58
8.2 Package DynamicsBase.....	58
8.2.1 General	58
8.2.2 (Description) DCConverterUnit	59
8.2.3 (abstract) AsynchronousMachine	60
8.2.4 (abstract) ACDCTerminal.....	60
8.2.5 (abstract) Equipment	60
8.2.6 (abstract) PowerSystemResource	61
8.2.7 (abstract) PowerElectronicsConnection	61
8.2.8 (Description) DCLine	61
8.2.9 (abstract) RotatingMachine.....	62
8.2.10 (abstract) ConductingEquipment.....	62
8.2.11 (abstract) ACDCConverter	63
8.2.12 (abstract) DCEquipmentContainer	63
8.2.13 (abstract) EnergyConnection	63
8.2.14 (abstract) Terminal	64
8.2.15 (abstract) StaticVarCompensator	64
8.2.16 (abstract) VsConverter.....	64
8.2.17 (abstract) RegulatingCondEq.....	65

8.2.18	(abstract) IdentifiedObject root class	65
8.2.19	(abstract) ConnectivityNodeContainer.....	66
8.2.20	(abstract) ProtectionEquipment.....	66
8.2.21	(abstract) EquipmentContainer	66
8.2.22	(abstract) ShuntCompensator	67
8.2.23	(abstract) SynchronousMachine.....	67
8.2.24	(abstract) CsConverter	67
8.2.25	(Description) EnergyConsumer	68
8.3	Package StandardInterconnections	69
8.3.1	General	69
8.3.2	RemoteInputSignal	77
8.3.3	Package WindModels	78
8.4	Package StandardModels	85
8.4.1	General	85
8.4.2	(abstract) DynamicsFunctionBlock	86
8.4.3	(abstract) RotatingMachineDynamics.....	86
8.4.4	Package SynchronousMachineDynamics	87
8.4.5	Package AsynchronousMachineDynamics	115
8.4.6	Package TurbineGovernorDynamics	123
8.4.7	Package TurbineLoadControllerDynamics.....	245
8.4.8	Package MechanicalLoadDynamics	249
8.4.9	Package ExcitationSystemDynamics.....	252
8.4.10	Package OverexcitationLimiterDynamics	388
8.4.11	Package UnderexcitationLimiterDynamics	402
8.4.12	Package PowerSystemStabilizerDynamics.....	414
8.4.13	Package DiscontinuousExcitationControlDynamics	458
8.4.14	Package PFVArControllerType1Dynamics	463
8.4.15	Package PFVArControllerType2Dynamics	467
8.4.16	Package VoltageAdjusterDynamics.....	473
8.4.17	Package VoltageCompensatorDynamics.....	476
8.4.18	Package WindDynamics	481
8.4.19	Package WindDynamicsEd2	512
8.4.20	Package LoadDynamics.....	547
8.4.21	Package HVDCDynamics.....	565
8.4.22	Package RelayDynamics	567
8.4.23	Package StaticVarCompensatorDynamics	571
8.4.24	Package StatorCurrentLimiterDynamics.....	584
8.4.25	Package ShuntCompensatorDynamics	589
8.4.26	Package StatcomDynamics	591
8.4.27	Package WECCDynamics.....	594
8.4.28	Package IEEE1547Dynamics.....	634
8.5	Package UserDefinedModels	648
8.5.1	General	648
8.5.2	CSCUserDefined	649
8.5.3	SVCUserDefined	650
8.5.4	StatcomUserDefined.....	651
8.5.5	VSCUserDefined	651
8.5.6	WindPlantUserDefined.....	652
8.5.7	WindType1or2UserDefined	653

8.5.8	WindType3or4UserDefined	653
8.5.9	SynchronousMachineUserDefined	654
8.5.10	AsynchronousMachineUserDefined.....	655
8.5.11	TurbineGovernorUserDefined	656
8.5.12	TurbineLoadControllerUserDefined	657
8.5.13	MechanicalLoadUserDefined	658
8.5.14	ExcitationSystemUserDefined.....	658
8.5.15	OverexcitationLimiterUserDefined.....	659
8.5.16	UnderexcitationLimiterUserDefined.....	660
8.5.17	PowerSystemStabilizerUserDefined.....	660
8.5.18	DiscontinuousExcitationControlUserDefined	661
8.5.19	PFVArControllerType1UserDefined.....	662
8.5.20	VoltageAdjusterUserDefined.....	662
8.5.21	PFVArControllerType2UserDefined.....	663
8.5.22	VoltageCompensatorUserDefined	664
8.5.23	StatorCurrentLimiterUserDefined	664
8.5.24	ShuntCompensatorUserDefined.....	665
8.5.25	LoadUserDefined.....	666
8.5.26	HVDCInterconnectionUserDefined	666
8.5.27	RelayUserDefined.....	667
8.5.28	ProprietaryParameterDynamics root class	667
8.6	Package DynamicsDatatypes	669
8.6.1	General	669
8.6.2	CurrentFlow datatype	671
8.6.3	PerCent datatype.....	672
8.6.4	ReactivePower datatype	672
8.6.5	Susceptance datatype	672
8.6.6	Voltage datatype.....	672
8.6.7	ActivePower datatype	673
8.6.8	AngleDegrees datatype	673
8.6.9	ApparentPower datatype.....	673
8.6.10	Area datatype	674
8.6.11	Frequency datatype	674
8.6.12	Length datatype.....	674
8.6.13	PU datatype.....	674
8.6.14	Seconds datatype	675
8.6.15	Temperature datatype.....	675
8.6.16	VolumeFlowRate datatype	675
8.6.17	DateTime primitive.....	676
8.6.18	Float primitive.....	676
8.6.19	Boolean primitive	676
8.6.20	Date primitive	676
8.6.21	Integer primitive.....	676
8.6.22	String primitive	676
8.6.23	UnitSymbol enumeration.....	676
8.6.24	UnitMultiplier enumeration	681
8.6.25	SinglePhaseKind enumeration	682
8.6.26	OverExcitationLimiterInputKind enumeration.....	683
8.6.27	InputsST4CKind enumeration	683

8.6.28	InputsST6CKind enumeration	683
8.6.29	InputsST7CKind enumeration	684
8.6.30	VoellInputKind enumeration	684
8.6.31	VscllInputKind enumeration	684
8.6.32	VsInputKind enumeration	684
8.6.33	VuellInputKind enumeration	685
8.6.34	DroopSignalFeedbackKind enumeration	685
8.6.35	ExcIEEST1AUELselectorKind enumeration	685
8.6.36	ExcREXSFeedbackSignalKind enumeration	686
8.6.37	ExcST6BOELselectorKind enumeration	686
8.6.38	ExcST7BOELselectorKind enumeration	686
8.6.39	ExcST7BUELselectorKind enumeration	687
8.6.40	FrancisGovernorControlKind enumeration	687
8.6.41	GenericNonLinearLoadModelKind enumeration	688
8.6.42	GovHydro4ModelKind enumeration	688
8.6.43	lfdBaseKind enumeration	688
8.6.44	InputSignalKind enumeration	688
8.6.45	RemoteSignalKind enumeration	689
8.6.46	RotorKind enumeration	690
8.6.47	StaticLoadModelKind enumeration	690
8.6.48	SynchronousMachineModelKind enumeration	690
8.6.49	WindLookupTableFunctionKind enumeration	691
8.6.50	WindPlantQcontrolModeKind enumeration	693
8.6.51	WindQcontrolModeKind enumeration	693
8.6.52	WindUVRTQcontrolModeKind enumeration	693
8.6.53	WindPlantQcontrolModeKind2 enumeration	694
8.6.54	WindLookupTableFunctionKind2 enumeration	694
8.6.55	WindFRTQcontrolModeKind enumeration	695
8.6.56	WindQcontrolModeKind2 enumeration	696
9	Detailed Model Configuration Profile	696
9.1	General	696
9.2	DetailedModelTypeDynamics	697
9.3	(abstract) DetailedModelDescriptor	698
9.4	DetailedModelDescriptorArtifact	698
9.5	DetailedModelDocumentationArtifact	699
9.6	(abstract) DynamicsFunctionBlock	699
9.7	FunctionDescriptor	700
9.8	(abstract) IdentifiedObject root class	700
9.9	InputOutputDescriptor	701
9.10	LimiterDescriptor	701
9.11	OperatorDescriptor	702
9.12	ParameterDescriptor	703
9.13	SignalDescriptor	703
9.14	LogicalKind enumeration	704
9.15	EquationLanguageKind enumeration	704
9.16	OperatorDescriptorKind enumeration	705
9.17	ConstraintKind enumeration	705
9.18	ParameterKind enumeration	705
9.19	XSDDatatypeKind enumeration	706

9.20	Integer primitive	706
9.21	Float primitive	707
9.22	DateTime primitive	707
9.23	Date primitive	707
9.24	String primitive	707
9.25	Boolean primitive	707
10	Detailed Model Parameterisation Profile	707
10.1	General	707
10.2	Boolean primitive	708
10.3	(abstract) DetailedModelTypeDynamics	708
10.4	(abstract) DetailedModelDescriptor	709
10.5	(abstract) ACDCTerminal root class	709
10.6	(abstract) IdentifiedObject root class	709
10.7	ParameterValue root class	709
10.8	(abstract) PowerSystemResource	710
10.9	String primitive	710
10.10	(abstract) DynamicsFunctionBlock	710
10.11	(abstract) Equipment	711
10.12	(abstract) ParameterDescriptor	711
10.13	(Description) SignalDescriptor root class	711
10.14	DetailedModelDynamics	712
11	Simulation Settings Profile	712
11.1	General	712
11.2	(abstract) ACLineSegment root class	715
11.3	(abstract) Terminal	716
11.4	(abstract) Equipment root class	716
11.5	EquipmentFault	716
11.6	(abstract) Fault	717
11.7	FaultCauseType	718
11.8	LineFault	718
11.9	(abstract) ACDCTerminal	719
11.10	ClearSimulationEvent	719
11.11	(abstract) DetailedModelDescriptor	719
11.12	(abstract) DynamicsFunctionBlock	720
11.13	(abstract) IdentifiedObject root class	720
11.14	ParameterEvent	721
11.15	PowerFlowSettings	722
11.16	SignalConfiguration	724
11.17	(abstract) SignalDescriptor	724
11.18	SignalRecorder	724
11.19	SimulationEvents	725
11.20	SimulationSettings	725
11.21	FaultImpedance compound	726
11.22	UnitSymbol enumeration	727
11.23	UnitMultiplier enumeration	732
11.24	PhaseCode enumeration	733
11.25	PhaseConnectedFaultKind enumeration	734
11.26	ParameterChangeKind enumeration	734
11.27	PowerFlowAlgorithmKind enumeration	735

11.28	PowerShiftKind enumeration	735
11.29	SlackDistributionKind enumeration	735
11.30	SignalKind enumeration	736
11.31	Length datatype	736
11.32	PU datatype	736
11.33	Reactance datatype	737
11.34	AngleDegrees datatype	737
11.35	ActivePower datatype	737
11.36	ReactivePower datatype	738
11.37	Seconds datatype	738
11.38	Resistance datatype	738
11.39	Float primitive	738
11.40	Boolean primitive	738
11.41	DateTime primitive	739
11.42	Date primitive	739
11.43	Duration primitive	739
11.44	Integer primitive	739
11.45	String primitive	739
12	Simulation Results Profile	739
12.1	General	739
12.2	(abstract) Curve	740
12.3	CurveData root class	741
12.4	(abstract) IdentifiedObject root class	741
12.5	(abstract) SignalConfiguration	742
12.6	(abstract) SignalRecorder	742
12.7	(abstract) SimulationEvents	742
12.8	SimulationResult	742
12.9	SimulationResultCharacteristic	743
12.10	(abstract) SimulationSettings	744
12.11	CurveStyle enumeration	744
12.12	UnitMultiplier enumeration	744
12.13	UnitSymbol enumeration	745
12.14	Float primitive	751
12.15	String primitive	751
12.16	IRI primitive	751
Annex A (normative)	Implementation clarifications related to the models inherited from RotatingMachineDynamics class	752
Annex B (informative)	Examples using IEC 61970-552 serialisation (instance data, i.e., non executable code, not a code component)	754
B.1	Overview	754
B.2	Standard models	754
B.3	User-defined models	760
B.4	Detailed model configuration	767
B.5	Detailed model parameterisation	771
B.6	Simulation settings	772
B.7	Simulation results	775
Bibliography	777

Figure 1 – Interconnection diagram for a synchronous machine 53

Figure 2 – Standard connections for a synchronous machine	54
Figure 3 – SynchronousMachineDynamics association	55
Figure 4 – Profile relationships	55
Figure 5 – Instance file dependency.....	57
Figure 6 – Class diagram DynamicsBase::DynamicsBase	59
Figure 7 – StandardInterconnectionSynchronousMachine	69
Figure 8 – StandardInterconnectionSynchronousGeneratorCrossCompound	70
Figure 9 – StandardInterconnectionAsynchronousMachine	71
Figure 10 – StandardInterconnectionSingleLoad	72
Figure 11 – Class diagram StandardInterconnections:: StandardSynchronousMachineInterconnection	73
Figure 12 – Class diagram StandardInterconnections:: StandardAsynchronousMachineInterconnection	74
Figure 13 – Class diagram StandardInterconnections::StandardLoadInterconnection	75
Figure 14 – Class diagram StandardInterconnections::StandardHVDCInterconnection	76
Figure 15 – Class diagram StandardInterconnections:: StandardStaticVarCompensatorInterconnection	76
Figure 16 – Class diagram StandardInterconnections:: StandardShuntCompensatorInterconnection	77
Figure 17 – StandardInterconnectionWindTurbineType1Aand1B	79
Figure 18 – StandardInterconnectionWindTurbineType2	80
Figure 19 – StandardInterconnectionWindTurbineType3	81
Figure 20 – StandardInterconnectionWindTurbineType4Aand4B	82
Figure 21 – Class diagram WindModels::StandardWindType1and2Interconnection	83
Figure 22 – Class diagram WindModels::StandardWindType3and4Interconnection	84
Figure 23 – Class diagram SynchronousMachineDynamics:: SynchronousMachineDynamics.....	88
Figure 24 – SynchronousGeneratorInterconnectionAndVariables	89
Figure 25 – SynchronousMotorInterconnectionAndVariables	90
Figure 26 – SynchronousMachineSaturationParameters	91
Figure 27 – SynchronousGeneratorMechanicalEquation	92
Figure 28 – SynchronousMotorMechanicalEquation	93
Figure 29 – SynchronousGeneratorPhasor.....	94
Figure 30 – SynchronousMotorPhasor	95
Figure 31 – Simplified	96
Figure 32 – SubtransientRoundRotor	100
Figure 33 – SubtransientSalientPole	101
Figure 34 – SubtransientTypeF	102
Figure 35 – SubtransientTypeJ	103
Figure 36 – SubtransientRoundRotorSimplified	104
Figure 37 – SubtransientSalientPoleSimplified	106
Figure 38 – SubtransientRoundRotorSimplifiedDirectAxis	108
Figure 39 – SubtransientSalientPoleSimplifiedDirectAxis	110
Figure 40 – SynchronousEquivalentCircuit.....	114
Figure 41 – AsynchronousGeneratorInterconnectionAndVariables	116