

# ETSI TS 129 244 V18.9.0 (2025-03)



**LTE;  
5G;**  
**Interface between the Control Plane and the User Plane nodes  
(3GPP TS 29.244 version 18.9.0 Release 18)**

[ETSI TS 129 244 V18.9.0 \(2025-03\)](https://standards.iteh.ai/catalog/standards/etsi/af88f861-e228-452e-aa53-6c883c3f34a8/etsi-ts-129-244-v18-9-0-2025-03)

<https://standards.iteh.ai/catalog/standards/etsi/af88f861-e228-452e-aa53-6c883c3f34a8/etsi-ts-129-244-v18-9-0-2025-03>



---

**Reference**RTS/TSGC-0429244vi90

---

**Keywords**5G,LTE

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from the  
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

---

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. <https://standards.iteh.ai/catalog/standards/etsi/af88f861-e228-452e-aa53-6c883c3f34a8/etsi-ts-129-244-v18-9-0-2025-03>

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	17
1 Scope .....	19
2 References .....	19
3 Definitions, symbols and abbreviations .....	22
3.1 Definitions .....	22
3.2 Abbreviations .....	23
4 Protocol Stack .....	25
4.1 Introduction .....	25
4.2 UDP Header and Port Numbers .....	26
4.2.1 General.....	26
4.2.2 Request Message .....	26
4.2.3 Response Message .....	26
4.3 IP Header and IP Addresses .....	26
4.3.1 General.....	26
4.3.2 Request Message .....	26
4.3.3 Response Message.....	27
4.4 Layer 2 .....	27
4.5 Layer 1 .....	27
5 General description.....	27
5.1 Introduction .....	27
5.2 Packet Forwarding Model .....	27
5.2.1 General.....	27
5.2.1A Packet Detection Rule Handling.....	30
5.2.1A.1 General .....	30
5.2.1A.2 PDI Optimization .....	31
5.2.1A.2A Provisioning of SDF filters .....	31
5.2.1A.3 Bidirectional SDF Filters .....	32
5.2.1A.4 Application detection with PFD.....	32
5.2.2 Usage Reporting Rule Handling .....	32
5.2.2.1 General .....	32
5.2.2.2 Provisioning of Usage Reporting Rule in the UP function .....	33
5.2.2.2.1 General .....	33
5.2.2.2.2 Credit pooling (for EPC) .....	37
5.2.2.3 Reporting of Usage Report to the CP function.....	38
5.2.2.3.1 General .....	38
5.2.2.3.2 Credit pooling.....	42
5.2.2.3.3 Traffic Usage Reporting with Redundant Transmission .....	43
5.2.2.4 Reporting of Linked Usage Reports to the CP function.....	43
5.2.2.5 End Marker Reception Reporting .....	43
5.2.3 Forwarding Action Rule Handling.....	44
5.2.3.1 General .....	44
5.2.4 Buffering Action Rule Handling.....	46
5.2.4.1 General .....	46
5.2.4.2 Provisioning of Buffering Action Rule in the UP function .....	46
5.2.4.3 Applying DL Buffering Duration in the CP function.....	47
5.2.5 QoS Enforcement Rule Handling .....	47
5.2.5.1 General .....	47
5.2.5.2 Provisioning of QoS Enforcement Rule in the UP function.....	47
5.2.5.3 Reflective QoS (for 5GC) .....	48
5.2.6 Combined SGW/PGW Architecture .....	48

5.2.7	Multi-Access Rule Handling (for 5GC).....	48
5.2.7.1	General.....	48
5.2.8	Session Reporting Rule Handling.....	50
5.2.8.1	General.....	50
5.2.8.2	Provisioning of Session Reporting Rule in the UP function.....	50
5.2.8.2.1	General.....	50
5.2.8.3	Reporting of Session Report to the CP function.....	50
5.2.8.3.1	General.....	50
5.2.9	Handling of Rules that cannot be activated.....	50
5.3	Data Forwarding between the CP and UP Functions.....	51
5.3.1	General.....	51
5.3.2	Sending of End Marker Packets.....	52
5.3.3	Forwarding of Packets Subject to Buffering in the CP Function.....	52
5.3.3.1	General.....	52
5.3.3.2	Forwarding of Packets from the UP Function to the CP Function.....	53
5.3.3.3	Forwarding of Packets from the CP Function to the UP Function.....	53
5.3.4	Data Forwarding between the CP and UP Functions with one PFCP-u Tunnel per UP Function or PDN.....	54
5.3.4.1	General.....	54
5.3.4.2	Forwarding of Packets from the UP Function to the CP Function.....	54
5.3.4.3	Forwarding of Packets from the CP Function to the UP Function.....	54
5.3.5	Forwarding of user data using Control Plane ClIoT 5GS Optimisation (for 5GC).....	55
5.3.5.1	General.....	55
5.3.5.2	Forwarding of Packets from the UP Function to the CP Function.....	55
5.3.5.3	Forwarding of Packets from the CP Function to the UP Function.....	55
5.4	Policy and Charging Control.....	55
5.4.1	General.....	55
5.4.2	Service Detection and Bearer/QoS Flow Binding.....	56
5.4.3	Gating Control.....	56
5.4.4	QoS Control.....	57
5.4.5	DL Flow Level Marking for Application Detection.....	58
5.4.6	Usage Monitoring.....	58
5.4.7	Traffic Redirection.....	58
5.4.8	Traffic Steering.....	59
5.4.9	Provisioning of Predefined PCC/ADC Rules.....	60
5.4.10	Charging.....	61
5.4.11	(Un)solicited Application Reporting.....	62
5.4.12	Service Identification for Improved Radio Utilisation for GERAN.....	63
5.4.13	Transport Level Marking.....	63
5.4.14	Deferred PDR activation and deactivation.....	63
5.4.15	Packet Rate enforcement.....	64
5.4.15.1	General.....	64
5.4.15.2	Packet rate enforcement over Sxb and N4 interfaces.....	65
5.4.15.3	PGW and SMF behaviour.....	65
5.4.16	QoS differentiation for Stand-alone Non-Public Network (SNPN).....	66
5.4.16.1	General.....	66
5.4.16.2	Access to PLMN services via SNPN.....	66
5.4.16.3	Access to SNPN services via PLMN.....	67
5.4.17	QoS differentiation for UEs behind RG.....	67
5.5	F-TEID Allocation and Release.....	67
5.5.1	General.....	67
5.5.2	Void.....	67
5.5.3	F-TEID allocation in the UP function.....	67
5.6	PFCP Session Handling.....	68
5.6.1	General.....	68
5.6.2	Session Endpoint Identifier Handling.....	68
5.6.3	Modifying the Rules of an Existing PFCP Session.....	68
5.7	Support of Lawful Interception.....	69
5.7.1	General.....	69
5.7.2	Lawful Interception in EPC.....	69
5.7.3	Lawful Interception in 5GC.....	69
5.8	PFCP Association.....	69

5.8.1	General.....	69
5.8.2	Behaviour with an Established PFCP Association.....	70
5.8.3	Behaviour without an Established PFCP Association .....	71
5.9	Usage of Vendor-specific IE .....	71
5.10	Error Indication Handling .....	71
5.10A	User Plane Path Failure or Recovery Handling.....	72
5.11	User plane inactivity detection and reporting.....	72
5.11.1	General.....	72
5.11.2	User plane inactivity detection and reporting per PDN connection or PDU session .....	72
5.11.3	User plane inactivity detection and reporting per PDR .....	73
5.12	Suspend and Resume Notification procedures .....	73
5.13	Ethernet traffic (for 5GC).....	73
5.13.1	General.....	73
5.13.2	Address Resolution Protocol or IPv6 Neighbour Solicitation Response by SMF .....	74
5.13.3	Address Resolution Protocol or IPv6 Neighbour Solicitation Response by UPF .....	75
5.13.3A	Provisioning of MAC addresses and SDF filters in Ethernet Packet Filters .....	75
5.13.4	Bidirectional Ethernet Filters.....	75
5.13.5	Reporting of UE MAC addresses to the SMF.....	76
5.13.6	Ethernet PDU session anchor relocation.....	76
5.14	Support IPv6 Prefix Delegation.....	77
5.15	Signalling based Trace (De)Activation .....	77
5.15A	UE level measurement (De)Activation.....	77
5.15A.1	General.....	77
5.15A.2	UE level measurement only (De)Activation .....	78
5.15A.3	Signalling based Trace and UE level measurement (De)Activation.....	78
5.16	Framed Routing.....	79
5.17	5G UPF (for 5GC).....	79
5.17.1	Introduction.....	79
5.17.2	Uplink Classifier and Branching Point .....	79
5.17.3	Data forwarding during handovers between 5GS and EPS.....	80
5.18	Enhanced PFCP Association Release.....	80
5.18.1	General.....	80
5.18.2	UP Function Initiated PFCP Session Release .....	81
5.19	Activation and Deactivation of Pre-defined PDRs .....	81
5.20	Support of Access Traffic Steering, Switching and Splitting (ATSSS) for 5GC .....	82
5.20.1	General.....	82
5.20.2	MPTCP functionality.....	83
5.20.2.1	General .....	83
5.20.2.2	Activate MPTCP functionality and Exchange MPTCP Parameters.....	84
5.20.2.3	Control of Multipath TCP Connection Establishment by MPTCP Proxy .....	84
5.20.2.4	Traffic Steering and IP Translation by MPTCP Proxy .....	84
5.20.2A	MPQUIC functionality .....	85
5.20.2A.1	General .....	85
5.20.2A.2	Activate MPQUIC functionality and Exchange MPQUIC Parameters.....	85
5.20.2A.3	Control of Multipath QUIC Connection Establishment by MPQUIC Proxy .....	85
5.20.2A.4	Traffic Steering and IP Translation by MPQUIC Proxy .....	86
5.20.3	ATSSS-LL functionality.....	86
5.20.3.1	Activate ATSSS-LL functionality and Exchange ATSSS-LL Parameters.....	86
5.20.4	Handling of GBR traffic of a MA PDU session .....	87
5.20.4.1	General .....	87
5.20.4.2	Access Availability Reporting .....	87
5.20.5	Access type of an MA PDU session becoming (un)available.....	87
5.20.6	PMFP message handling in UPF .....	88
5.21	UE IP address/prefix Allocation and Release.....	89
5.21.1	General.....	89
5.21.2	UE IP address/prefix allocation in the CP function .....	89
5.21.2.1	General .....	89
5.21.2.2	UE IP Address/prefix allocation using DHCP or AAA server.....	89
5.21.3	UE IP address/prefix allocation in the UP function .....	90
5.21.3.1	General .....	90
5.21.3.2	Reporting UE IP Address Usage to the CP function.....	91
5.22	PFCP sessions successively controlled by different SMFs of an SMF set (for 5GC) .....	91

5.22.1	General.....	91
5.22.2	With one PFCP association per SMF Set and UPF.....	92
5.22.3	With one PFCP association per SMF and UPF.....	93
5.22.4	Restoration of PFCP Sessions associated with an FQ-CSID, Group ID or PGW-C/SMF IP Address .....	95
5.23	5G VN Group Communication (for 5GC).....	95
5.23.1	General.....	95
5.23.2	5G VN group communication without N6-based forwarding.....	96
5.24	Support of Ultra Reliable Low Latency Communication for 5GC.....	97
5.24.1	General.....	97
5.24.2	Redundant Transmission on N3/N9 interfaces .....	97
5.24.2.1	General .....	97
5.24.2.2	GTP-U tunnel setup for redundant transmission .....	97
5.24.2.3	Duplicating downlink packets for redundant transmission .....	98
5.24.2.4	Eliminating duplicated uplink packets .....	98
5.24.3	Redundant Transmission at transport layer.....	98
5.24.4	Per QoS Flow Per UE QoS Monitoring .....	99
5.24.4.1	General .....	99
5.24.4.2	QoS Monitoring Control .....	99
5.24.4.3	QoS Monitoring Reporting .....	99
5.24.5	Per GTP-U Path QoS Monitoring .....	100
5.24.5.1	General .....	100
5.24.5.2	GTP-U path monitoring .....	100
5.24.5.3	QoS monitoring of a PDU session based on GTP-U path monitoring .....	101
5.24.5.4	QoS Monitoring Reporting .....	101
5.25	Support of IPTV (for 5GC) .....	101
5.26	Support of Time Sensitive Communication, Time Synchronization, 5GS integration with TSN and Deterministic Networking (for 5GC) .....	103
5.26.1	General.....	103
5.26.2	5GS User Plane Node management.....	103
5.26.3	Transfer of 5GS user plane node and port management information .....	104
5.26.3.1	General .....	104
5.26.3.2	Direct Reporting of TSC management information event to TSN AF or TSCTSF.....	104
5.26.4	Reporting clock drift between External and 5GS times from UPF to SMF.....	105
5.26A	Support of TSN enabled Transport Network.....	105
5.26A.1	General.....	105
5.27	Inter-PLMN User Plane Security .....	106
5.28	Downlink data delivery status with UPF buffering (for 5GC) .....	106
5.28.1	General.....	106
5.29	Support Reliable Data Service.....	107
5.30	Notifying Start Pause of Charging .....	107
5.31	Support of L2TP.....	109
5.31.1	General.....	109
5.31.2	L2TP Tunnel and L2TP Session Setup.....	109
5.31.3	L2TP Session and L2TP Tunnel Release.....	110
5.32	Support of Uplink packets buffering .....	110
5.32.1	General.....	110
5.32.2	Uplink packets buffering for on-line charging .....	110
5.32.3	Uplink packets buffering during EAS relocation.....	111
5.33	Support of enhancement of Edge Computing (for 5GC).....	111
5.33.1	General.....	111
5.33.2	Uplink packet buffering for low packet loss during EAS relocation .....	111
5.33.3	Edge Relocation using EAS IP address and Port number Replacement .....	111
5.33.4	EAS Discovery procedure with Local DNS Server/Resolver.....	111
5.33.5	Direct Reporting of QoS monitoring events to Local NEF or AF .....	112
5.33.6	EAS Discovery procedure with V-EASDF.....	112
5.33.7	DNS traffic routing for different UEs with same private UE IP address .....	112
5.34	Support of 5G Multicast and Broadcast Service.....	113
5.34.1	General.....	113
5.34.2	N4mb requirements.....	113
5.34.2.1	General .....	113
5.34.2.1A	PFCP protocol extensions for N4mb.....	113
5.34.2.2	Instructing the MB-UPF to forward MBS data using multicast and/or unicast transport .....	114

5.34.2.3	Detecting and reporting user plane (in)activity of an MBS session .....	116
5.34.2.4	Activation and Deactivation of a Multicast MBS session .....	116
5.34.2.5	MBS data usage reporting for MBS charging .....	116
5.34.3	N4 requirements .....	117
5.34.3.1	General .....	117
5.34.3.2	Instructing the UPF to forward (or stop forwarding) multicast MBS data to associated PDU sessions .....	117
5.34.3.3	Instructing a combined UPF/MBS-UPF to forward multicast MBS data to associated PDU sessions .....	120
5.34.3.4	MBS data usage reporting for MBS charging .....	120
5.35	Support of Per Slice UP Resource Allocation and Usage Reporting by the UP Function .....	121
5.35.1	General .....	121
5.36	Paging Policy Indicator Provisioning .....	121
5.36.1	General .....	121
5.36.2	Enhanced Paging Policy Indicator Provisioning .....	122
5.37	Traffic Parameters Measurement per QoS flow .....	122
5.37.1	General .....	122
5.37.2	Traffic Parameter Measurement Control .....	122
5.37.3	Traffic Parameter Measurement Report .....	123
5.38	Support for high data rate low latency services, (eXtended Reality) XR and interactive media services .....	123
5.38.0	General .....	123
5.38.1	Support of ECN marking for L4S .....	123
5.38.2	Support of Network Exposure of 5GS information .....	124
5.38.3	Support of PDU Set based QoS Handling .....	124
5.38.4	N6 Jitter Measurement and End of Data Burst Marking .....	126
5.38.4.1	General .....	126
5.38.4.2	N6 Jitter and UL/DL Periodicity Measurement Control .....	126
5.38.4.3	N6 Jitter and UL/DL Periodicity Measurement Report .....	126
5.38.4.4	End of Data Burst Marking .....	126
5.39	QoS flow related QoS monitoring and reporting .....	127
5.39.1	General .....	127
5.39.2	QoS Monitoring Control .....	127
5.39.3	Measurable QoS parameters and specific requirements for their measurement .....	128
5.39.3.1	General .....	128
5.39.3.2	Packet delay monitoring .....	128
5.39.3.3	Congestion information monitoring .....	128
5.39.3.4	Data rate monitoring .....	129
5.39.4	QoS Monitoring Reporting .....	129
5.40	Support of UPF event subscription via Service Based Interface (for 5GC) .....	130
6	Procedures .....	130
6.1	Introduction .....	130
6.2	PFCP Node Related Procedures .....	130
6.2.1	General .....	130
6.2.2	Heartbeat Procedure .....	130
6.2.2.1	General .....	130
6.2.2.2	Heartbeat Request .....	130
6.2.2.3	Heartbeat Response .....	131
6.2.3	Load Control Procedure .....	131
6.2.3.1	General .....	131
6.2.3.2	Principles .....	131
6.2.3.3	Load Control Information .....	131
6.2.3.3.1	General Description .....	131
6.2.3.3.2	Parameters .....	132
6.2.3.3.3	Frequency of Inclusion .....	133
6.2.4	Overload Control Procedure .....	133
6.2.4.1	General .....	133
6.2.4.2	Principles .....	134
6.2.4.3	Overload Control Information .....	134
6.2.4.3.1	General Description .....	134
6.2.4.3.2	Parameters .....	135
6.2.4.3.3	Frequency of Inclusion .....	136

6.2.4.4	Message Throttling.....	137
6.2.4.4.1	General .....	137
6.2.4.4.2	Throttling algorithm – "Loss".....	137
6.2.4.5	Message Prioritization.....	138
6.2.4.5.1	Description .....	138
6.2.4.5.2	Based on the Message Priority Signalled in the PFCP Message .....	138
6.2.5	PFCP PFD Management Procedure.....	138
6.2.5.1	General .....	138
6.2.5.2	CP Function Behaviour .....	139
6.2.5.3	UP Function Behaviour.....	139
6.2.6	PFCP Association Setup Procedure .....	139
6.2.6.1	General .....	139
6.2.6.2	PFCP Association Setup Initiated by the CP Function .....	140
6.2.6.2.1	CP Function Behaviour .....	140
6.2.6.2.2	UP Function behaviour.....	140
6.2.6.3	PFCP Association Setup Initiated by the UP Function .....	141
6.2.6.3.1	UP Function Behaviour .....	141
6.2.6.3.2	CP Function Behaviour .....	141
6.2.7	PFCP Association Update Procedure.....	142
6.2.7.1	General .....	142
6.2.7.2	PFCP Association Update Procedure Initiated by the CP Function .....	142
6.2.7.2.1	CP Function Behaviour .....	142
6.2.7.2.2	UP Function Behaviour .....	142
6.2.7.3	PFCP Association Update Procedure Initiated by UP Function.....	142
6.2.7.3.1	UP Function Behaviour .....	142
6.2.7.3.2	CP Function Behaviour .....	143
6.2.8	PFCP Association Release Procedure.....	143
6.2.8.1	General .....	143
6.2.8.2	CP Function Behaviour .....	143
6.2.8.3	UP Function behaviour .....	144
6.2.9	PFCP Node Report Procedure .....	144
6.2.9.1	General .....	144
6.2.9.2	UP Function Behaviour.....	144
6.2.9.3	CP Function behaviour.....	144
6.3	PFCP Session Related Procedures.....	144
6.3.1	General.....	144
6.3.2	PFCP Session Establishment Procedure .....	145
6.3.2.1	General .....	145
6.3.2.2	CP Function Behaviour .....	145
6.3.2.3	UP Function Behaviour.....	145
6.3.3	PFCP Session Modification Procedure .....	145
6.3.3.1	General .....	145
6.3.3.2	CP Function behaviour.....	145
6.3.3.3	UP Function Behaviour.....	146
6.3.4	PFCP Session Deletion Procedure .....	146
6.3.4.1	General .....	146
6.3.4.2	CP Function Behaviour .....	146
6.3.4.3	UP Function Behaviour.....	146
6.3.5	PFCP Session Report Procedure.....	147
6.3.5.1	General .....	147
6.3.5.2	UP Function Behaviour.....	147
6.3.5.3	CP Function Behaviour .....	147
6.4	Reliable Delivery of PFCP Messages.....	147
6.5	PFCP messages bundling .....	148
7	Messages and Message Formats.....	148
7.1	Transmission Order and Bit Definitions.....	148
7.2	Message Format .....	149
7.2.1	General.....	149
7.2.1A	PFCP messages bundled in one UDP/IP packet .....	149
7.2.2	Message Header.....	149
7.2.2.1	General Format .....	149

7.2.2.2	PFCP Header for Node Related Messages .....	150
7.2.2.3	PFCP Header for Session Related Messages .....	150
7.2.2.4	Usage of the PFCP Header.....	151
7.2.2.4.1	General .....	151
7.2.2.4.2	Conditions for Sending SEID=0 in PFCP Header .....	152
7.2.3	Information Elements .....	152
7.2.3.1	General .....	152
7.2.3.2	Presence Requirements of Information Elements .....	152
7.2.3.3	Grouped Information Elements.....	153
7.2.3.4	Information Element Type .....	154
7.3	Message Types .....	154
7.4	PFCP Node Related Messages .....	155
7.4.1	General.....	155
7.4.2	Heartbeat Messages .....	155
7.4.2.1	Heartbeat Request .....	155
7.4.2.2	Heartbeat Response.....	155
7.4.3	PFCP PFD Management.....	155
7.4.3.1	PFCP PFD Management Request .....	155
7.4.3.2	PFCP PFD Management Response.....	156
7.4.4	PFCP Association messages .....	157
7.4.4.1	PFCP Association Setup Request.....	157
7.4.4.1.1	General .....	157
7.4.4.1.2	Clock Drift Control Information IE within PFCP Association Setup Request.....	159
7.4.4.1.3	GTP-U Path QoS Control Information IE within PFCP Association Setup Request .....	160
7.4.4.2	PFCP Association Setup Response .....	162
7.4.4.3	PFCP Association Update Request .....	165
7.4.4.3.1	UE IP Address Usage Information IE within PFCP Association Update Request .....	167
7.4.4.4	PFCP Association Update Response.....	169
7.4.4.5	PFCP Association Release Request .....	169
7.4.4.6	PFCP Association Release Response.....	169
7.4.4.7	PFCP Version Not Supported Response .....	169
7.4.5	PFCP Node Report Procedure .....	170
7.4.5.1	PFCP Node Report Request .....	170
7.4.5.1.1	General .....	170
7.4.5.1.2	User Plane Path Failure Report IE within PFCP Node Report Request .....	170
7.4.5.1.3	User Plane Path Recovery Report IE within PFCP Node Report Request .....	171
7.4.5.1.4	Clock Drift Report IE within PFCP Node Report Request.....	171
7.4.5.1.5	GTP-U Path QoS Report IE within PFCP Node Report Request.....	171
7.4.5.1.6	QoS Information in GTP-U Path QoS Report IE .....	172
7.4.5.1.7	Peer UP Restart Report IE within PFCP Node Report Request .....	172
7.4.5.2	PFCP Node Report Response.....	172
7.4.5.2.1	General .....	172
7.4.6	PFCP Session Set Deletion .....	173
7.4.6.1	PFCP Session Set Deletion Request.....	173
7.4.6.2	PFCP Session Set Deletion Response .....	173
7.4.7	PFCP Session Set Modification .....	174
7.4.7.1	PFCP Session Set Modification Request.....	174
7.4.7.2	PFCP Session Set Modification Response .....	175
7.5	PFCP Session Related Messages.....	176
7.5.1	General.....	176
7.5.2	PFCP Session Establishment Request.....	176
7.5.2.1	General .....	176
7.5.2.2	Create PDR IE within PFCP Session Establishment Request.....	183
7.5.2.3	Create FAR IE within PFCP Session Establishment Request.....	192
7.5.2.4	Create URR IE within PFCP Session Establishment Request .....	198
7.5.2.5	Create QER IE within PFCP Session Establishment Request.....	203
7.5.2.6	Create BAR IE within PFCP Session Establishment Request .....	207
7.5.2.7	Create Traffic Endpoint IE within PFCP Session Establishment Request.....	208
7.5.2.8	Create MAR IE within PFCP Session Establishment Request.....	211
7.5.2.9	Create SRR IE within PFCP Session Establishment Request .....	213
7.5.2.10	Provide ATSSS Control Information IE within PFCP Session Establishment Request.....	217
7.5.2.11	Provide RDS Configuration Information IE within PFCP Session Establishment Request.....	218

7.5.3	PFCP Session Establishment Response .....	218
7.5.3.1	General .....	218
7.5.3.2	Created PDR IE within PFCP Session Establishment Response .....	221
7.5.3.3	Load Control Information IE within PFCP Session Establishment Response .....	222
7.5.3.4	Overload Control Information IE within PFCP Session Establishment Response .....	222
7.5.3.5	Created Traffic Endpoint IE within PFCP Session Establishment Response .....	223
7.5.3.6	Created Bridge/Router Info IE within PFCP Session Establishment Response .....	223
7.5.3.7	ATSSS Control Parameters IE within PFCP Session Establishment Response .....	223
7.5.3.8	Void .....	225
7.5.4	PFCP Session Modification Request .....	225
7.5.4.1	General .....	225
7.5.4.2	Update PDR IE within PFCP Session Modification Request .....	231
7.5.4.3	Update FAR IE within PFCP Session Modification Request .....	232
7.5.4.4	Update URR IE within PFCP Session Modification Request .....	235
7.5.4.5	Update QER IE within PFCP Session Modification Request .....	239
7.5.4.6	Remove PDR IE within PFCP Session Modification Request .....	242
7.5.4.7	Remove FAR IE within PFCP Session Modification Request .....	243
7.5.4.8	Remove URR IE within PFCP Session Modification Request .....	243
7.5.4.9	Remove QER IE PFCP Session Modification Request .....	243
7.5.4.10	Query URR IE within PFCP Session Modification Request .....	243
7.5.4.11	Update BAR IE within PFCP Session Modification Request .....	244
7.5.4.12	Remove BAR IE within PFCP Session Modification Request .....	244
7.5.4.13	Update Traffic Endpoint IE within PFCP Session Modification Request .....	245
7.5.4.14	Remove Traffic Endpoint IE within PFCP Session Modification Request .....	247
7.5.4.15	Remove MAR IE within PFCP Session Modification Request .....	247
7.5.4.16	Update MAR IE within PFCP Session Modification Request .....	247
7.5.4.17	Create PDR/FAR/URR/QER/BAR/MAR IEs within PFCP Session Modification Request .....	249
7.5.4.18	TSC Management Information IE within PFCP Session Modification Request .....	249
7.5.4.19	Remove SRR IE within PFCP Session Modification Request .....	249
7.5.4.20	Update SRR IE within PFCP Session Modification Request .....	250
7.5.4.21	Ethernet Context Information within PFCP Session Modification Request .....	250
7.5.4.22	Query Packet Rate Status IE within PFCP Session Modification Request .....	251
7.5.5	PFCP Session Modification Response .....	251
7.5.5.1	General .....	251
7.5.5.2	Usage Report IE within PFCP Session Modification Response .....	254
7.5.5.3	TSC Management Information IE within PFCP Session Modification Response .....	255
7.5.5.4	Packet Rate Status Report IE within PFCP Session Modification Response .....	255
7.5.5.5	Updated PDR IE within PFCP Session Modification Response .....	255
7.5.6	PFCP Session Deletion Request .....	256
7.5.7	PFCP Session Deletion Response .....	256
7.5.7.1	General .....	256
7.5.7.2	Usage Report IE within PFCP Session Deletion Response .....	258
7.5.8	PFCP Session Report Request .....	258
7.5.8.1	General .....	258
7.5.8.2	Downlink Data Report IE within PFCP Session Report Request .....	260
7.5.8.3	Usage Report IE within PFCP Session Report Request .....	261
7.5.8.4	Error Indication Report IE within PFCP Session Report Request .....	264
7.5.8.5	TSC Management Information IE within PFCP Session Report Request .....	264
7.5.8.6	Session Report IE within PFCP Session Report Request .....	265
7.5.9	PFCP Session Report Response .....	266
7.5.9.1	General .....	266
7.5.9.2	Update BAR IE within PFCP Session Report Response .....	268
7.6	Error Handling .....	269
7.6.1	Protocol Errors .....	269
7.6.2	Different PFCP Versions .....	269
7.6.3	PFCP Message of Invalid Length .....	269
7.6.4	Unknown PFCP Message .....	269
7.6.5	Unexpected PFCP Message .....	269
7.6.6	Missing Information Elements .....	270
7.6.7	Invalid Length Information Element .....	270
7.6.8	Semantically incorrect Information Element .....	270
7.6.9	Unknown or unexpected Information Element .....	271

7.6.10	Repeated Information Elements.....	271
8	Information Elements.....	271
8.1	Information Elements Format.....	271
8.1.1	Information Element Format.....	271
8.1.2	Information Element Types.....	272
8.2	Information Elements.....	281
8.2.1	Cause.....	281
8.2.2	Source Interface.....	283
8.2.3	F-TEID.....	284
8.2.4	Network Instance.....	285
8.2.5	SDF Filter.....	285
8.2.6	Application ID.....	286
8.2.7	Gate Status.....	287
8.2.8	MBR.....	287
8.2.9	GBR.....	288
8.2.10	QER Correlation ID.....	288
8.2.11	Precedence.....	288
8.2.12	Transport Level Marking.....	289
8.2.13	Volume Threshold.....	289
8.2.14	Time Threshold.....	290
8.2.15	Monitoring Time.....	290
8.2.16	Subsequent Volume Threshold.....	290
8.2.17	Subsequent Time Threshold.....	291
8.2.18	Inactivity Detection Time.....	291
8.2.19	Reporting Triggers.....	291
8.2.20	Redirect Information.....	293
8.2.21	Report Type.....	294
8.2.22	Offending IE.....	294
8.2.23	Forwarding Policy.....	295
8.2.24	Destination Interface.....	295
8.2.25	UP Function Features.....	296
8.2.26	Apply Action.....	301
8.2.27	Downlink Data Service Information.....	302
8.2.28	Downlink Data Notification Delay.....	303
8.2.29	DL Buffering Duration.....	303
8.2.30	DL Buffering Suggested Packet Count.....	304
8.2.31	PFCPSMReq-Flags.....	304
8.2.32	PFCPSRRsp-Flags.....	305
8.2.33	Sequence Number.....	305
8.2.34	Metric.....	305
8.2.35	Timer.....	305
8.2.36	Packet Detection Rule ID (PDR ID).....	306
8.2.37	F-SEID.....	306
8.2.38	Node ID.....	307
8.2.39	PFD Contents.....	308
8.2.40	Measurement Method.....	310
8.2.41	Usage Report Trigger.....	310
8.2.42	Measurement Period.....	311
8.2.43	Fully qualified PDN Connection Set Identifier (FQ-CSID).....	312
8.2.44	Volume Measurement.....	313
8.2.45	Duration Measurement.....	314
8.2.46	Time of First Packet.....	314
8.2.47	Time of Last Packet.....	314
8.2.48	Quota Holding Time.....	315
8.2.49	Dropped DL Traffic Threshold.....	315
8.2.50	Volume Quota.....	315
8.2.51	Time Quota.....	316
8.2.52	Start Time.....	316
8.2.53	End Time.....	317
8.2.54	URR ID.....	317
8.2.55	Linked URR ID IE.....	317

8.2.56	Outer Header Creation .....	318
8.2.57	BAR ID .....	319
8.2.58	CP Function Features .....	319
8.2.59	Usage Information .....	320
8.2.60	Application Instance ID .....	321
8.2.61	Flow Information .....	321
8.2.62	UE IP Address .....	321
8.2.63	Packet Rate .....	322
8.2.64	Outer Header Removal .....	324
8.2.65	Recovery Time Stamp .....	326
8.2.66	DL Flow Level Marking .....	326
8.2.67	Header Enrichment .....	326
8.2.68	Measurement Information .....	327
8.2.69	Node Report Type .....	328
8.2.70	Remote GTP-U Peer .....	329
8.2.71	UR-SEQN .....	329
8.2.72	Activate Predefined Rules .....	330
8.2.73	Deactivate Predefined Rules .....	330
8.2.74	FAR ID .....	330
8.2.75	QER ID .....	331
8.2.76	OCI Flags .....	331
8.2.77	PFCP Association Release Request .....	331
8.2.78	Graceful Release Period .....	332
8.2.79	PDN Type .....	332
8.2.80	Failed Rule ID .....	333
8.2.81	Time Quota Mechanism .....	333
8.2.82	Void .....	334
8.2.83	User Plane Inactivity Timer .....	334
8.2.84	Multiplier .....	334
8.2.85	Aggregated URR ID IE .....	335
8.2.86	Subsequent Volume Quota .....	335
8.2.87	Subsequent Time Quota .....	335
8.2.88	RQI .....	336
8.2.89	QFI .....	336
8.2.90	Query URR Reference .....	336
8.2.91	Additional Usage Reports Information .....	337
8.2.92	Traffic Endpoint ID .....	337
8.2.93	MAC address .....	337
8.2.94	C-TAG (Customer-VLAN tag) .....	338
8.2.95	S-TAG (Service-VLAN tag) .....	339
8.2.96	Ethertype .....	339
8.2.97	Proxying .....	340
8.2.98	Ethernet Filter ID .....	340
8.2.99	Ethernet Filter Properties .....	340
8.2.100	Suggested Buffering Packets Count .....	341
8.2.101	User ID .....	341
8.2.102	Ethernet PDU Session Information .....	342
8.2.103	MAC Addresses Detected .....	343
8.2.104	MAC Addresses Removed .....	343
8.2.105	Ethernet Inactivity Timer .....	344
8.2.106	Subsequent Event Quota .....	344
8.2.107	Subsequent Event Threshold .....	344
8.2.108	Trace Information .....	345
8.2.109	Framed-Route .....	345
8.2.110	Framed-Routing .....	345
8.2.111	Framed-IPv6-Route .....	346
8.2.112	Event Quota .....	346
8.2.113	Event Threshold .....	346
8.2.114	Time Stamp .....	347
8.2.115	Averaging Window .....	347
8.2.116	Paging Policy Indicator (PPI) .....	347
8.2.117	APN/DNN .....	347

8.2.118	3GPP Interface Type.....	348
8.2.119	PFCPSRReq-Flags.....	349
8.2.120	PFCPAUReq-Flags.....	350
8.2.121	Activation Time.....	350
8.2.122	Deactivation Time.....	351
8.2.123	MAR ID.....	351
8.2.124	Steering Functionality.....	351
8.2.125	Steering Mode.....	352
8.2.126	Weight.....	352
8.2.127	Priority.....	352
8.2.128	UE IP address Pool Identity.....	353
8.2.129	Alternative SMF IP Address.....	353
8.2.130	Packet Replication and Detection Carry-On Information.....	354
8.2.131	SMF Set ID.....	354
8.2.132	Quota Validity Time.....	355
8.2.133	Number of Reports.....	355
8.2.134	PFCPASRsp-Flags.....	355
8.2.135	CP PFCP Entity IP Address.....	356
8.2.136	PFCPSEReq-Flags.....	356
8.2.137	IP Multicast Address.....	356
8.2.138	Source IP Address.....	357
8.2.139	Packet Rate Status.....	358
8.2.140	Create Bridge/Router Info IE.....	359
8.2.141	Port Number.....	359
8.2.142	NW-TT Port Number.....	359
8.2.143	5GS User Plane Node ID.....	360
8.2.144	Port Management Information Container.....	360
8.2.145	Requested Clock Drift Information.....	361
8.2.146	Time Domain Number.....	361
8.2.147	Time Offset Threshold.....	361
8.2.148	Cumulative rateRatio Threshold.....	362
8.2.149	Time Offset Measurement.....	362
8.2.150	Cumulative rateRatio Measurement.....	362
8.2.151	SRR ID.....	362
8.2.152	Requested Access Availability Information.....	363
8.2.153	Access Availability Information.....	363
8.2.154	MPTCP Control Information.....	364
8.2.155	ATSSS-LL Control Information.....	364
8.2.156	PMF Control Information.....	364
8.2.157	MPTCP Address Information.....	365
8.2.158	Link-Specific Multipath IP Address.....	366
8.2.159	PMF Address Information.....	366
8.2.160	ATSSS-LL Information.....	367
8.2.161	Data Network Access Identifier.....	368
8.2.162	Average Packet Delay.....	368
8.2.163	Minimum Packet Delay.....	368
8.2.164	Maximum Packet Delay.....	368
8.2.165	QoS Report Trigger.....	369
8.2.166	GTP-U Path Interface Type.....	369
8.2.167	Requested QoS Monitoring.....	369
8.2.168	Reporting Frequency.....	370
8.2.169	Packet Delay Thresholds.....	371
8.2.170	Minimum Wait Time.....	371
8.2.171	QoS Monitoring Measurement.....	372
8.2.172	MT-EDT Control Information.....	373
8.2.173	DL Data Packets Size.....	373
8.2.174	QER Control Indications.....	373
8.2.175	NF Instance ID.....	374
8.2.176	S-NSSAI.....	374
8.2.177	IP version.....	374
8.2.178	PFCPASReq-Flags.....	374
8.2.179	Data Status.....	375