

# ETSI TS 129 513 V18.9.0 (2025-03)



**5G;  
5G System;  
Policy and Charging Control signalling flows and QoS  
parameter mapping;  
Stage 3  
(3GPP TS 29.513 version 18.9.0 Release 18)**

iTech Standards  
(http://standards.iteh.ai)  
Document Preview

<https://standards.iteh.ai/catalog/standards/etsi/3ad4f9ff-b1b2-4280-a447-4f1134c68857/etsi-ts-129-513-v18-9-0-2025-03>



---

**Reference**

RTS/TSGC-0329513vi90

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. [2025-03](#)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope .....	9
2 References .....	9
3 Definitions, symbols and abbreviations .....	12
3.1 Definitions .....	12
3.2 Abbreviations .....	12
4 Reference architecture.....	13
5 Signalling Flows for the Policy Framework.....	18
5.0 General .....	18
5.1 AM Policy Association Management.....	18
5.1.1 AM Policy Association Establishment .....	18
5.1.2 AM Policy Association Modification .....	21
5.1.2.1 AM Policy Association Modification initiated by the AMF .....	21
5.1.2.1.1 AM Policy Association Modification initiated by the AMF without AMF relocation .....	21
5.1.2.1.2 AM Policy Association Modification with old PCF during AMF relocation .....	22
5.1.2.2 AM Policy Association Modification initiated by the PCF.....	23
5.1.3 AM Policy Association Termination .....	25
5.1.3.1 AM Policy Association Termination initiated by the AMF .....	25
5.1.3.2 AM Policy Association Termination initiated by the PCF.....	26
5.2 SM Policy Association Management .....	28
5.2.1 SM Policy Association Establishment .....	28
5.2.2 SM Policy Association Modification.....	32
5.2.2.1 General .....	32
5.2.2.2 SM Policy Association Modification initiated by the PCF .....	32
5.2.2.2.1 Interactions between SMF, PCF and CHF .....	32
5.2.2.2.2 Interactions between PCF, AF and UDR.....	34
5.2.2.2.2.1 AF Session Establishment.....	34
5.2.2.2.2.2 AF Session Modification .....	36
5.2.2.2.2.3 AF Session Termination .....	38
5.2.2.2.2.4 AF Request of application detection exposure.....	39
5.2.2.2.2.5 AF Request termination of application detection exposure .....	40
5.2.2.3 SM Policy Association Modification initiated by the SMF .....	41
5.2.3 SM Policy Association Termination.....	46
5.2.3.1 SM Policy Association Termination initiated by the SMF.....	46
5.2.3.2 SM Policy Association Termination initiated by the PCF .....	50
5.3 Spending Limit Procedures .....	50
5.3.1 General.....	50
5.3.2 Initial Spending Limit Report Request .....	50
5.3.3 Intermediate Spending Limit Report Request.....	51
5.3.4 Final Spending Limit Report Request.....	52
5.3.5 Spending Limit Report.....	53
5.3.6 Subscription termination request by CHF.....	53
5.4 Network Data Analytics Procedures .....	54
5.4.1 General.....	54
5.4.2 NWDAF Discovery and Selection by the PCF.....	54
5.4.3 Policy decisions based on Network Analytics .....	54
5.5 Service Capability Exposure Procedures.....	57
5.5.1 General.....	57
5.5.2 Management of Packet Flow Descriptions .....	58
5.5.2.1 AF-initiated PFD management procedure.....	58

5.5.2.1A	PFD management based on NWDAF analytics .....	59
5.5.2.2	PFD management towards SMF .....	60
5.5.2.2.1	PFD retrieval .....	60
5.5.2.2.2	PFD management .....	61
5.5.3	Traffic influence procedures .....	62
5.5.3.1	General .....	62
5.5.3.2	AF requests targeting an individual UE address .....	64
5.5.3.3	AF requests targeting PDU Sessions not identified by an UE address.....	66
5.5.3.4	AF requests to influence traffic routing for HR-SBO session.....	70
5.5.4	Negotiation for future background data transfer procedure .....	72
5.5.4A	Modification of BDT warning notification request indication procedure.....	74
5.5.5	BDT warning notification procedure .....	75
5.5.6	Background data transfer policy applying procedure .....	78
5.5.7	IPTV configuration provisioning .....	80
5.5.8	AF-based service parameter provisioning.....	81
5.5.8.1	AF-based service parameter provisioning to HPLMN .....	81
5.5.8.2	AF-based service parameter provisioning to VPLMN .....	84
5.5.8.3	AF-based service parameter provisioning for TNAP ID.....	86
5.5.9	QoS monitoring procedure.....	88
5.5.10	AF-triggered dynamically changing AM policies.....	91
5.5.10.1	General .....	91
5.5.10.2	Access and Mobility policy authorization requests targeting an individual UE.....	91
5.5.10.3	AF requests to influence AM policies.....	95
5.5.11	Procedures for Time Synchronization Exposure.....	97
5.5.11.1	General .....	97
5.5.11.2	Exposure of UE availability and capabilities for Time Synchronization service .....	98
5.5.11.3	Time Synchronization service activation, modification, and deactivation.....	101
5.5.11.4	Management of 5G Access Stratum Time distribution .....	106
5.5.11.5	Management of network timing synchronization status monitoring .....	110
5.5.12	Deterministic Networking specific parameter provisioning .....	112
5.5.12.1	General .....	112
5.5.12.2	5GS DetNet node information reporting.....	112
5.5.12.3	5GS DetNet node configuration.....	115
5.5.12.4	QoS parameter mapping functions at TSCTSF.....	116
5.5.13	Negotiation for planned data transfer with QoS requirements.....	118
5.5.13A	Modification of PDTQ warning notification request indication procedure .....	120
5.5.14	PDTQ warning notification procedure.....	121
5.6	UE Policy Association Management.....	122
5.6.1	UE Policy Association Establishment .....	122
5.6.1.1	General .....	122
5.6.1.2	Non-roaming .....	123
5.6.1.3	Roaming.....	127
5.6.2	UE Policy Association Modification .....	130
5.6.2.1	UE Policy Association Modification initiated by the AMF .....	130
5.6.2.1.1	General .....	130
5.6.2.1.2	Non-roaming .....	131
5.6.2.1.3	Roaming .....	132
5.6.2.2	UE Policy Association Modification initiated by the PCF.....	134
5.6.2.2.1	General .....	134
5.6.2.2.2	Non-roaming .....	135
5.6.2.2.3	Roaming .....	136
5.6.3	UE Policy Association Termination .....	138
5.6.3.1	UE Policy Association Termination initiated by the AMF .....	138
5.6.3.1.1	General .....	138
5.6.3.1.2	Non-roaming .....	139
5.6.3.1.3	Roaming .....	140
5.6.3.2	UE Policy Association Termination initiated by the PCF.....	141
5.6.3.2.1	General .....	141
5.6.3.2.2	Non-roaming .....	142
5.6.3.2.3	Roaming .....	143
5.7	MBS Policy Association Management.....	144
5.7.1	General.....	144

5.7.2	MBS Policy Association Establishment .....	144
5.7.3	MBS Policy Association Modification .....	147
5.7.3.1	General .....	147
5.7.3.2	MBS Policy Association Modification initiated by the AF/NEF/MBSF .....	147
5.7.4	MBS Policy Association Termination .....	149
5.7.4.1	General .....	149
5.7.4.2	MBS Policy Association Termination initiated by the PCF .....	149
5.7.4.3	MBS Policy Association Termination initiated by the AF/NEF/MBSF .....	149
5.8	Awareness of URSP Rule Enforcement .....	150
5.8.1	General .....	150
5.8.2	Forwarding of URSP Rule Enforcement Information (non-roaming and Home Routed roaming) .....	151
5.8.3	Forwarding of URSP Rule Enforcement Information (LBO roaming) .....	152
6	Binding Mechanism .....	154
6.1	Overview .....	154
6.2	Session Binding .....	155
6.3	PCC rule Authorization .....	156
6.4	QoS flow binding .....	156
6.5	Binding mechanism in MBS deployments .....	159
6.5.1	MBS Session Binding .....	159
6.5.2	MBS PCC rule Authorization for an MBS session .....	159
6.5.3	MBS QoS flow binding within an MBS session .....	159
7	QoS Parameters Mapping .....	160
7.1	Overview .....	160
7.2	QoS parameter mapping Functions at AF .....	161
7.2.1	Introduction .....	161
7.2.2	AF supporting Rx interface .....	162
7.2.3	AF supporting N5 interface .....	162
7.3	QoS parameter mapping Functions at PCF .....	175
7.3.1	Introduction .....	175
7.3.2	PCF Interworking with an AF supporting Rx interface .....	175
7.3.3	PCF Interworking with an AF supporting N5 interface .....	184
7.4	QoS parameter mapping Functions at SMF .....	194
7.4.1	QoS parameter mapping Functions in 5GC .....	194
7.4.2	QoS parameter mapping Functions at SMF+PGW-C for interworking scenario .....	195
7.5	QoS Parameters Mapping in MBS deployments .....	195
7.5.1	Introduction .....	195
7.5.2	QoS parameter mapping Functions at PCF .....	195
7.5.3	QoS parameter mapping Functions at MB-SMF .....	199
8	PCF addressing .....	200
8.1	General .....	200
8.2	PCF discovery and selection by the AMF .....	200
8.3	PCF discovery and selection by the SMF .....	202
8.4	PCF discovery and selection by the AF .....	203
8.4.1	General .....	203
8.4.2	Binding Support Function (BSF) .....	203
8.4.3	Void .....	205
8.4A	PCF for a PDU session discovery and selection by the PCF for a UE .....	205
8.4B	PCF for a UE discovery and selection by the PCF for a PDU session .....	205
8.5	BSF procedures .....	206
8.5.1	General .....	206
8.5.2	Binding information Creation .....	206
8.5.3	Binding information Deletion .....	206
8.5.4	Binding information Retrieval .....	207
8.5.5	Proxy BSF .....	207
8.5.5.1	General .....	207
8.5.5.2	Rx Session Establishment .....	208
8.5.5.3	Rx Session Modification .....	208
8.5.5.3.1	AF-initiated .....	208
8.5.5.3.2	PCF-initiated .....	209
8.5.5.4	Rx Session Termination .....	209

8.5.5.4.1	AF-initiated .....	209
8.5.5.4.2	PCF-initiated .....	210
8.5.6	Redirect BSF.....	210
8.5.6.1	General .....	210
8.5.6.2	Rx Session Establishment .....	211
8.5.7	Binding information Update .....	211
8.5.8	Binding information Subscription.....	212
8.5.9	Binding information Unsubscription .....	212
8.5.10	Binding information Notification .....	213
8.6	PCF discovery and selection procedures in MBS deployments .....	213
8.6.1	PCF discovery and selection by the MB-SMF.....	213
8.6.2	PCF discovery and selection by the AF/NEF/MBSF.....	213
8.6.2.1	General .....	213
8.6.2.2	Binding Support Function (BSF) .....	214
8.6.3	BSF procedures.....	214
8.6.3.1	General .....	214
8.6.3.2	Binding information Creation .....	215
8.6.3.3	Binding information Update.....	215
8.6.3.4	Binding information Deletion .....	216
8.6.3.5	Binding information Retrieval .....	216
9	Race condition handling.....	216
9.1	Overview .....	216
9.2	Procedures .....	217
<b>Annex A (informative): DRA and BSF coexistence.....</b>		<b>219</b>
<b>Annex B (normative): Signalling Flows for IMS.....</b>		<b>220</b>
B.1	General .....	220
B.2	IMS Session Establishment .....	220
B.2.1	Provisioning of service information at Originating P-CSCF and PCF .....	220
B.2.2	Provisioning of service information at terminating P-CSCF and PCF .....	225
B.3	IMS Session Modification.....	230
B.3.1	Provisioning of service information .....	230
B.3.2	Enabling of IP Flows .....	236
B.3.3	Disabling of IP Flows.....	237
B.3.4	Media Component Removal.....	238
B.4	IMS Session Termination .....	239
B.4.1	Mobile initiated session release / Network initiated session release .....	239
B.4.2	QoS Flow Release/Loss.....	241
B.5	Subscription to Notification of Signalling Path Status at IMS Registration .....	241
B.6	Provisioning of SIP signalling flow information at IMS Registration .....	243
B.7	Subscription to Notification of Change of Access Type at IMS Registration.....	244
B.8	Subscription to Notification of Change of PLMN Identifier at IMS Registration .....	245
B.9	P-CSCF Restoration .....	246
B.10	IMS Restricted Local Operator Services.....	247
B.11	Retrieval of Network Provided Location Information for SMS over IP at Originating side .....	247
B.12	Retrieval of Network Provided Location Information for SMS over IP at Terminating side .....	249
<b>Annex C (informative): Guidance for underlay network to support QoS differentiation for User Plane IPsec Child SA .....</b>		<b>251</b>
C.1	Access to PLMN services via SNPN and access to SNPN services via PLMN.....	251
C.2	QoS differentiation support in the underlay network for overlay services.....	251

C.3 Guidelines for QoS requirements to/from DSCP mapping .....251

C.4 Network initiated QoS modification .....252

C.5 UE initiated QoS modification .....254

**Annex D (informative): Change history .....257**

History .....265

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ETSI TS 129 513 V18.9.0 \(2025-03\)](#)

<https://standards.iteh.ai/catalog/standards/etsi/3ad4f9ff-b1b2-4280-a447-4f1134c68857/etsi-ts-129-513-v18-9-0-2025-03>

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ETSI TS 129 513 V18.9.0 \(2025-03\)](https://standards.iteh.ai/catalog/standards/etsi/3ad4f9ff-b1b2-4280-a447-4f1134c68857/etsi-ts-129-513-v18-9-0-2025-03)

<https://standards.iteh.ai/catalog/standards/etsi/3ad4f9ff-b1b2-4280-a447-4f1134c68857/etsi-ts-129-513-v18-9-0-2025-03>

---

# 1 Scope

The present document specifies detailed call flows of Policy and Charging Control (PCC) over the Npcf, Nsmf, Namf, Nudr, Nnef, Nchf, Nbsf, Nnwdaf and Nmbsmf service-based interfaces and their relationship with the flow level signalling in 5G system.

NOTE: The call flows depicted in this Technical Specification do not cover all traffic cases.

The stage 2 definition and procedures of PCC are contained in 3GPP TS 23.502 [3] and 3GPP TS 23.503 [4]. The 5G System Architecture is defined in 3GPP TS 23.501 [2].

The stage 2 definition and procedures for PCC specific for wireless and wireline convergence are contained in 3GPP TS 23.316 [70].

The stage 2 definition and procedures of PCC for 5G multicast/broadcast services are contained in 3GPP TS 23.247 [54].

Detailed stage 3 procedures are provided in 3GPP TS 29.507 [7], 3GPP TS 29.508 [8], 3GPP TS 29.512 [9], 3GPP TS 29.514 [10], 3GPP TS 29.520 [11], 3GPP TS 29.519 [12], 3GPP TS 29.521 [22], 3GPP TS 29.594 [23], 3GPP TS 29.522 [24], 3GPP TS 29.551 [25], 3GPP TS 29.525 [31], 3GPP TS 29.554 [26] and 3GPP TS 29.537 [55].

The Technical Realization of the Service Based Architecture and the Principles and Guidelines for Services Definition of the 5G System are specified in 3GPP TS 29.500 [5] and 3GPP TS 29.501 [6].

The present specification also describes the PCC reference architectures for non-roaming and roaming scenarios in 5G system.

The present specification also describes the mapping of QoS parameters at AF, PCF, SMF and MB-SMF.

The present specification also describes the session binding at PCF, and the QoS flow binding at SMF and MB-SMF.

The present specification also describes the PCF addressing.

The present specification also describes the Race condition handling.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [3] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [4] 3GPP TS 23.503: "Policy and Charging Control Framework for the 5G System; Stage 2".
- [5] 3GPP TS 29.500: "5G System; Technical Realization of Service Based Architecture; Stage 3".
- [6] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [7] 3GPP TS 29.507: "5G System; Access and Mobility Policy Control Service; Stage 3".
- [8] 3GPP TS 29.508: "5G System; Session Management Event Exposure Service; Stage 3".

- [9] 3GPP TS 29.512: "5G System; Session Management Policy Control Service; Stage 3".
- [10] 3GPP TS 29.514: "5G System; Policy Authorization Service; Stage 3".
- [11] 3GPP TS 29.520: "5G System; Network Data Analytics Services; Stage 3".
- [12] 3GPP TS 29.519: "5G System; Usage of the Unified Data Repository Service for Policy Data, Application Data and Structured Data for Exposure; Stage 3".
- [13] Void
- [14] 3GPP TS 26.114: "IP Multimedia Subsystem (IMS); Multimedia Telephony; Media handling and interaction".
- [15] 3GPP TS 29.201: "Representational State Transfer (REST) reference point between Application Function (AF) and Protocol Converter (PC)".
- [16] IETF RFC 4566: "SDP: Session Description Protocol".
- [17] 3GPP TS 26.247: "Transparent end-to-end Packet-switched Streaming Service (PSS) Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH)".
- [18] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [19] 3GPP TS 26.234: "End-to-end transparent streaming service; Protocols and codecs".
- [20] 3GPP2 C.S0046-0 v1.0: "3G Multimedia Streaming Services".
- [21] 3GPP2 C.S0055-A v1.0: "Packet Switched Video Telephony Services (PSVT/MCS)".
- [22] 3GPP TS 29.521: "5G System; Binding Support Management Service; Stage 3".
- [23] 3GPP TS 29.594: "5G System; Spending Limit Control Service; Stage 3".
- [24] 3GPP TS 29.522: "5G System; Network Exposure Function Northbound APIs; Stage 3".
- [25] 3GPP TS 29.551: "5G System; Packet Flow Description Management Service; Stage 3".
- [26] 3GPP TS 29.554: "5G System; Background Data Transfer Policy Control Service; Stage 3".
- [27] 3GPP TS 29.504: "5G System; Unified Data Repository Services; Stage 3".
- [28] 3GPP TS 32.240: "Charging management; Charging architecture and principles".
- [29] IETF RFC 6733: "Diameter Base Protocol".
- [30] 3GPP TS 29.213: "Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping".
- [31] 3GPP TS 29.525: "UE Policy Control Service; Stage 3".
- [32] 3GPP TS 29.518: "Access and Mobility Management Services; Stage 3".
- [33] 3GPP TS 24.501: "Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3".
- [34] 3GPP TS 29.122: "T8 reference point for northbound Application Programming Interfaces (APIs). Non-Access-Stratum (NAS) protocol for 5G System (5GS); Stage 3".
- [35] 3GPP TS 24.292: "IP Multimedia (IM) Core Network (CN) subsystem Centralized Services (ICS); Stage 3".
- [36] IETF RFC 3556: "Session Description Protocol (SDP) Bandwidth Modifiers for RTP Control Protocol (RTCP) Bandwidth".
- [37] IETF RFC 3890: "A Transport Independent Bandwidth Modifier for the Session Description Protocol (SDP)".
- [38] IETF RFC 5761: "Multiplexing RTP Data and Control Packets on a Single Port".

- [39] IETF RFC 4145: "TCP-Based Media Transport in the Session Description Protocol (SDP)".
- [40] IETF RFC 4975: "The Message Session Relay Protocol (MSRP)".
- [41] 3GPP TS 24.229: "IP multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3".
- [42] IETF RFC 4412: "Communications Resource Priority for the Session Initiation Protocol (SIP)".
- [43] IETF RFC 3264: "An Offer/Answer model with the Session Description Protocol (SDP)".
- [44] 3GPP TS 23.216: "Single Radio Voice Call Continuity (SRVCC); Stage 2".
- [45] 3GPP TS 23.380: "IMS Restoration Procedures".
- [46] 3GPP TS 23.221: "Architectural requirements".
- [47] 3GPP TS 29.505: "5G System; Usage of the Unified Data Repository Service for Subscription Data; Stage 3".
- [48] 3GPP TS 29.552: "5G System; Network Data Analytics signalling follows; Stage 3".
- [49] 3GPP TS 29.523: "5G System; Policy Control Event Exposure Service; Stage 3".
- [50] 3GPP TS 29.534: "5G System; Access and Mobility Policy Authorization Service; Stage 3".
- [51] 3GPP TS 29.510: "5G System; Network function repository services; Stage 3".
- [52] 3GPP TS 29.502: "5G System; Session Management Services; Stage 3".
- [53] 3GPP TS 29.212: "Policy and Charging Control (PCC); Reference points".
- [54] 3GPP TS 23.247: "Architectural enhancements for 5G multicast-broadcast services; Stage 2".
- [55] 3GPP TS 29.537: "5G System; Multicast/Broadcast Policy Control Services; Stage 3".
- [56] 3GPP TS 29.564: "5G System; User Plane Function Services; Stage 3".
- [57] 3GPP TS 23.548: "5G System Enhancements for Edge Computing; Stage 2".
- [58] 3GPP TS 29.532: "5G System; 5G Multicast-Broadcast Session Management Services; Stage 3".
- [59] 3GPP TS 29.244: "Interface between the Control Plane and the User Plane of EPC Nodes".
- [60] 3GPP TS 29.565: "5G System; Time Sensitive Communication and Time Synchronization Function services; Stage 3".
- [61] 3GPP TS 29.503: "5G System; Unified Data Management services; Stage 3".
- [62] 3GPP TS 38.413: "NG-RAN; NG Application Protocol (NGAP)".
- [63] IETF RFC 8655: "Deterministic Networking Architecture".
- [64] IETF RFC 9633: "Deterministic Networking (DetNet) YANG Data Model".
- [65] IETF RFC 6241: "Network Configuration Protocol (NETCONF)".
- [66] IETF RFC 8040: "RESTCONF Protocol".
- [67] 3GPP TS 29.591: "5G System; Network Exposure Function Southbound Services; Stage 3".
- [68] 3GPP TS 29.543: "5G System; Data Transfer Policy Control Services; Stage 3".
- [69] IETF RFC 8864: "Negotiation Data Channels Using the Session Description Protocol (SDP)".
- [70] 3GPP TS 23.316: "Wireless and wireline convergence access support for the 5G System (5GS)".

## 3 Definitions, symbols and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.501 [2], clause 3.1 apply:

#### **Onboarding Standalone Non-Public Network**

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

5GC	5G Core Network
5G DDNMF	5G Direct Discovery Name Management Function
5QI	5G QoS Identifier
5G VN	5G Virtual Network
A2X	Aircraft-to-Everything
A2XP	Aircraft-to-Everything Policy
AF	Application Function
AMBR	Aggregate Maximum Bit Rate
AMF	Access and Mobility Management Function
ARP	Allocation and Retention Priority
AW	Average Window
BDT	Background Data Transfer
BSF	Binding Support Function
CHEM	Coverage and Handoff Enhancements using Multimedia error robustness feature
CHF	Charging Function
DetNet	Deterministic Networking
DSCP	Differentiated Services Code Point
DN-AAA	Data Network Authentication, Authorization and Accounting
DTS	Data Transport Service
EPC	Evolved Packet Core
EPS	Evolved Packet System
E-UTRAN	Evolved Universal Terrestrial Radio-Access Network
HR-SBO	Home Routed-Session BreakOut
LBO	Local Breakout
MBR	Maximum Bitrate
MBS	Multicast/Broadcast Service
MBSF	Multicast/Broadcast Service Function
MB-SMF	Multicast/Broadcast Session Management Function
MCS	Mission Critical Service
MME	Mobility Management Entity
MPD	Media Presentation Description
MPS	Multimedia Priority Service
MTU	Maximum Transmission Unit
NEF	Network Exposure Function
NID	Network Identifier
NPLI	Network Provided Location Information
NRF	Network Repository Function
NSSAI	Network Slice Selection Assistance Information
NWDAF	Network Data Analytics Function
ON-SNPN	Onboarding Standalone Non-Public Network

PCC	Policy and Charging Control
PCF	Policy Control Function
PDB	Packet Delay Budget
PDTQ	Planned Data Transfer with QoS requirements
PDUID	ProSe Discovery UE ID
PER	Packet Error Rate
PFD	Packet Flow Description
PFDF	Packet Flow Description Function
PMIC	Port Management Information Container
PL	Priority Level
ProSe	Proximity Services
ProSeP	5G ProSe Policy
PSA	PDU Session Anchor
PSAP	Public Safety Access Point
P-CSCF	Proxy Call Session Control Function
QFI	QoS Flow Identifier
QNC	QoS Notification Control
QoS	Quality of Service
RSLPP	Ranging and Sidelink Positioning Policy
SCP	Service Communication Proxy
SDP	Session Description Protocol
SEPP	Security Edge Protection Proxy
SFC	Service Function Chain
SL	Sidelink
SMF	Session Management Function
S-NSSAI	Single Network Slice Selection Assistance Information
SNPN	Stand-alone Non-Public Network
SPI	Security Parameter Index
TNAP	Trusted Network Access Point
TA	Tracking Area
TSC	Time Sensitive Communication
TSCAI	Time Sensitive Communication Assistance Information
TSN	Time Sensitive Networking
UDR	Unified Data Repository
UL CL	UpLink Classifier
UMIC	User plane node Management Information Container
UPF	User Plane Function
UPSI	UE policy section identifier
URSP	UE Route Selection Policy
V2X	Vehicle-to-Everything
V2XP	Vehicle-to-Everything Policy

## 4 Reference architecture

The policy framework functionality in 5G is comprised of the functions of the Policy Control Function (PCF), the policy and charging enforcement functionality supported by the SMF and UPF, the access and mobility policy enforcement functionality supported by the AMF, the Network Data Analytics Function (NWDAF), the Network Exposure Function (NEF), the Charging Function (CHF), the Unified Data Repository (UDR), the Time Sensitive Communication and Time Synchronization Function (TSCTSF), the Application Function (AF) and the 5G Direct Discovery Name Management Function (5G DDNMF).

The policy framework functionality for multicast-broadcast services in 5G is comprised of the functions of the Policy Control Function (PCF), the Multicast/Broadcast Service Function (MBSF), the Multicast-Broadcast Session Management Function (MB-SMF), the Network Exposure Function (NEF), the Unified Data Repository (UDR) and the Application Function (AF).

For the roaming scenario, the Security Edge Protection Proxy (SEPP) is deployed between the V-PCF and H-PCF. 3GPP TS 23.503 [4] specifies the 5G policy framework stage 2 functionality.