ETSI TS 124 554 V18.8.0 (2025-03)

5G;
Proximity-services (ProSe) in 5G System (5GS) protocol aspects;
Stage 3
(3GPP TS 24.554 version 18.8.0 Release 18)

Reference
RTS/TSGC-0124554vi80

Keywords
5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI IPR online database.

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at 3GPP to ETSI numbering cross-referencing.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights 2
Legal Notice 2
Modal verbs terminology 2
Foreword 22
1 Scope 24
2 References 24
3 Definitions of terms, symbols and abbreviations 26
3.1 Terms 26
3.2 Abbreviations 28
4 General 28
4.1 Overview 28
5 Provisioning of configuration information for 5G ProSe 29
5.1 Overview 29
5.2 Configuration and precedence of 5G ProSe configuration information 29
5.2.1 General 29
5.2.2 Precedence of 5G ProSe configuration information 29
5.2.3 Configuration parameters for 5G ProSe direct discovery 30
5.2.4 Configuration parameters for 5G ProSe direct communication over PC5 interface 31
5.2.5 Configuration parameters for 5G ProSe UE-to-network relay 33
5.2.6 Configuration parameters for 5G ProSe usage information reporting 36
5.3 Procedures 39
5.3.1 General 39
5.3.2 UE-requested ProSeP provisioning procedure 39
5.3.2.1 General 39
5.3.2.2 UE-requested ProSeP policy provisioning procedure initiation 40
5.3.2.3 UE-requested ProSeP policy provisioning procedure accepted by the network 40
5.3.2.4 UE-requested ProSeP policy provisioning procedure not accepted by the network 41
5.3.2.5 Abnormal cases on the network side 41
5.3.2.6 Abnormal cases on the UE 41
6 5G ProSe direct discovery 42
6.1 Overview 42
6.1.1 Transport protocol for PC3a control protocol messages for 5G ProSe direct discovery 42
6.1.2 Handling of UE-initiated procedures 42
6.1.2.1 General 42
6.1.2.2 5G DDNMF discovery 42
6.1.3 Handling of 5G DDNMF-initiated procedures 42
6.1.3.1 General 42
6.1.3.2 HTTP long polling 43
6.1.3.3 OMA Push 43
6.2 Procedures 43
6.2.1 Types of 5G ProSe direct discovery procedures 43
6.2.2 Announce request procedure for open 5G ProSe direct discovery 44
6.2.2.1 General 44
6.2.2.2 Announce request procedure initiation 44
6.2.2.3 Announce request procedure accepted by the 5G DDNMF 46
6.2.2.4 Announce request procedure completion by the UE 48
6.2.2.5 Announce request procedure not accepted by the 5G DDNMF 49
6.2.2.6 Abnormal cases 50
6.2.2.6.1 Abnormal cases in the UE 50
6.2.2.6.2 Abnormal cases in the 5G DDNMF 50
6.2.3 Announce request procedure for restricted 5G ProSe direct discovery model A 51
6.2.3.1 General 51

6.2.3.2 Announce request procedure initiation 51
6.2.3.3 Announce request procedure accepted by the 5G DDNMF 53
6.2.3.4 Announce request procedure completion by the UE 55
6.2.3.5 Announce request procedure not accepted by the 5G DDNMF 56
6.2.3.6 Abnormal cases 57
6.2.3.6.1 Abnormal cases in the UE 57
6.2.3.6.2 Abnormal cases in the 5G DDNMF 57
6.2.4 Monitor request procedure for open 5G ProSe direct discovery 57
6.2.4.1 General 57
6.2.4.2 Monitor request procedure Initiation 58
6.2.4.3 Monitor request procedure accepted by the 5G DDNMF 59
6.2.4.4 Monitor request procedure completion by the UE 61
6.2.4.5 Monitor request procedure not accepted by the 5G DDNMF 61
6.2.4.6 Abnormal cases 62
6.2.4.6.1 Abnormal cases in the UE 62
6.2.4.6.2 Abnormal cases in the 5G DDNMF 62
6.2.5 Monitor request procedure for restricted 5G ProSe direct discovery model A 63
6.2.5.1 General 63
6.2.5.2 Monitor request procedure Initiation 63
6.2.5.3 Monitor request procedure accepted by the 5G DDNMF 64
6.2.5.4 Monitor request procedure completion by the UE 66
6.2.5.5 Monitor request procedure not accepted by the 5G DDNMF 67
6.2.5.6 Abnormal cases 68
6.2.5.6.1 Abnormal cases in the UE 68
6.2.5.6.2 Abnormal cases in the 5G DDNMF 68
6.2.6 Discoveree request procedure for restricted 5G ProSe direct discovery model B 68
6.2.6.1 General 68
6.2.6.2 Discoveree request procedure initiation 69
6.2.6.3 Discoveree request procedure accepted by the 5G DDNMF 70
6.2.6.4 Discoveree request procedure completion by the UE 72
6.2.6.5 Discoveree request procedure not accepted by the 5G DDNMF 72
6.2.6.6 Abnormal cases 72
6.2.6.6.1 Abnormal cases in the UE 72
6.2.6.6.2 Abnormal cases in the 5G DDNMF 73
6.2.7 Discoverer request procedure for restricted 5G ProSe direct discovery model B 73
6.2.7.1 General 73
6.2.7.2 Discoverer request procedure initiation 73
6.2.7.3 Discoverer request procedure accepted by the 5G DDNMF 75
6.2.7.4 Discoverer request procedure completion by the UE 77
6.2.7.5 Discoverer request procedure not accepted by the 5G DDNMF 77
6.2.7.6 Abnormal cases 78
6.2.7.6.1 Abnormal cases in the UE 78
6.2.7.6.2 Abnormal cases in the 5G DDNMF 79
6.2.8 Match report procedure for open 5G ProSe direct discovery 79
6.2.8.1 General 79
6.2.8.2 Match report procedure initiation 79
6.2.8.3 Match report procedure accepted by the 5G DDNMF 81
6.2.8.4 Match report procedure completion by the UE 82
6.2.8.5 Match report procedure not accepted by the 5G DDNMF 82
6.2.8.6 Abnormal cases 83
6.2.8.6.1 Abnormal cases in the UE 83
6.2.9 Match report procedure for restricted 5G ProSe direct discovery model A 83
6.2.9.1 General 83
6.2.9.2 Match report procedure initiation 83
6.2.9.3 Match report procedure accepted by the 5G DDNMF 85
6.2.9.4 Match report procedure completion by the UE 86
6.2.9.5 Match report procedure not accepted by the 5G DDNMF 86
6.2.9.6 Abnormal cases 87
6.2.9.6.1 Abnormal cases in the UE 87
6.2.10 Match report procedure for restricted 5G ProSe direct discovery model B 87
6.2.10.1 General 87
6.2.10.2 Match report procedure initiation 87

6.2.10.3 Match report procedure accepted by the 5G DDNMF 89
6.2.10.4 Match report procedure completion by the UE 90
6.2.10.5 Match report procedure not accepted by the 5G DDNMF 90
6.2.10.6 Abnormal cases 91
6.2.10.6.1 Abnormal cases in the UE 91
6.2.11 Direct discovery update procedure for open discovery 91
6.2.11.1 General 91
6.2.11.2 Direct discovery update procedure initiation 91
6.2.11.3 Direct discovery update procedure accepted by the UE 93
6.2.11.4 Direct discovery update procedure completed by the 5G DDNMF 93
6.2.11.5 Direct discovery update procedure not accepted by the UE 93
6.2.11.6 Abnormal cases 94
6.2.11.6.1 Abnormal cases in the 5G DDNMF 94
6.2.11.6.2 Abnormal cases in the UE 94
6.2.12 Direct discovery update procedure for restricted discovery 94
6.2.12.1 General 94
6.2.12.2 Revocation of restricted discovery filters 94
6.2.12.2.1 Restricted discovery filters revocation procedure initiation 94
6.2.12.2.2 Restricted discovery filters revocation procedure accepted by the UE 95
6.2.12.2.3 Restricted discovery filters revocation procedure completion by the 5G DDNMF 95
6.2.12.2.4 Restricted discovery filters revocation procedure not accepted by the UE 95
6.2.12.2.5 Abnormal cases 95
6.2.12.2.5.1 Abnormal cases in the 5G DDNMF 95
6.2.12.2.5.2 Abnormal cases in the UE 96
6.2.12.3 Allocation of new ProSe restricted code 96
6.2.12.3.1 New ProSe restricted code allocation procedure initiation 96
6.2.12.3.2 ProSe restricted code allocation procedure accepted by the UE 96
6.2.12.3.3 ProSe restricted code allocation procedure completion by the 5G DDNMF 97
6.2.12.3.4 ProSe restricted code allocation procedure not accepted by the UE 97
6.2.12.3.5 Abnormal cases 97
6.2.12.3.5.1 Abnormal cases in the 5G DDNMF 97
6.2.12.3.5.2 Abnormal cases in the UE 97
6.2.13 Announcing alert procedure 98
6.2.13.1 General 98
6.2.13.2 Announcing alert procedure initiation 98
6.2.13.3 Announcing alert procedure accepted by the UE 99
6.2.13.4 Announcing alert procedure completion by the 5G DDNMF 99
6.2.13.5 Announcing alert procedure not accepted by the UE 100
6.2.13.6 Abnormal cases 100
6.2.13.6.1 Abnormal cases in the 5G DDNMF 100
6.2.13.6.2 Abnormal cases in the UE 100
6.2.14 5G ProSe direct discovery procedure over PC5 interface 100
6.2.14.1 General 100
6.2.14.2 Procedures 101
6.2.14.2.1 5G ProSe direct discovery procedure over PC5 interface with model A 101
6.2.14.2.1.1 General 101
6.2.14.2.1.2 Announcing UE procedure for 5G ProSe direct discovery initiation 101
6.2.14.2.1.3 Announcing UE procedure for 5G ProSe direct discovery completion 103
6.2.14.2.1.4 Monitoring UE procedure for 5G ProSe direct discovery initiation 103
6.2.14.2.1.5 Monitoring UE procedure for 5G ProSe direct discovery completion 105
6.2.14.2.2 5G ProSe direct discovery procedure over PC5 interface with model B 105
6.2.14.2.2.1 General 105
6.2.14.2.2.2 Discoverer UE procedure for 5G ProSe direct discovery initiation 105
6.2.14.2.2.3 Discoverer UE procedure for 5G ProSe direct discovery completion 107
6.2.14.2.2.4 Discoveree UE procedure for 5G ProSe direct discovery initiation 108
6.2.14.2.2.5 Discoveree UE procedure for 5G ProSe direct discovery completion 110
6.2.15 Group member discovery over PC5 interface 110
6.2.15.1 General 110
6.2.15.2 Procedures 111
6.2.15.2.1 Group member discovery over PC5 interface with model A 111
6.2.15.2.1.1 General 111
6.2.15.2.1.2 Announcing UE procedure for group member discovery initiation 111

6.2.15.2.1.3 Announcing UE procedure for group member discovery completion 113
6.2.15.2.1.4 Monitoring UE procedure for group member discovery initiation 113
6.2.15.2.1.5 Monitoring UE procedure for group member discovery completion......................................115
6.2.15.2.2 Group member discovery over PC5 interface with model B 115
6.2.15.2.2.1 General.......................................115
6.2.15.2.2.2 Discoverer UE procedure for group member discovery initiation 115
6.2.15.2.2.3 Discoverer UE procedure for group member discovery completion.......................................117
6.2.15.2.2.4 Discoveree UE procedure for group member discovery initiation..118
6.2.15.2.2.5 Discoveree UE procedure for group member discovery completion 120
6.2.16 Procedure for UE to use provisioned radio resources for 5G ProSe direct discovery..............................120
6.2.17 5G PKMF address request procedure 121
6.2.17.1 General.......................................121
6.2.17.2 5G PKMF address request procedure initiation by the UE 121
6.2.17.3 5G PKMF address request procedure accepted by the 5G DDNMF.......................................122
6.2.17.4 5G PKMF address request procedure completed by the UE 122
6.2.17.5 5G PKMF address request procedure not accepted by the 5G DDNMF.......................................122
6.2.17.6 Abnormal cases 123
6.2.17.6.1 Abnormal cases in the UE 123
6.2.17.6.2 Abnormal cases in the 5G DDNMF 123

7 5G ProSe direct communications 123
7.1 Overview 123
7.2 Unicast mode 5G ProSe direct communication over PC5 124
7.2.1 Overview 124
7.2.2 5G ProSe direct link establishment procedure 125
7.2.2.1 General.......................................125
7.2.2.2 5G ProSe direct link establishment procedure initiation by initiating UE 125
7.2.2.3 5G ProSe direct link establishment procedure accepted by the target UE 133
7.2.2.4 5G ProSe direct link establishment procedure completion by the initiating UE 138
7.2.2.5 5G ProSe direct link establishment procedure not accepted by the target UE 140
7.2.2.6 Abnormal cases 145
7.2.2.6.1 Abnormal cases at the initiating UE 145
7.2.2.6.2 Abnormal cases at the target UE 146
7.2.3 5G ProSe direct link modification procedure.......................................146
7.2.3.1 General.......................................146
7.2.3.2 5G ProSe direct link modification procedure initiated by initiating UE 147
7.2.3.3 5G ProSe direct link modification procedure accepted by the target UE.......................................153
7.2.3.4 5G ProSe direct link modification procedure completion by the initiating UE.......................................156
7.2.3.4a 5G ProSe direct link modification procedure completion by the target UE.......................................157
7.2.3.5 5G ProSe direct link modification procedure not accepted by the target UE.......................................158
7.2.3.6 Abnormal cases 159
7.2.3.6.1 Abnormal cases at the initiating UE 159
7.2.3.6.2 Abnormal cases at the target UE 160
7.2.3.7 Void.......................................160
7.2.4 5G ProSe direct link identifier update procedure.......................................160
7.2.4.1 General.......................................160
7.2.4.2 5G ProSe direct link identifier update procedure initiation by initiating UE 160
7.2.4.3 5G ProSe direct link identifier update procedure accepted by the target UE 162
7.2.4.4 5G ProSe direct link identifier update procedure acknowledged by the initiating UE.......................................163
7.2.4.5 5G ProSe direct link identifier update procedure completion by the target UE 164
7.2.4.6 5G ProSe direct link identifier update procedure not accepted by the target UE 164
7.2.4.7 Abnormal cases 164
7.2.4.7.1 Abnormal cases at the initiating UE 164
7.2.4.7.2 Abnormal cases at the target UE 165
7.2.5 5G ProSe direct link keep-alive procedure 166
7.2.5.1 General.......................................166
7.2.5.2 5G ProSe direct link keep-alive procedure initiation by the initiating UE.......................................166
7.2.5.3 5G ProSe direct link keep-alive procedure accepted by the target UE.......................................167
7.2.5.4 5G ProSe direct link keep-alive procedure completion by the initiating UE 167
7.2.5.5 Abnormal cases 167
7.2.5.5.1 Abnormal cases at the initiating UE 167
7.2.5.5.2 Abnormal cases at the target UE 168

7.2.6 5G ProSe direct link release procedure 168
7.2.6.1 General 168
7.2.6.2 5G ProSe direct link release procedure initiation by initiating UE 169
7.2.6.3 5G ProSe direct link release procedure accepted by the target UE 172
7.2.6.4 5G ProSe direct link release procedure completion by the initiating UE 173
7.2.6.5 Abnormal cases 173
7.2.6.5.1 Abnormal cases at the initiating UE 173
7.2.7 PC5 QoS flow establishment over 5G ProSe direct link 173
7.2.8 PC5 QoS flow match over 5G ProSe direct link 174
7.2.9 Data transmission over 5G ProSe direct link 175
7.2.9.1 Transmission 175
7.2.9.2 Procedure for UE to use provisioned radio resources for ProSe communication over PC5 175
7.2.10 5G ProSe direct link security mode control procedure 175
7.2.10.1 General 175
7.2.10.2 5G ProSe direct link security mode control procedure initiation by the initiating UE 176
7.2.10.3 5G ProSe direct link security mode control procedure accepted by the target UE 180
7.2.10.4 5G ProSe direct link security mode control procedure completion by the initiating UE 183
7.2.10.5 5G ProSe direct link security mode control procedure not accepted by the target UE 184
7.2.10.6 Abnormal cases 185
7.2.10.6.1 Abnormal cases at the initiating UE 185
7.2.11 5G ProSe direct link re-keying procedure 186
7.2.11.1 General 186
7.2.11.2 5G ProSe direct link re-keying procedure initiation by the initiating UE 186
7.2.11.3 5G ProSe direct link re-keying procedure accepted by the target UE 187
7.2.11.4 5G ProSe direct link re-keying procedure completion by the initiating UE 188
7.2.11.5 Abnormal cases at the initiating UE 188
7.2.12 5G ProSe direct link authentication procedure 188
7.2.12.1 General 188
7.2.12.2 5G ProSe direct link authentication procedure initiation by the initiating UE 189
7.2.12.3 5G ProSe direct link authentication procedure accepted by the target UE 190
7.2.12.4 5G ProSe direct link authentication procedure completion by the initiating UE 190
7.2.12.5 5G ProSe direct link authentication procedure not accepted by the target UE 191
7.2.12.6 5G ProSe direct link authentication procedure not accepted by the initiating UE 191
7.2.12.7 Abnormal cases 191
7.2.12.7.1 Abnormal cases at the initiating UE 191
7.2.13 5G ProSe UE-to-UE relay update procedure 192
7.2.13.1 General 192
7.2.13.2 5G ProSe UE-to-UE relay update procedure initiation by initiating UE 192
7.2.13.3 5G ProSe UE-to-UE relay update procedure accepted by the target UE 193
7.2.13.4 5G ProSe UE-to-UE relay update procedure completion by the initiating UE 194
7.2.13.5 5G ProSe UE-to-UE relay update procedure not accepted by the target UE 194
7.2.13.6 Abnormal cases 194
7.2.13.6.1 Abnormal cases at the initiating UE 194
7.2.14 5G ProSe direct link identification procedure 194
7.2.14.1 General 194
7.2.14.2 5G ProSe direct link identification procedure initiated by initiating UE 194
7.2.14.3 5G ProSe direct link identification procedure responded by the UE 195
7.2.14.4 5G ProSe direct link identification procedure completion by the initiating UE 195
7.2.14.5 Abnormal cases 195
7.2.14.5.1 Abnormal cases at the initiating UE 195
7.2.14.5.2 Abnormal cases at the target UE 195
7.3 Broadcast mode 5G ProSe direct communication over PC5 195
7.3.1 Overview 195
7.3.2 Transmission of broadcast mode 5G ProSe communication over PC5 196
7.3.2.1 Initiation 196
7.3.2.1.1 Broadcast mode 5G ProSe communication over PC5 triggered by upper layers 196
7.3.2.1.2 PC5 QoS flow match and establishment 197
7.3.2.2 Transmission 198
7.3.2.3 Procedure for UE to use provisioned radio resources for 5G ProSe communication over PC5 199
7.3.2.4 Privacy of 5G ProSe transmission over PC5 200
7.3.3 Reception of broadcast mode 5G ProSe communication over PC5 201
7.3.4 IP address allocation for broadcast mode 5G ProSe communication over PC5 201

7.4 Groupcast mode 5G ProSe direct communication over PC5 201
7.4.1 Overview 201
7.4.2 Transmission of groupcast mode 5G ProSe communication over PC5 202
7.4.2.1 Initiation 202
7.4.2.1.1 Initiation of forming a group 202
7.4.2.1.2 Requirements for 5G ProSe direct communication over PC5 202
7.4.2.1.3 PC5 QoS flow match and establishment 202
7.4.2.2 Transmission 203
7.4.2.3 Procedure for UE to use provisioned radio resources for 5G ProSe direct communication over PC5....................203
7.4.2.4 Privacy of 5G ProSe direct transmission over PC5....................203
7.4.3 Reception of groupcast mode 5G ProSe direct communication over PC5....................203
7.4.4 IP address allocation for groupcast mode 5G ProSe communication over PC5 203
7.5 Void....................204
7.5.1 Void 204
7.5.2 Void 204
7.5.3 Void 204
7.6 PC3ach control protocol for 5G ProSe direct communication 204
7.6.1 Transport protocol for PC3ach control protocol for 5G ProSe direct communication 204
7.6.2 Procedures for PC3ach control protocol for 5G ProSe direct communication 204
7.6.2.1 Usage information report list sending procedure 204
7.6.2.1.1 General 204
7.6.2.1.2 Usage information report list sending procedure initiation 204
7.6.2.1.3 Usage information report list sending procedure accepted by the 5G DDNMF....................211
7.6.2.1.4 Usage information report list sending procedure successful completion by the UE 211
7.6.2.1.5 Usage information report list sending procedure not accepted by the 5G DDNMF....................211
7.6.2.1.6 Usage information report list sending procedure unsuccessful completion by the UE....................212
7.7 Communication path switching procedure between the direct communication path over Uu and the direct communication path over PC5 212
7.7.1 General....................212
7.7.2 Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 212
7.7.2.1 General....................212
7.7.2.2 Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 initiation by initiating UE 213
7.7.2.3 Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 accepted by the target UE 214
7.7.2.4 Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 completion by the initiating UE....................214
7.7.2.5 Path switching procedure from the direct communication path over Uu to the direct communication path over PC5 not accepted by the target UE 214
7.7.2.6 Abnormal cases 215
7.7.2.6.1 Abnormal cases at the initiating UE 215
7.7.2.6.2 Abnormal cases at the target UE 215
7.7.3 Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu 215
7.7.3.1 General 215
7.7.3.2 Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu initiation by initiating UE 216
7.7.3.3 Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu accepted by the target UE 217
7.7.3.4 Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu completion by the initiating UE....................218
7.7.3.5 Path switching procedure from the direct communication path over PC5 to the direct communication path over Uu not accepted by the target UE 218
7.7.3.6 Abnormal cases 219
7.7.3.6.1 Abnormal cases at the initiating UE 219
7.7.3.6.2 Abnormal cases at the target UE 219
7.7.4 Principles of determining the ProSe applications to be switched 219

8 5G ProSe UE-to-network relay 221
8.1 Overview 221

8.2 Procedures 221
8.2.1 UE-to-network relay discovery over PC5 interface 221
8.2.1.1 General 221
8.2.1.2 UE-to-network relay discovery over PC5 interface with model A 223
8.2.1.2.1 General 223
8.2.1.2.2 Announcing UE relay discovery for UE-to-network relay discovery 223
8.2.1.2.2.1 General 223
8.2.1.2.2.2 Announcing UE procedure for UE-to-network relay discovery initiation 223
8.2.1.2.2.3 Announcing UE procedure for UE-to-network relay discovery completion 225
8.2.1.2.3 Monitoring UE relay discovery for UE-to-network relay discovery 225
8.2.1.2.3.1 General 225
8.2.1.2.3.2 Monitoring UE procedure for UE-to-network relay discovery initiation 226
8.2.1.2.3.3 Monitoring UE procedure for UE-to-network relay discovery completion 227
8.2.1.2.4 Announcing UE procedure for relay discovery additional information 228
8.2.1.2.4.1 General 228
8.2.1.2.4.2 Announcing procedure for relay discovery additional information 228
8.2.1.2.5 Monitoring UE procedure for relay discovery additional information 230
8.2.1.2.5.1 General 230
8.2.1.2.5.2 Monitoring procedure for relay discovery additional information 230
8.2.1.3 UE-to-network relay discovery over PC5 interface with model B 231
8.2.1.3.1 Discoverer UE procedure for UE-to-network Relay discovery 231
8.2.1.3.1.1 General 231
8.2.1.3.1.2 Discoverer UE procedure for UE-to-network relay discovery initiation 231
8.2.1.3.1.3 Discoverer UE procedure for UE-to-network Relay discovery completion 235
8.2.1.3.2 Discoveree UE procedure for UE-to-network Relay discovery 235
8.2.1.3.2.1 General 235
8.2.1.3.2.2 Discoveree UE procedure for UE-to-network relay discovery initiation 235
8.2.1.3.2.3 Discoveree UE procedure for UE-to-network relay discovery completion 238
8.2.1.4 Procedure for UE to use provisioned radio resources for 5G ProSe UE-to-network discovery 238
8.2.2 UE-to-network relay selection procedure 239
8.2.2.1 General 239
8.2.2.2 UE-to-network relay selection procedure initiation 239
8.2.2.3 UE-to-network relay selection procedure completion 239
8.2.3 UE-to-network relay reselection procedure 240
8.2.3.1 General 240
8.2.3.2 UE-to-network relay reselection procedure initiation 240
8.2.4 Procedure for UE to use provisioned radio resources for 5G ProSe UE-to-network relay communication 241
8.2.5 IP address allocation for 5G ProSe remote UE in 5G ProSe layer-3 UE-to-network relay procedure 242
8.2.5a IPv6 prefix delegation via DHCPv6 for 5G ProSe layer-3 UE-to-network relay 242
8.2.6 QoS handling for 5G ProSe UE-to-network relay 243
8.2.6.1 General 243
8.2.6.2 QoS handling for 5G ProSe layer-2 UE-to-network relay 243
8.2.6.3 QoS handling for 5G ProSe layer-3 UE-to-network relay without N3IWF 243
8.2.6.3.1 General 243
8.2.6.3.2 QoS flows handling initiated by the network 243
8.2.6.3.3 PC5 QoS flows handling initiated by the 5G ProSe layer-3 remote UE 244
8.2.6.4 QoS handling for 5G ProSe layer-3 UE-to-network relay with N3IWF 245
8.2.6.4.1 General 245
8.2.6.4.2 QoS handling with QoS signalling procedure 245
8.2.7 5G ProSe layer-3 UE-to-network relay with N3IWF support 246
8.2.7.1 General 246
8.2.7.2 5G ProSe layer-3 UE-to-network relay UE establishing PDU session to access N3IWF 246
8.2.7.3 N3IWF selection for 5G ProSe layer-3 remote UE 247
8.2.8 5G ProSe additional parameters announcement procedure 247
8.2.8.1 General 247
8.2.8.2 5G ProSe additional parameters announcement procedure initiation by the 5G ProSe layer-3 remote UE 247
8.2.8.3 5G ProSe additional parameters announcement procedure accepted by the 5G ProSe layer-3 UE-to-network relay UE 248
8.2.8.4 5G ProSe additional parameters announcement procedure completion by the 5G ProSe layer-3 remote UE 248

8.2.8.5 Abnormal cases 248
8.2.8.5.1 Abnormal cases in the 5G ProSe layer-3 remote UE 248
8.2.9 5G ProSe AA message reliable transport procedure 248
8.2.9.1 General 248
8.2.9.2 5G ProSe AA message reliable transport procedure initiation 249
8.2.9.3 5G ProSe AA message reliable transport procedure accepted by the target UE 249
8.2.9.4 5G ProSe AA message reliable transport procedure completion by the initiating UE 250
8.2.9.5 Abnormal cases 250
8.2.9.5.1 Abnormal cases at the initiating UE 250
8.2.10 5G ProSe security procedures over PC8 interface 250
8.2.10.1 General 250
8.2.10.1.1 Transport protocol for PC8 messages 250
8.2.10.1.2 Handling of UE-initiated procedures 250
8.2.10.1.2.1 General 250
8.2.10.1.2.2 5G PKMF discovery 251
8.2.10.2 Procedures 251
8.2.10.2.1 Types of 5G ProSe procedures over PC8 interface 251
8.2.10.2.2 5G ProSe UE-to-network relay discovery security parameters request procedure 251
8.2.10.2.2.1 General 251
8.2.10.2.2.2 5G ProSe UE-to-network relay discovery security parameters request procedure initiation 251
8.2.10.2.2.3 5G ProSe UE-to-network relay discovery security parameters request procedure accepted by the 5G PKMF 253
8.2.10.2.2.4 5G ProSe UE-to-network relay discovery security parameters request procedure completion by the UE 255
8.2.10.2.2.5 5G ProSe UE-to-network relay discovery security parameters request procedure not accepted by the 5G PKMF 255
8.2.10.2.2.6 Abnormal cases in the UE 255
8.2.10.2.2.7 Abnormal cases in the 5G PKMF 256
8.2.10.2.3 5G ProSe remote user key request procedure 256
8.2.10.2.3.1 General 256
8.2.10.2.3.2 5G ProSe remote user key request procedure initiation 256
8.2.10.2.3.3 5G ProSe remote user key request procedure accepted by the 5G PKMF 257
8.2.10.2.3.4 5G ProSe remote user key request procedure completion by the UE 257
8.2.10.2.3.5 5G ProSe remote user key request procedure not accepted by the 5G PKMF 257
8.2.10.2.3.6 Abnormal cases in the UE 258
8.2.10.2.3.7 Abnormal cases in the 5G PKMF 258
8.2.10.2.4 Key request procedure 258
8.2.10.2.4.1 General 258
8.2.10.2.4.2 Key request procedure initiation 258
8.2.10.2.4.3 Key request procedure accepted by the 5G PKMF 259
8.2.10.2.4.4 Key request procedure completion by the UE 260
8.2.10.2.4.5 Key request procedure not accepted by the 5G PKMF 260
8.2.10.2.4.6 Abnormal cases in the UE 260
8.2.10.2.4.7 Abnormal cases in the 5G PKMF 260
8.2.11 UE-to-network relay unicast direct communication over PC5 interface 260
8.2.12 5G ProSe security procedures over PC3a interface 261
8.2.12.1 General 261
8.2.12.1.1 Transport protocol for PC3a messages 261
8.2.12.1.2 Handling of UE-initiated procedures 261
8.2.12.1.2.1 General 261
8.2.12.1.2.2 5G DDNMF discovery 261
8.2.12.2 Procedures 261
8.2.12.2.1 Types of 5G ProSe security procedures over PC3a interface 261
8.2.12.2.2 5G ProSe UE-to-network relay discovery security material request procedure 262
8.2.12.2.2.1 General 262
8.2.12.2.2.2 5G ProSe UE-to-network relay discovery security material request procedure initiation 262
8.2.12.2.2.3 5G ProSe UE-to-network relay discovery security material request procedure accepted by the 5G DDNMF 263
8.2.12.2.2.4 5G ProSe UE-to-network relay discovery security material request procedure completion by the UE 265
8.2.12.2.2.5 5G ProSe UE-to-network relay discovery security material request procedure not accepted by the 5G DDNMF 265

8.2.12.2.2.6 Abnormal cases in the UE 265
8.2.12.2.2.7 Abnormal cases in the 5G DDNMF 266
8.2.13 Communication path switching between 5G ProSe UE-to-network relays 266
8.2.13.1 General 266
8.2.13.2 Target UE-to-network relay discovery and selection for communication path switching 266
8.2.13.3 Path switching to 5G ProSe layer-3 UE-to-network relay without N3IWF 267
8.2.13.4 Path switching to 5G ProSe layer-3 UE-to-network relay with N3IWF 267
8.2.13.5 Path switching to 5G ProSe layer-2 UE-to-network relay 267
8.2.14 5G ProSe public warning notification relay procedure 268
8.2.14.1 General 268
8.2.14.2 5G ProSe public warning notification relay procedure initiation for 5G ProSe layer-3 UE-to-network relay 268
8.2.14.3 Reception of 5G ProSe public warning notification relay message 269
8.2.15 Multi-path communication via a PDU session and via 5G ProSe UE-to-network relay 269
8.2.15.1 General 269
8.2.15.2 Multi-path communication via a PDU session and via 5G ProSe layer-3 UE-to-network relay 269
8.2.15.3 Multi-path communication via a PDU session and via 5G ProSe layer-2 UE-to-network relay 270

8a 5G ProSe UE-to-UE relay 270
8a.1 Overview 270
8a.2 Procedures 270
8a.2.1 5G ProSe UE-to-UE relay discovery over PC5 interface 270
8a.2.1.1 General 270
8a.2.1.2 UE-to-UE relay discovery over PC5 interface with model A 271
8a.2.1.2.1 General 271
8a.2.1.2.2 Announcing UE relay discovery for UE-to-UE relay discovery 271
8a.2.1.2.2.1 General 271
8a.2.1.2.2.2 Announcing UE procedure for UE-to-UE relay discovery initiation 271
8a.2.1.2.2.3 Announcing UE procedure for UE-to-UE relay discovery completion 273
8a.2.1.2.3 Monitoring UE relay discovery for UE-to-UE relay discovery 274
8a.2.1.2.3.1 General 274
8a.2.1.2.3.2 Monitoring UE procedure for UE-to-UE relay discovery initiation 274
8a.2.1.2.3.3 Monitoring UE procedure for UE-to-UE relay discovery completion 276
8a.2.1.3 UE-to-UE relay discovery over PC5 interface with model B 276
8a.2.1.3.1 General 276
8a.2.1.3.2 Discoverer end UE procedure for UE-to-UE Relay discovery 276
8a.2.1.3.2.1 General 276
8a.2.1.3.2.2 Discoverer end UE procedure for UE-to-UE relay discovery initiation 276
8a.2.1.3.2.3 Discoverer end UE procedure for UE-to-UE relay discovery completion 279
8a.2.1.3.3 Relay UE procedure for UE-to-UE Relay discovery 279
8a.2.1.3.3.1 General 279
8a.2.1.3.3.2 Relay UE procedure for UE-to-UE relay discovery initiation 280
8a.2.1.3.3.3 Relay UE procedure for UE-to-UE relay discovery completion 283
8a.2.1.3.4 Discoveree end UE procedure for UE-to-UE Relay discovery 284
8a.2.1.3.4.1 General 284
8a.2.1.3.4.2 Discoveree end UE procedure for UE-to-UE relay discovery initiation 284
8a.2.1.3.4.3 Discoveree end UE procedure for UE-to-UE relay discovery completion 286
8a.2.2 5G ProSe UE-to-UE relay selection procedure 286
8a.2.2.1 General 286
8a.2.2.2 UE-to-UE relay selection procedure initiation 286
8a.2.2.3 UE-to-UE relay selection procedure completion 287
8a.2.3 5G ProSe UE-to-UE relay reselection procedure 287
8a.2.3.1 General 287
8a.2.3.2 UE-to-UE relay reselection procedure initiation 287
8a.2.3.3 Candidate 5G ProSe UE-to-UE relay discovery procedure 288
8a.2.4 5G ProSe UE-to-UE relay unicast direct communication over PC5 interface 289
8a.2.5 IP address allocation for 5G ProSe layer-3 end UE in 5G ProSe layer-3 UE-to-UE relay procedure 289
8a.2.6 Security procedures for 5G ProSe layer-2 end UEs 290
8a.2.7 QoS handling for 5G ProSe UE-to-UE relay 290
8a.2.7.1 General 290
8a.2.7.2 QoS handling for 5G ProSe layer-3 UE-to-UE relay 290
8a.2.7.2.1 General 290

8a.2.7.2.2 PC5 QoS flows handling initiated by the source 5G ProSe layer-3 end UE....290
8a.2.7.3 QoS handling for 5G ProSe layer-2 UE-to-UE relay....291
8a.2.8 Support for Ethernet traffic via 5G ProSe layer-3 UE-to-UE relay....291
8a.2.9 5G ProSe AA message reliable transport procedure....292
8a.2.10 5G ProSe UE-to-UE relay direct link security establishment procedure....292
8a.2.10.1 General....292
8a.2.10.2 5G ProSe UE-to-UE relay direct link security establishment procedure initiation by initiating UE....292
8a.2.10.3 5G ProSe UE-to-UE relay direct link security establishment procedure accepted by the target UE....294
8a.2.10.4 5G ProSe UE-to-UE relay direct link security establishment procedure completion by the initiating UE....295
8a.2.10.5 5G ProSe UE-to-UE relay direct link security establishment procedure not accepted by the target UE....295
8a.2.10.6 Abnormal cases....297
8a.2.10.6.1 Abnormal cases at the initiating UE....297
8a.2.10.6.2 Abnormal cases at the target UE....297
8a.2.11 5G ProSe security procedures over PC3a interface for 5G ProSe UE-to-UE relay....297
8a.2.11.1 General....297
8a.2.11.1.1 Transport protocol for PC3a messages....297
8a.2.11.1.2 Handling of UE-initiated procedures....297
8a.2.11.2 Procedures....297
8a.2.11.2.1 Types of 5G ProSe security procedures over PC3a interface for 5G ProSe UE-to-UE relay....297
8a.2.11.2.2 5G ProSe UE-to-UE relay discovery security material request procedure....298
8a.2.11.2.2.1 General....298
8a.2.11.2.2.2 5G ProSe UE-to-UE relay discovery security material request procedure initiation....298
8a.2.11.2.2.3 5G ProSe UE-to-UE relay discovery security material request procedure accepted by the 5G DDNMF....299
8a.2.11.2.2.4 5G ProSe UE-to-UE relay discovery security material request procedure completion by the UE....301
8a.2.11.2.2.5 5G ProSe UE-to-UE relay discovery security material request procedure not accepted by the 5G DDNMF....301
8a.2.11.2.2.6 Abnormal cases in the UE....301
8a.2.11.2.2.7 Abnormal cases in the 5G DDNMF....302
8a.2.12 5G ProSe security procedures over PC8 interface for 5G ProSe UE-to-UE relay....302
8a.2.12.1 General....302
8a.2.12.1.1 Transport protocol for PC8 messages....302
8a.2.12.1.2 Handling of UE-initiated procedures....302
8a.2.12.2 Procedures....302
8a.2.12.2.1 Types of 5G ProSe security procedures over PC8 interface for 5G ProSe UE-to-UE relay....302
8a.2.12.2.2 5G ProSe UE-to-UE relay discovery security material request procedure....303
8a.2.12.2.2.1 General....303
8a.2.12.2.2.2 5G ProSe UE-to-UE relay discovery security material request procedure initiation....303
8a.2.12.2.2.3 5G ProSe UE-to-UE relay discovery security material request procedure accepted by the 5G PKMF....304
8a.2.12.2.2.4 5G ProSe UE-to-UE relay discovery security material request procedure completion by the UE....306
8a.2.12.2.2.5 5G ProSe UE-to-UE relay discovery security material request procedure not accepted by the 5G PKMF....306
8a.2.12.2.2.6 Abnormal cases in the UE....306
8a.2.12.2.2.7 Abnormal cases in the 5G PKMF....307
8a.2.12.2.3 5G ProSe end UE key request procedure....307
8a.2.12.2.4 5G ProSe UE-to-UE relay UE key request procedure....307
8a.2.13 5G ProSe direct discovery set transfer procedure....307
8a.2.13.1 General....307
8a.2.13.2 5G ProSe direct discovery set transfer procedure initiation by initiating UE....307
8a.2.13.3 5G ProSe direct discovery set procedure ack by the target UE....308
8a.2.13.4 5G ProSe direct discovery set transfer procedure completion by the initiating UE....308
8a.2.13.5 Abnormal cases....308
8a.2.13.5.1 Abnormal cases at the initiating UE....308
8a.2.13.5.2 Abnormal cases at the target UE....309

9 Handling of unknown, unforeseen and erroneous protocol data....309
9.1 General....309

9.2 Handling of unknown, unforeseen and erroneous protocol data in messages sent over the PC3a or PC8 interface 309
9.2.1 Unforeseen message type 309
9.3 Handling of unknown, unforeseen and erroneous protocol data in messages sent over the PC5 interface 309
9.3.0 General 309
9.3.1 Message too short or too long 310
9.3.1.1 Message too short 310
9.3.1.2 Message too long 310
9.3.2 Unknown or unforeseen message type 310
9.3.3 Non-semantical mandatory information element errors 310
9.3.4 Unknown and unforeseen IEs in the non-imperative message part 310
9.3.4.1 IEIs unknown in the message 310
9.3.4.2 Out of sequence IEs 310
9.3.4.3 Repeated IEs 310
9.3.5 Non-imperative message part errors 311
9.3.5.1 General 311
9.3.5.2 Syntactically incorrect optional IEs 311
9.3.5.3 Conditional IE errors 311
9.3.6 Messages with semantically incorrect contents 311

10 Message functional definitions and contents 311
10.1 Overview 311
10.2 5G ProSe direct discovery messages 311
10.2.1 Message definition 311
10.2.2 Relay TAI 317
10.2.3 NCGI 317
10.2.4 Target user info 318
10.2.5 Metadata 318
10.2.6 RRC container 318
10.2.7 Target discoveree info 318
10.2.8 Void 319
10.2.8a Void 319
10.2.9 UE-to-UE relay UE info 319
10.2.10 Status indicator 319
10.2.11 Announce prohibited indication 319
10.2.11 Discoveree user info 319
10.3 PC5 signalling messages 319
10.3.1 ProSe direct link establishment request 319
10.3.1.1 Message definition 319
10.3.1.2 Target user info 320
10.3.1.3 Key establishment information container 321
10.3.1.4 Nonce_1 321
10.3.1.5 MSB of $K_{NRP-sess}$ ID 321
10.3.1.6 K_{NRP} ID 321
10.3.1.7 Relay service code 321
10.3.1.8 ProSe identifiers 321
10.3.1.9 UE identity 321
10.3.1.10 User security key ID 321
10.3.1.11 HPLMN ID 322
10.3.1.12 UTC-based counter LSB 322
10.3.1.13 MIC 322
10.3.1.14 UE-to-UE relay UE user info 322
10.3.1.15 Target end UE layer-2 ID 322
10.3.1.16 MSB of $K_{SLP-sess}$ ID 322
10.3.1.17 K_{SLP} ID 322
10.3.1.18 Relay indication 322
10.3.2 ProSe direct link establishment accept 323
10.3.2.1 Message definition 323
10.3.2.2 IP address configuration 323
10.3.2.3 Target link local IPv6 address 323
10.3.2.4 QoS flow descriptions 323
10.3.2.5 QoS rules 324