

ETSI TS 123 247 V18.8.0 (2025-04)



**5G;
Architectural enhancements
for 5G multicast-broadcast services
(3GPP TS 23.247 version 18.8.0 Release 18)**

[ETSI TS 123 247 V18.8.0 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/5f795367-a62d-4854-8a12-c7749c1318a5/etsi-ts-123-247-v18-8-0-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/5f795367-a62d-4854-8a12-c7749c1318a5/etsi-ts-123-247-v18-8-0-2025-04>



ReferenceRTS/TSGS-0223247vi80

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver repository](#).

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2025-04)

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope	10
2 References	10
3 Definitions of terms and abbreviations.....	11
3.1 Terms.....	11
3.2 Abbreviations	12
4 General Concept.....	13
4.1 Overview of multicast and broadcast communication.....	13
4.2 MB service provisioning	15
4.2.1 Multicast data provisioning	15
4.2.2 Broadcast data provisioning.....	16
4.3 Multicast session state model	17
5 Architecture model.....	20
5.1 General architecture	20
5.2 General architecture for interworking with EPS	21
5.3 Service-based interfaces, Reference point and functional entities.....	22
5.3.0 Service-based interfaces	22
5.3.1 Reference point.....	22
5.3.2 Functional entities.....	23
5.3.2.1 PCF	23
5.3.2.2 MB-SMF	23
5.3.2.3 SMF.....	24
5.3.2.4 MB-UPF.....	24
5.3.2.5 UPF	24
5.3.2.6 AMF	25
5.3.2.7 NG-RAN	25
5.3.2.8 UE	25
5.3.2.9 AF	25
5.3.2.10 NEF.....	26
5.3.2.11 MBSF.....	26
5.3.2.12 MBSTF	26
5.3.2.13 UDM.....	27
5.3.2.14 UDR	27
5.3.2.15 NRF.....	27
5.3.2.15.1 General	27
5.3.2.15.2 Extensions to NF profile at NRF	27
6 Functionalities and features.....	27
6.1 Authorization to MBS service	27
6.1.1 AF authorization to the service for multicast and broadcast.....	27
6.1.2 UE authorization to the service for multicast.....	27
6.2 Local MBS service and Location dependent MBS service	28
6.2.1 General.....	28
6.2.2 Local MBS service.....	28
6.2.3 Location dependent MBS service	29
6.2.4 Void	29
6.2.5 Void	30
6.3 Mobility support of MBS service	30
6.3.1 Mobility of Multicast MBS session	30
6.3.2 Mobility of Broadcast MBS session	30

6.4	Subscription to multicast services	31
6.4.1	General.....	31
6.4.2	MBS subscription data in UDM	31
6.4.3	MBS information in UDR.....	32
6.5	Identifiers	32
6.5.1	MBS Session ID	32
6.5.2	Temporary Mobile Group Identity.....	32
6.5.3	Source Specific IP Multicast Address.....	32
6.5.4	MBS Frequency Selection Area ID	32
6.5.5	Associated Session ID	33
6.6	QoS Handling for Multicast and Broadcast services.....	33
6.7	User plane management	34
6.8	Interworking with MBMS over E-UTRAN for public safety services.....	36
6.9	MBS Session Context.....	36
6.9.1	MBS Session Context.....	36
6.10	Policy control for Multicast and Broadcast services	38
6.10.1	General.....	38
6.10.2	MBS Session policy control data in UDR	39
6.11	Service Announcement.....	39
6.12	Paging strategy handling	40
6.13	MBS Security function.....	41
6.14	MBS Service Information	41
6.15	Group Message Delivery.....	42
6.16	Support of MBS data reception for UEs using power saving functions	42
6.17	Support of Multicast MBS session data reception in UE with RRC_INACTIVE state	43
6.18	Resource sharing across broadcast MBS Sessions during network sharing	44
6.19	Support of Broadcast MBS Session Intended for NR (e)RedCap UEs	45
6.20	QoE Measurement Collection Support for MBS.....	45
7	MBS procedures.....	46
7.1	Common procedure for Multicast and Broadcast.....	46
7.1.1	MBS Session Management.....	46
7.1.1.1	General.....	46
7.1.1.2	MBS Session Creation without PCC.....	46
7.1.1.3	MBS Session Creation with PCC.....	50
7.1.1.4	MBS Session Deletion without PCC.....	54
7.1.1.5	MBS Session Deletion with PCC.....	55
7.1.1.6	MBS Session Update without PCC.....	57
7.1.1.7	MBS Session Update with PCC.....	58
7.1.2	MB-SMF discovery and selection for multicast/broadcast session.....	60
7.1.3	MB-UPF discovery and selection for multicast/broadcast session	61
7.2	MBS procedures for multicast Session.....	61
7.2.1	MBS join and Session establishment procedure	61
7.2.1.1	General	61
7.2.1.2	Establishment of a PDU Session that can be associated with multicast session(s)	62
7.2.1.3	Multicast session join and session establishment procedure	62
7.2.1.4	Establishment of shared delivery toward RAN node	67
7.2.2	Multicast MBS Session leave and Multicast MBS Session release procedure	68
7.2.2.1	General	68
7.2.2.2	Multicast Session leave requested by the UE.....	68
7.2.2.3	Multicast session leave requested by the network or MBS session release.....	70
7.2.2.4	Release of shared delivery toward RAN node	72
7.2.3	Mobility Procedures for MBS.....	73
7.2.3.1	General	73
7.2.3.2	Xn based handover from MBS supporting NG-RAN node.....	73
7.2.3.3	N2 based handover from MBS supporting NG-RAN node.....	75
7.2.3.4	Xn/N2 based handover from non-MBS supporting NG-RAN node	76
7.2.3.5	Minimization of data loss.....	77
7.2.3.6	Xn/N2 based handover for inactive MBS session	77
7.2.3.7	Connection Resume in RRC_INACTIVE procedure.....	78
7.2.3.8	Mobility procedures to enable delivery of multicast MBS session data to UEs in RRC_INACTIVE state.....	78

7.2.3.8.1	General	78
7.2.3.8.2	Mobility of UE in RRC_INACTIVE state receiving MBS data within RNA	79
7.2.3.8.3	Mobility of UE in RRC_INACTIVE state receiving MBS data out of RNA and within RA.....	79
7.2.3.8.4	Mobility of UE in RRC_INACTIVE state receiving MBS data out of RA.....	79
7.2.4	Support of Local multicast service and Location dependent multicast service.....	79
7.2.4.1	General	79
7.2.4.2	Support of location dependent multicast service.....	79
7.2.4.2.0	Creation for location dependent MBS session.....	79
7.2.4.2.1	UE join location dependent Multicast MBS session and establishment procedure	80
7.2.4.2.2	Void.....	81
7.2.4.2.3	Handover procedure	81
7.2.4.2.4	Activation of location dependent MBS session.....	83
7.2.4.2.5	UE location change handling within the same NG-RAN node between cells belonging to different MBS service areas during Individual delivery	83
7.2.4.2.6	UE location change handling by SMF.....	84
7.2.4.2.7	UE mobility within the same NG-RAN between cells belonging to different MBS service areas for shared delivery.....	84
7.2.4.2.8	Void.....	85
7.2.4.2.9	Connection Resume procedure.....	85
7.2.4.3	Support of local MBS for multicast	85
7.2.4.3.1	Local MBS service area information provided by AF.....	85
7.2.4.3.2	Multicast session join and session establishment procedure for local MBS.....	85
7.2.4.3.3	Handover procedure with local MBS session.....	86
7.2.4.3.4	Activation of local MBS session	87
7.2.4.3.5	UE location change handling by SMF.....	87
7.2.4.3.6	UE mobility within the same NG-RAN between cells in or out of the MBS service area	88
7.2.4.3.7	Void.....	88
7.2.4.3.8	Connection Resume procedure with local MBS session	88
7.2.5	MBS session activation and deactivation.....	88
7.2.5.1	General	88
7.2.5.2	MBS session activation procedure	89
7.2.5.3	MBS session deactivation procedure	92
7.2.6	Multicast session update procedure	93
7.2.7	Void	96
7.2.8	Service request procedure	96
7.2.9	AF provisioning multicast MBS Session Authorization information	96
7.2.9a	AF provisioning MBS Session assistance information	97
7.2.10	Multicast MBS procedures for UEs using power saving functions	97
7.3	MBS procedures for broadcast Session.....	98
7.3.1	MBS Session Start for Broadcast.....	98
7.3.1a	MBS Session Start for resource sharing across multiple broadcast MBS Sessions during network sharing	101
7.3.2	MBS Session Release for Broadcast.....	101
7.3.2a	MBS Session Release for resource sharing across multiple broadcast MBS Sessions during network sharing	102
7.3.3	MBS Session Update for Broadcast.....	103
7.3.4	Support for Location dependent Broadcast Service.....	105
7.3.5	MBS Session Delivery Status Indication for Broadcast.....	105
7.3.6	Broadcast MBS Session Release Require.....	106
7.3.7	Transport change for resource sharing across broadcast MBS Sessions during network sharing.....	107
7.3.8	Broadcast MBS procedures for UEs using power saving functions	108
7.4	MBS procedures for inter System Mobility.....	109
7.4.1	Inter-system mobility with interworking at service layer	109
7.5	MBS procedures for Group Message Delivery	110
7.5.1	Group Message Delivery via MBS Broadcast	110
7.5.2	Modification of previously submitted Group message	112
7.5.3	Cancellation of previously submitted Group message.....	113
8	Control and user plane stacks.....	114
8.1	Control plane for Multicast and Broadcast services	114
8.1.1	General.....	114
8.1.2	NG-RAN – MB-SMF	114

8.2	User plane for Multicast and Broadcast services.....	114
9	Network Function Services	116
9.1	MB-SMF Services	116
9.1.1	General.....	116
9.1.2	Nmbsmf_TMGI service	116
9.1.2.1	General.....	116
9.1.2.2	Nmbsmf_TMGI_Allocate service operation.....	116
9.1.2.3	Nmbsmf_TMGI_Deallocate service operation	116
9.1.3	Nmbsmf_MBSSession service.....	117
9.1.3.1	General.....	117
9.1.3.2	Nmbsmf_MBSSession_ContextUpdate service operation.....	117
9.1.3.3	Nmbsmf_MBSSession_ContextStatusSubscribe service operation	118
9.1.3.4	Nmbsmf_MBSSession_ContextStatusNotify service operation	118
9.1.3.5	Nmbsmf_MBSSession_ContextStatusUnsubscribe service operation.....	118
9.1.3.6	Nmbsmf_MBSSession_Create service operation.....	119
9.1.3.7	Nmbsmf_MBSSession_Update service operation	119
9.1.3.8	Nmbsmf_MBSSession_Delete service operation.....	119
9.1.3.9	Nmbsmf_MBSSession_StatusNotify service operation.....	119
9.1.3.10	Nmbsmf_MBSSession_StatusSubscribe service operation.....	120
9.1.3.11	Nmbsmf_MBSSession_StatusUnsubscribe service operation	120
9.2	PCF Services	120
9.2.1	General.....	120
9.2.2	Npcf_MBSPolicyControl service	120
9.2.2.1	General.....	120
9.2.2.2	Npcf_MBSPolicyControl_Create service operation	121
9.2.2.3	Void.....	121
9.2.2.4	Npcf_MBSPolicyControl_Delete service operation	121
9.2.2.5	Npcf_MBSPolicyControl_Update service operation	121
9.2.3	Npcf_MBSPolicyAuthorization Service.....	122
9.2.3.1	General.....	122
9.2.3.2	Npcf_MBSPolicyAuthorization_Create service operation	122
9.2.3.3	Npcf_MBSPolicyAuthorization_Update service operation	122
9.2.3.4	Npcf_MBSPolicyAuthorization_Delete service operation	122
9.3	AMF Services.....	123
9.3.1	General.....	123
9.3.2	Namf_MBSPolicyBroadcast service.....	123
9.3.2.1	General.....	123
9.3.2.2	Namf_MBSPolicyBroadcast_ContextCreate service operation	123
9.3.2.3	Namf_MBSPolicyBroadcast_ContextUpdate service operation	123
9.3.2.4	Namf_MBSPolicyBroadcast_ContextRelease service operation	124
9.3.2.5	Namf_MBSPolicyBroadcast_ContextStatusNotify service operation	124
9.3.3	Namf_MBSPolicyCommunication Service	124
9.3.3.1	General.....	124
9.3.3.2	Namf_MBSPolicyCommunication_N2MessageTransfer service operation	124
9.4	NEF Services.....	124
9.4.1	General.....	124
9.4.2	Nnef_MBSPolicyTMGI service	125
9.4.2.1	General.....	125
9.4.2.2	Nnef_MBSPolicyTMGI_Allocate service operation	125
9.4.2.3	Nnef_MBSPolicyTMGI_Deallocate service operation.....	125
9.4.2.4	Nnef_MBSPolicyTMGI_ExpiryNotify service operation.....	125
9.4.3	Nnef_MBSPolicySession Service.....	126
9.4.3.1	General.....	126
9.4.3.2	Nnef_MBSPolicySession_Create service operation.....	126
9.4.3.3	Nnef_MBSPolicySession_Update service operation	126
9.4.3.4	Nnef_MBSPolicySession_Delete service operation.....	127
9.4.3.5	Nnef_MBSPolicySession_StatusNotify service operation.....	127
9.4.3.6	Nnef_MBSPolicySession_StatusSubscribe service operation.....	127
9.4.3.7	Nnef_MBSPolicySession_StatusUnsubscribe service operation	127
9.4.4	Nnef_MBSPolicyGroupMsgDelivery Service.....	128
9.4.4.1	General.....	128